

MCHENRY COUNTY HEALTHY COMMUNITY STUDY COMMUNITY ANALYSIS 2014



Working together for a
Healthier McHenry County

May 2014

Prepared for
McHenry County Healthy Community Partners

Prepared by
Health Systems Research
Division of Health Policy and Social Science Research
University of Illinois College of Medicine at Rockford
1601 Parkview Avenue
Rockford, Illinois 61107

TABLE OF CONTENTS

| | <u>Page</u> |
|--|-------------|
| CHAPTER 1 INTRODUCTION | |
| Introduction | 1 |
| Summary of Findings: | |
| Chapter 2: Population and Migration | 2 |
| Chapter 3: Race, Ethnicity, Age, Gender, Foreign Born, and Language..... | 11 |
| Chapter 4: Households, Marital Status, and Housing | 29 |
| Chapter 5: Income and Poverty..... | 48 |
| Chapter 6: Education and Employment..... | 61 |
| Chapter 7: Crime and Safety..... | 79 |
| Chapter 8: Births..... | 91 |
| Chapter 9: Deaths..... | 117 |
| Chapter 10: Health Status and Behaviors | 145 |
| Chapter 11: Health Resources and Utilization | 175 |
| CHAPTER 2 POPULATION AND MIGRATION | |
| Summary | 2 |
| <u>Table</u> | |
| 2.1 McHenry County Population: 1900-2013 | 4 |
| 2.2 McHenry County Places Population: 2000-2010 and July 1, 2012 Estimates | 5 |
| 2.3 McHenry County Townships Population: 2000-2010 and July 1, 2012 Estimates | 6 |
| 2.4 McHenry County, Illinois, and U.S. Residence Compared to One Year Ago: 2012 | 7 |
| 2.5 McHenry County Components of Population Change: 1990-1999, 2000-2009, and 2010-2013 | 7 |
| 2.6 McHenry County Migration: 2010-2011 | 8 |
| CHAPTER 3 RACE, ETHNICITY, AGE, GENDER, FOREIGN BORN, AND LANGUAGE | |
| Summary | 11 |
| <u>Table</u> | |
| 3.1 McHenry County Persons by Race and Ethnicity: 2000 and 2010 | 14 |
| 3.2 McHenry County, Illinois, and U.S. Persons by Race and Ethnicity: 2010 | 14 |
| 3.3 McHenry County Persons by Race and Hispanic Origin: 2000 and 2010..... | 15 |
| 3.4 McHenry County, Illinois, and U.S. Persons by Hispanic or Latino Origin: 2010 | 15 |
| 3.5 McHenry County Persons by Race: 2000 and 2010 | 16 |
| 3.6 McHenry County and U.S. Age Groups: 2010 | 17 |
| 3.7 McHenry County Persons by Age Group: 1990, 2000, and 2010..... | 17 |
| 3.8 McHenry County and U.S. Median Age: 1990, 2000, and 2010..... | 18 |
| 3.9 McHenry County Gender Ratio by Age Group: 1990, 2000, and 2010..... | 18 |
| 3.10 McHenry County Persons by Detailed and Compressed Age Group: 2010 | 19 |
| 3.11 McHenry County Race/Ethnicity by Detailed and Compressed Age Group: 2010 | 20 |
| 3.12 McHenry County Median Age by Race/Ethnic and Gender: 1990, 2000, and 2012 ... | 21 |
| 3.13 McHenry County Gender Ratio by Race/Ethnic: 2012 | 21 |
| 3.14 McHenry County Foreign Born Residents Year of Entry: 2012. | 21 |
| 3.15 McHenry County, Illinois, and U.S. Region of Birth of Foreign Born: 2012..... | 22 |
| 3.16 McHenry County, Illinois, and U.S. Leading Languages Spoken at Home: 2012 | 22 |
| 3.17 McHenry County, Illinois, and U.S. Nativity and Citizenship: 2012..... | 23 |
| 3.18 McHenry County, Illinois, and U.S. Leading Ancestries Reported: 2012..... | 23 |

TABLE OF CONTENTS (cont'd.)

| | <u>Page</u> |
|--|-------------|
| CHAPTER 4 HOUSEHOLDS, MARITAL STATUS, AND HOUSING | |
| Summary | 29 |
| <u>Table</u> | |
| 4.1 McHenry County, Illinois, and U.S. Relationship of Persons in Households: 2012 | 32 |
| 4.2 McHenry County, Illinois, and U.S. Persons by Household Type: 2012 | 32 |
| 4.3 McHenry County, Illinois, and U.S. Household Structure: 2012 | 33 |
| 4.4 McHenry County and U.S. Average Household Size and Average Family Size: 1970-2000 and 2012 | 33 |
| 4.5 McHenry County, Illinois, and U.S. Household Type For Children Under 18: 2012 | 34 |
| 4.6 McHenry County, Illinois, and U.S. Marital Status of Persons Ages 15+: 2012 | 34 |
| 4.7 McHenry County, Illinois, and U.S. Unmarried-Partner Households by Sex of Partner: 2012..... | 34 |
| 4.8 McHenry County, Illinois, and U.S. Grandparents Living With Own Grandchildren Under 18 Years by Responsibility: 2012 | 35 |
| 4.9 McHenry County, Illinois, and U.S. Household Type For Persons 65 Years and Older: 2012..... | 35 |
| 4.10 McHenry County, Illinois, and U.S. Recorded Marriages, Divorces, and Dissolution Ratio: 1980-2011 | 36 |
| 4.11 McHenry County and Illinois Housing Units: 2000-2012 | 37 |
| 4.12 McHenry County, Illinois, and U.S. Year Housing Unit Built and Median Year Built: 2012..... | 37 |
| 4.13 McHenry County, Illinois, and U.S. Housing Units and Occupancy: 2012 | 38 |
| 4.14 McHenry County, Illinois, and U.S. Housing Ownership: 1990, 2000, and 2012 | 38 |
| 4.15 McHenry County, Illinois, and U.S. Selected Monthly Housing Costs For Owners and Renters: 2012 | 39 |
| 4.16 McHenry County, Illinois, and U.S. Households Spending 30% or More of Their Income For Housing by Tenure by Age Group: 2012 | 40 |
| 4.17 McHenry County, Illinois, and U.S. Households Spending 30% or More of Their Income For Housing by Tenure by Income Level: 2012 | 40 |
| 4.18 McHenry County, Illinois, and U.S. Vehicles Available: 2012..... | 41 |
| 4.19 McHenry County, Illinois, and U.S. No Vehicle Available by Age of Householder: 2012 | 41 |
| 4.20 McHenry County, Illinois, and U.S. Median Home Value: 2012 | 42 |
| 4.21 McHenry County and Illinois Home Sales and Median Price: 2005-2013..... | 42 |
| CHAPTER 5 INCOME AND POVERTY | |
| Summary | 48 |
| <u>Table</u> | |
| 5.1 McHenry County, Illinois, and U.S. Median Household Income: 1989, 1999, and 2012 | 50 |
| 5.2 McHenry County, Illinois, and U.S. Median Income by Household Type: 2012 | 50 |
| 5.3 McHenry County, Illinois, and U.S. Median Household Income by Age and Race/Ethnicity: 2012..... | 50 |
| 5.4 McHenry County, Illinois, and U.S. Household Income by Detailed Category and Income Type: 2012 | 51 |
| 5.5 McHenry County, Illinois, and U.S. Per Capita Personal Income: 1990-2012 | 52 |
| 5.6 McHenry County, Illinois, and U.S. Poverty For All Persons and Children: 1989, 1999, and 2012..... | 53 |

TABLE OF CONTENTS (cont'd.)

| | <u>Page</u> |
|--|-------------|
| CHAPTER 5 INCOME AND POVERTY (cont'd.) | |
| <u>Table</u> | |
| 5.7 McHenry County and Illinois Percent of Students Eligible For Free and Reduced School Lunches: 2004-2013 | 53 |
| 5.8 McHenry County, Illinois, and U.S. Poverty For Selected Groups: 2012 | 54 |
| 5.9 McHenry County, Illinois, and U.S. Poverty by Race/Ethnicity: 2012 | 54 |
| 5.10 McHenry County, Illinois, and U.S. Ratio of Income to Poverty: 2012 | 54 |
| 5.11 McHenry County School Districts Children in Poverty and Low-Income..... | 55 |
| CHAPTER 6 EDUCATION AND EMPLOYMENT | |
| Summary | 61 |
| <u>Table</u> | |
| 6.1 McHenry County, Illinois, and U.S. Educational Attainment: 2012 | 64 |
| 6.2 McHenry County, Illinois, and U.S. Educational Attainment: 1990, 2000, and 2012... | 64 |
| 6.3 McHenry County Educational Attainment by Race/Ethnicity: 2012 | 65 |
| 6.4 McHenry County, Illinois, and U.S. Labor Force Participation by Gender and Children Presence: 1990, 2000, and 2012..... | 65 |
| 6.5 McHenry County, Illinois, and U.S. Labor Force Participation Age 65+: 1990, 2000, and 2012..... | 66 |
| 6.6 McHenry County Employment by Industry: 2000, 2005, and 2012..... | 66 |
| 6.7 McHenry County, Illinois, and U.S. Occupation, Industry, and Class of Worker: 2012 | 67 |
| 6.8 McHenry County Number Experienced Labor Force by Occupation, Gender, and Race/Ethnic Group: 2010 | 68 |
| 6.9 McHenry County Percent Experienced Labor Force by Occupation, Gender, and Race/Ethnic Group: 2010 | 69 |
| 6.10 McHenry County Top 15 Employers | 70 |
| 6.11 McHenry County, Illinois, and U.S. Annual Average Employment and Unemployment: 1990-2013..... | 71 |
| 6.12 McHenry County Workers Commuting Patterns: 2010..... | 72 |
| 6.13 McHenry County, Illinois, and U.S. Commuting Time and Method: 2012 | 73 |
| 6.14 McHenry County Commuter-Adjusted Daytime Population: 2010 | 73 |
| CHAPTER 7 CRIME AND SAFETY | |
| Summary | 79 |
| <u>Table</u> | |
| 7.1 McHenry County and Illinois Number and Rate of Crime by Type Offense: 2011 | 81 |
| 7.2 McHenry County Number and Rate of Drug Offense Arrests: 1998-2011 | 82 |
| 7.3 McHenry County and Illinois Demographics For Residents Entering Illinois Department of Corrections: 2009-2011 | 83 |
| 7.4 McHenry County and Illinois Criminal History and Recidivism For Residents Sent To/Exiting Illinois Department of Corrections | 84 |
| 7.5 McHenry County and Illinois Child Abuse/Neglect Reported and Indicated Cases: 2000-2012 | 85 |
| 7.6 McHenry County Motor Vehicle Crashes and Related Data: 2000-2012..... | 86 |

TABLE OF CONTENTS (cont'd.)

| | <u>Page</u> |
|--|-------------|
| CHAPTER 8 BIRTHS | |
| Summary | 91 |
| <u>Table</u> | |
| 8.1 McHenry County, Illinois, and U.S. Births and Birth Rate: 1980-2012..... | 94 |
| 8.2 McHenry County, Illinois, and U.S. Fertility Rates: 1990, 2000, and 2012 | 95 |
| 8.3 McHenry County Births by Race and Hispanic Ethnicity: 1980-2012 | 95 |
| 8.4 McHenry County, Illinois, and U.S. Births by Age of Mother: 2012..... | 96 |
| 8.5 McHenry County and U.S. Age-Specific Fertility: 2000 and 2012 | 96 |
| 8.6 McHenry County Age-Specific Fertility by White, Non-Hispanic and Hispanic: 2007-2012..... | 97 |
| 8.7 McHenry County, Illinois, and U.S. Births to Teen Mothers: 1980-2012..... | 98 |
| 8.8 McHenry County Teen Births by White, Non-Hispanic and Hispanic: 1995-2012..... | 99 |
| 8.9 McHenry County, Illinois, and U.S. Low Birth Weight Births: 1980-2012..... | 100 |
| 8.10 McHenry County, Illinois, and U.S. Preterm Births: 1995-2012..... | 101 |
| 8.11 McHenry County, Illinois, and U.S. Births to Unmarried Mothers: 1980-2012 | 102 |
| 8.12 McHenry County and Illinois Prenatal Care Begun First Trimester: 1990-2009..... | 103 |
| 8.13 McHenry County and Illinois Percent Births Receiving Adequate Prenatal Care: 1990-2009..... | 103 |
| 8.14 McHenry County and Illinois Mothers Who Use Tobacco During Pregnancy: 1990-2012 | 104 |
| 8.15 McHenry County, Illinois, and U.S. Selected Maternal Risk Factors: 2012 | 105 |
| 8.16 McHenry County Selected Maternal Risk Factors by White, Non-Hispanic and Hispanic: 2012..... | 105 |
| 8.17 McHenry County, Illinois, and U.S. Selected Birth and Delivery Characteristics: 2012 | 106 |
| 8.18 McHenry County and U.S. Birth Characteristics by White, Non-Hispanic and Hispanic: 2011 and 2012 | 107 |
| 8.19 McHenry County and Illinois Induced Pregnancy Terminations: 1995-2012 | 108 |
| 8.20 McHenry County, Illinois, and U.S. Number of Infant Deaths and Rates: 1980-2010 | 109 |
| 8.21 McHenry County, Illinois, and U.S. Average Annual Infant Death Rates: 1995-2010..... | 110 |
| 8.22 McHenry County Average Annual Infant Death Rates by White, Non-Hispanic and Hispanic: 2007-2010..... | 110 |
| CHAPTER 9 DEATHS | |
| Summary | 117 |
| <u>Table</u> | |
| 9.1 McHenry County, Illinois, and U.S. Total Resident Deaths and Death Rates: 1990-2012..... | 120 |
| 9.2 McHenry County, Illinois, and U.S. Age-Adjusted Death Rate: 2010 | 121 |
| 9.3 McHenry County and U.S. Deaths and Death Rates by Age Group: 2010..... | 121 |
| 9.4 McHenry County Deaths by Cause: 1999-2010..... | 122 |
| 9.5 McHenry County, Illinois, and U.S. Deaths by Cause: 2008-2010 | 123 |
| 9.6 McHenry County, Illinois, and U.S. Deaths Due to Leading Types of Cancer: 2008-2010 | 124 |
| 9.7 McHenry County, Illinois, and U.S. Accidental Deaths: 1999-2010 | 125 |

TABLE OF CONTENTS (cont'd.)

| | <u>Page</u> |
|---|-------------|
| CHAPTER 9 DEATHS (cont'd.) | |
| <u>Table</u> | |
| 9.8 McHenry County, Illinois, and U.S. Accidental Deaths by Type of Accident: 2008-2010 | 125 |
| 9.9 McHenry County Accidental Deaths by Injury Mechanism: 1999-2010 | 126 |
| 9.10 McHenry County, Illinois, and U.S. Drug and Alcohol Induced Causes of Death: 1999-2010 | 127 |
| 9.11 McHenry County Distribution of Drug Versus Alcohol Induced Deaths: 1999-2010..... | 127 |
| 9.12 McHenry County, Illinois, and U.S. Age-Adjusted Death Rates For Ten Leading Causes: 2008-2010 | 128 |
| 9.13 McHenry County Selected Death Causes by Gender: 2006-2010 | 128 |
| 9.14 McHenry County and U.S. Deaths Before 65 For Selected Causes: 2006-2010..... | 129 |
| 9.15 McHenry County, Illinois, and U.S. Years Life Lost: 2008-2010..... | 129 |
| 9.16 McHenry County, Illinois, and U.S. Crude and Age-Adjusted Death Rates by Hispanic Origin: 2010 | 130 |
| 9.17 McHenry County and U.S. Age-Adjusted Death Rates For Two Leading Causes of Death by Hispanic Origin: 2006-2010 | 130 |
| 9.18 McHenry County Deaths Before Age 65 by Hispanic Origin: 2006-2010..... | 130 |
| 9.19 McHenry County Leading Death Causes by Age Group: 2001-2010 | 131 |
| 9.20 McHenry County Percent of Deaths For Leading Causes: 1999-2001 and 2008-2010..... | 132 |
| 9.21 McHenry County Average Annual Death Rates by Cause: 1999-2001 and 2008-2010..... | 133 |
| 9.22 McHenry County Birth:Death Index: 1980-2012..... | 134 |
| 9.23 McHenry County, Illinois, and U.S. Suicide Deaths: 1995-2010..... | 135 |
| 9.24 McHenry County Suicide Deaths by Injury Mechanism: 1999-2010..... | 135 |
| 9.25 McHenry County, Illinois, and U.S. Suicide Deaths by Age Group: 1999-2010..... | 136 |
| 9.26 McHenry County, Illinois, and U.S. Drug Overdose Deaths: 1999-2010 | 137 |
| 9.27 McHenry County, Illinois, and U.S. Drug Overdose Deaths by Selected Age Groups: 1999-2010..... | 137 |
| CHAPTER 10 HEALTH STATUS AND BEHAVIORS | |
| Summary | 145 |
| <u>Table</u> | |
| 10.1 McHenry County and Illinois Average Annual Cancer Incidence All Sites: 2007-2011..... | 149 |
| 10.2 McHenry County Cancer Incidence Rates That Vary Significantly From State: 2007-2011 | 149 |
| 10.3 McHenry County and Illinois Age-Adjusted Average Annual Cancer Incidence by Site: 2007-2011 | 150 |
| 10.4 McHenry County and Illinois Sexually Transmitted Diseases Number and Rate of Chlamydia and Gonorrhea: 1990-2012 | 151 |
| 10.5 McHenry County and Illinois AIDS and HIV Cases: 2011 | 152 |
| 10.6 McHenry County Reported Communicable Diseases: 2010-2013 | 153 |
| 10.7 McHenry County Childhood Blood Lead Levels: 1997-2011 | 154 |
| 10.8 McHenry County and Illinois Past Month Youth Substance Use by Grade Level: 2010 and 2012 | 155 |

TABLE OF CONTENTS (cont'd.)

| | <u>Page</u> |
|--|-------------|
| CHAPTER 10 HEALTH STATUS AND BEHAVIORS (cont'd.) | |
| <u>Table</u> | |
| 10.9 McHenry County and Illinois Youth Use of Selected Substances by Grade Level: 2012 | 156 |
| 10.10 McHenry County and Illinois Bullying and Dating Behaviors by Grade Level: 2012 | 157 |
| 10.11 McHenry County and Illinois Youth Delinquent and Risky Behaviors by Grade Level: 2012 | 158 |
| 10.12 McHenry County and Illinois Youth Mental Health by Grade Level: 2012 | 158 |
| 10.13 McHenry County Synthetic Estimates of Persons With Past Month Substance Use by Type of Substance: 2012 | 159 |
| 10.14 McHenry County Synthetic Estimates of Persons With Past Month Substance Use by Race/Ethnicity: 2012 | 160 |
| 10.15 McHenry County Synthetic Estimates of Persons With Past Month Substance Use by Gender: 2012 | 161 |
| 10.16 McHenry County and Illinois Driving Under the Influence (DUI) Arrests: 2010-2012..... | 161 |
| 10.17 McHenry County Synthetic Estimates of Past Year Mental Illness Prevalence Among Adults by Group: 2012 | 162 |
| 10.18 McHenry County Synthetic Estimates of Adults With Selected Diseases and Conditions: 2011..... | 163 |
| 10.19 McHenry County, Illinois, and U.S. Disability by Type and Age Group: 2012 | 164 |
| 10.20 McHenry County, Illinois, and U.S. Disability by Gender and Race/Ethnicity: 2012 | 165 |
| 10.21 McHenry County School-Based Dental Characteristics Kindergarteners: 2006/2007 to 2011/2012..... | 165 |
| 10.22 McHenry County School-Based Dental Characteristics Second Graders: 2006/2007 to 2011/2012 | 166 |
| 10.23 McHenry County School-Based Dental Characteristics Sixth Graders: 2006/2007 to 2011/2012 | 166 |
| 10.24 McHenry County and Illinois Perception of Health Status and Quality of Life: 1997, 2002, 2006, and 2008 | 167 |
| 10.25 McHenry County and Illinois Prevalence of Selected Conditions: 2008 | 168 |
| 10.26 McHenry County and Illinois Self-Reported Health Behaviors: 2008..... | 168 |
| 10.27 McHenry County and Illinois Utilization of Cancer Screening Procedures: 2008..... | 169 |
| CHAPTER 11 HEALTH RESOURCES AND UTILIZATION | |
| Summary | 175 |
| <u>Table</u> | |
| 11.1 McHenry County and Illinois Health Insurance Estimates by Age and Income: 2012..... | 178 |
| 11.2 McHenry County Medicaid Enrollment as Percent of Population: 2006-2012..... | 179 |
| 11.3 McHenry County, Illinois, and U.S. Resident Hospital Discharge Rates: 2013..... | 180 |
| 11.4 McHenry County Residents Leading 30 Reasons For Hospitalization: 2013..... | 181 |
| 11.5 McHenry County and Illinois Residents Hospitalization Rates by Diagnosis: 2013 .. | 182 |
| 11.6 McHenry County Residents Top Ten Hospital Diagnoses in 2013 Compared to 2009 | 183 |

TABLE OF CONTENTS (cont'd.)

| | <u>Page</u> |
|---|---|
| CHAPTER 11 HEALTH RESOURCES AND UTILIZATION (cont'd.) | |
| <u>Table</u> | |
| 11.7 | McHenry County Residents Top 30 Hospitalization Reasons by Gender: 2013 184 |
| 11.8 | McHenry County Residents Top Hospitalization Reasons by Age Group: 2013..... 186 |
| 11.9 | McHenry County Primary Diagnosis of Long-Term Care Residents: 2012..... 191 |
| 11.10 | McHenry County Selected Characteristics of Long-Term Care Residents: 2012 192 |
| 11.11 | McHenry County Students Compliance With State-Required Dental Exam by Grade Level: 2006/2007 to 2011/2012..... 193 |
| 11.12 | McHenry County and Illinois Dentists Supply: 2006 and 2011 194 |
| 11.13 | McHenry County and U.S. Physicians and Population Per Physician: 2011 194 |

FIGURES

| | |
|---------------|---|
| <u>Figure</u> | |
| 2.1 | McHenry County Population: 1900-2013 9 |
| 2.2 | McHenry County Population Change: 1940-2010..... 9 |
| 2.3 | McHenry County Communities With >5,000 Residents Percent Population Change: 2000-2010 10 |
| 2.4 | McHenry County, Illinois, and U.S. Lived in Same House as One Year Ago: 2012 10 |
| 3.1 | McHenry County by Race/Ethnicity: 2010..... 24 |
| 3.2 | McHenry County Change in Race/Ethnicity of Population: 2000 to 2010 24 |
| 3.3 | McHenry County and U.S. by Race/Ethnicity: 2010 25 |
| 3.4 | McHenry County Hispanics by Hispanic Origin: 2010 25 |
| 3.5 | McHenry County Population by Age Group: 2010 26 |
| 3.6 | McHenry County Percent Change For Selected Age Groups: 2000 to 2010..... 26 |
| 3.7 | McHenry County and U.S. Median Age: 1990, 2000, and 2010 27 |
| 3.8 | McHenry County Race/Ethnicity For Children and Seniors: 2010 27 |
| 3.9 | McHenry County Median Age by Gender and Race/Ethnicity: 2012 28 |
| 3.10 | McHenry County Foreign-Born by Region of Birth: 2012 28 |
| 4.1 | McHenry County Households by Type: 2012..... 43 |
| 4.2 | McHenry County and U.S. Average Household Size: 1970-2012 43 |
| 4.3 | McHenry County, Illinois, and U.S. Household Type For Children <18: 2012 44 |
| 4.4 | McHenry County Marital Status of Persons Age 15+: 2012 44 |
| 4.5 | McHenry County and Illinois Dissolution Ratio: 1980-2011..... 45 |
| 4.6 | McHenry County, Illinois, and U.S. Housing Ownership: 2012..... 45 |
| 4.7 | McHenry County, Illinois, and U.S. Monthly Housing Costs: 2012 46 |
| 4.8 | McHenry County, Illinois, and U.S. Owner Households Spending 30%+ of Income For Housing: 2012..... 46 |
| 4.9 | McHenry County, Illinois, and U.S. Renter Households Spending 30%+ of Income For Housing: 2012..... 47 |
| 4.10 | McHenry County and Illinois Median Sales Price of Homes: 2005-2013..... 47 |
| 5.1 | McHenry County, Illinois, and U.S. Median Household Income: 1989, 1999, and 2012 56 |
| 5.2 | McHenry County Median Income by Household Type: 2012 56 |
| 5.3 | McHenry County Median Household Income by Age and Race/Ethnicity: 2012..... 57 |

FIGURES (cont'd.)

| <u>Figure</u> | <u>Page</u> |
|---------------|--|
| 5.4 | McHenry County, Illinois, and U.S. Per Capita Personal Income: 1990-201257 |
| 5.5 | McHenry County, Illinois, and U.S. Poverty: 201258 |
| 5.6 | McHenry County Poverty: 1989, 1999, and 201258 |
| 5.7 | McHenry County and Illinois Percent of Students Eligible For Free or Reduced Lunch: 2004-2013.....59 |
| 5.8 | McHenry County Poverty by Selected Groups: 201259 |
| 5.9 | McHenry County, Illinois, and U.S. Poverty by Race/Ethnicity: 201260 |
| 6.1 | McHenry County, Illinois, and U.S. Highest Educational Level: 2012.....74 |
| 6.2 | McHenry County Highest Educational Level by Race/Ethnicity: 2012.....74 |
| 6.3 | McHenry County, Illinois, and U.S. All Parents in Labor Force: 2012.....75 |
| 6.4 | McHenry County, Illinois, and U.S. Labor Force Participation Age 65+: 1990, 2000, and 2012.....75 |
| 6.5 | McHenry County Change in Employment For Top 5 Industries: 2000 to 201276 |
| 6.6 | McHenry County and U.S. Worker Industries: 2012.....76 |
| 6.7 | McHenry County, Illinois, and U.S. Unemployment: 1990-2013.....77 |
| 6.8 | McHenry County, Illinois, and U.S. Travel Time to Work: 2012.....77 |
| 6.9 | McHenry County, Illinois, and U.S. Mean Travel Time to Work: 2012.....78 |
| 7.1 | McHenry County and Illinois Crime Rate: 201187 |
| 7.2 | McHenry County and Illinois Crime Rate by Violent Offense Type: 201187 |
| 7.3 | McHenry County and Illinois Crime Rate by Property Offense Type: 201188 |
| 7.4 | McHenry County Drug Arrest Rate: 1998-201188 |
| 7.5 | McHenry County Specific Drug Offense Arrest Rates: 1998-201189 |
| 7.6 | McHenry County and Illinois Prior Criminal History of Residents Entering IDOC During 2009-201189 |
| 7.7 | McHenry County and Illinois Recidivism Through June 2012 of Residents Released From IDOC in 2009-201190 |
| 7.8 | McHenry County and Illinois Child Abuse/Neglect Reported and Indicated Rates: 2000-201290 |
| 8.1 | McHenry County Births: 2000-2012..... 111 |
| 8.2 | McHenry County, Illinois, and U.S. Birth Rate: 2000-2012..... 111 |
| 8.3 | McHenry County, Illinois, and U.S. Fertility Rate: 1990, 2000, and 2012 112 |
| 8.4 | McHenry County and U.S. Age-Specific Fertility: 2012 112 |
| 8.5 | McHenry County Age-Specific Fertility by White, Non-Hispanic and Hispanic: 2007-2012..... 113 |
| 8.6 | McHenry County, Illinois, and U.S. Teen Births: 1995-2012 113 |
| 8.7 | McHenry County, Illinois, and U.S. Teen Birth Rate by White, Non-Hispanic and Hispanic: 2012..... 114 |
| 8.8 | McHenry County, Illinois, and U.S. Births to Unmarried Mothers: 1995-2012 114 |
| 8.9 | McHenry County and Illinois Tobacco Use During Pregnancy: 1995-2012 115 |
| 8.10 | McHenry County Selected Birth Characteristics by White, Non-Hispanic and Hispanic: 2012..... 115 |
| 8.11 | McHenry County Average Annual Infant Death Rate by White, Non-Hispanic and Hispanic: 2007-2010..... 116 |

FIGURES (cont'd.)

| <u>Figure</u> | <u>Page</u> |
|---|-------------|
| 9.1 McHenry County Deaths: 1995-2012..... | 138 |
| 9.2 McHenry County, Illinois, and U.S. Death Rate: 1995-2012..... | 138 |
| 9.3 McHenry County Deaths by Cause: 2008-2010..... | 139 |
| 9.4 McHenry County Cancer Deaths by Type: 2008-2010..... | 139 |
| 9.5 McHenry County Accidental Deaths by Type of Accident: 2008-2010..... | 140 |
| 9.6 McHenry County, Illinois, and U.S. Drug and Alcohol Induced Deaths: 1999-2010..... | 140 |
| 9.7 McHenry County Drug and Alcohol Induced Deaths by Type: 2007-2010..... | 141 |
| 9.8 McHenry County, Illinois, and U.S. Age-Adjusted Death Rates For Top Six Causes: 2008-2010 | 141 |
| 9.9 McHenry County, Illinois, and U.S. Age-Adjusted Death Rates by Hispanic Origin: 2010 | 142 |
| 9.10 McHenry County Percent of Deaths Before Age 65 by Hispanic Origin: 2006-2010..... | 142 |
| 9.11 McHenry County Average Annual Death Rates For Top Six Causes: 1999-2001 and 2008-2010..... | 143 |
| 9.12 McHenry County, Illinois, and U.S. Suicide Death Rate: 1995-2010 | 143 |
| 9.13 McHenry County, Illinois, and U.S. Drug Overdose Death Rate: 1999-2010..... | 144 |
| 9.14 McHenry County Drug Overdose Death Rates by Age Group: 1999-2010..... | 144 |
| 10.1 McHenry County and Illinois Chlamydia Rate: 1995-2012 | 170 |
| 10.2 McHenry County and Illinois Gonorrhea Rate: 1995-2012 | 170 |
| 10.3 McHenry County Students Past Month Substance Use by Grade Level: 2012 | 171 |
| 10.4 McHenry County Students Past Two Weeks Binge Drinking (5+ Drinks in a Row) by Grade Level: 2012 | 171 |
| 10.5 McHenry County Students Experienced Bullying Behaviors in Past Year by Grade Level: 2012 | 172 |
| 10.6 McHenry County Students Delinquent and Risky Behaviors Over Past Year by Grade Level: 2012 | 172 |
| 10.7 McHenry County Students Mental Health in Past Year by Grade Level: 2012 | 173 |
| 10.8 McHenry County, Illinois, and U.S. Any Disability by Age Group: 2012..... | 173 |
| 10.9 McHenry County Students With Untreated Dental Caries: 2011-2012 | 174 |
| 11.1 McHenry County Uninsured by Age and Income Level: 2012 | 195 |
| 11.2 McHenry County Medicaid Enrollment: 2006-2012 | 195 |
| 11.3 McHenry County Resident Hospital Discharge Rates by Gender and Age Group: 2013..... | 196 |

Chapter 1 INTRODUCTION

Introduction

The Community Analysis presents a comprehensive overview of McHenry County, Illinois by describing the population through secondary sources of information. This study complements two other studies that are also part of the McHenry County Healthy Community 2014 project, Key Informants and Community Survey.

Community Analysis topics include population size, migration, race/ethnicity, language, ancestry, age, gender, income, employment, household structure, crime, births, deaths, health behaviors, morbidity, hospitalization, and health care utilization. The most current data as of May 2014 are shown along with historical data as well as state and national comparisons.

Two major sources of information for the Community Analysis are the U.S. Census Bureau and National Center for Health Statistics (NCHS). Most of the detailed Census information comes from the 2010 actual population counts and the 2008-2012 American Community Survey five-year estimates. Replacing the Census Bureau's "long form" which had been administered as part of the decennial Census through 2000, the American Community Survey collects detailed demographic, economic, social, and housing data on an annual basis from a sample of households (about 1.5%-2% of households per year). For vital statistics data, this report has drawn heavily from NCHS's Centers for Disease Control and Prevention's CDC WONDER (Wide-ranging ONline Data for Epidemiologic Research) database.

Data for this report are also drawn from additional federal sources including the U.S. Department of Commerce Bureau of Economic Analysis, U.S. Treasury Internal Revenue Service, and Substance Abuse and Mental Health Services Administration (SAMHSA). State data sources are Illinois Department of Public Health, Illinois Department of Employment Security, Illinois Uniform Crime Reporting System, Illinois Department of Children and Family Services, Illinois Department of Healthcare and Family Services, Illinois State Board of Education, Illinois Hospital Association's COMPdata, and Illinois Youth Survey. Sources are noted for all tables.

Health Systems Research (HSR) of the University of Illinois College of Medicine at Rockford has prepared this report. Michelle Bunyer was the HSR researcher who gathered and analyzed most of the data. HSR specializes in community needs assessments of health and human service organizations and has assisted the McHenry County Healthy Community partners for the 2006 and 2010 yearlong studies in addition to 2014. HSR has also conducted numerous additional projects in the county over the past decade, working closely with the McHenry County Department of Health and Woodstock School District 200. Through this work, HSR has developed a keen appreciation for the people in McHenry County and the organizations that serve them.

Summary of Findings

At the beginning of each chapter is a summary of key findings for that particular topic. Table references are shown for easy identification of the data addressed in the summary findings. Far more details than summarized in the text are found in each table. Graphs portraying data highlights and trends are presented at the end of each chapter.

Chapter 2
POPULATION AND MIGRATION

| | <u>Table (Figure)</u> |
|---|---------------------------|
| ○ Using 2013 Census estimates, McHenry County's population stands at 307,409, a -0.4% decline from 2010 at 308,760. This slight drop follows an 18.7% increase during the previous decade and 41.9% growth during the 1990's. McHenry County's most significant growth occurred during the 1950's (+66.2%). | 2.1 (2.1) (2.2) |
| ○ Crystal Lake is the largest community in McHenry County with a 2012 population of 40,480 though the city lost population (-0.6%) between 2010 and 2012. Other McHenry County communities with greater than 20,000 residents include Lake in the Hills (29,098), McHenry (26,825), Woodstock (25,084), and Algonquin (21,471). | 2.2 |
| ○ The smallest communities in McHenry County are Greenwood (254), Fox Lake (495), Trout Valley (534), Union (572), and Holiday Hills (593). | 2.2 |
| ○ Between 2000 and 2010 three McHenry County communities saw >100% growth: Huntley (+300.1%), Wonder Lake (+199.3%), and Fox Lake (+137.8%). | 2.2 |
| ○ Among communities with >5,000 residents, growth between 2000 and 2010 was led by Huntley (+300.1%), Spring Grove (+48.9%), McHenry (+25.5%), Lake in the Hills (+25.1%), Woodstock (+22.9%), and Marengo (+20.3%). | 2.2 (2.3) |
| ○ Among communities with <5,000 residents, growth between 2000 and 2010 was led by Wonder Lake (+199.3%), Fox Lake (+137.8%), and Prairie Grove (+98.3%). | 2.2 |
| ○ Six McHenry County communities lost population between 2000 and 2010 including Holiday Hills (-26.6%), Trout Valley (-10.4%), Fox River Grove (-6.9%), Island Lake (-5.2%), Oakwood Hills (-5.1%), and Barrington Hills (-2.0%). | 2.2 |
| ○ Two-year change 2010 to 2012 shows slight population decline in the majority of McHenry County communities. Only seven communities gained population in the two-year span led by Port Barrington at +7.3%, followed by Huntley (+1.7%), Woodstock (+1.3%), Richmond (+1.3%), Lake in the Hills (+0.5%), Lakewood (+0.3%), Lakemoor (+0.2%), and Oakwood (0.0% - 1 person gain). | 2.2 |
| ○ The largest township in McHenry County is Algonquin Township with a 2012 estimated population of 87,930, while Alden Township is the smallest having 1,391 residents in 2012. | 2.3 |
| ○ Among McHenry County townships, between 2000 and 2010 only Alden (-8.6%) and Hartland (-1.6%) lost population. Grafton Township nearly doubled in size with a 92.9% gain in population. Growth was also strong in Riley (+61.3%), Richmond (+35.4%), Greenwood (+31.0%), and Burton (+25.2%) Townships. | 2.3 |
| ○ By contrast, from 2010 to 2012 population gains took place in only four townships: Dorr (+0.9%), Grafton (+0.5%), Greenwood (+0.3%), and Richmond (+0.1%). | 2.3 |

- McHenry County residents are less mobile than other Illinois and U.S. residents with 91.4% living in the same house in 2012 as in 2011 versus 86.8% for Illinois and 84.8% for the nation. 2.4 (2.4)
- Of the 8.4% who moved to a different home in 2012, about half (4.4%) moved within McHenry County and half (4.0%) came from a different county. Two-thirds of residents coming from another county came from a location within Illinois (2.7%) and only one-third (1.3%) came from another state. 2.4
- From 2000-2009 the population of McHenry County increased by 60,867, with 38.5% of the change due to natural increase/decrease from births and deaths and 58.3% from migration into the county. 2.5
- In the span from April 1, 2010 to July 1, 2013, McHenry County experienced a net loss of 1,451 residents. Notable was the net loss of 7,567 residents to other communities outside McHenry County within the U.S. 2.5
- More households and persons left McHenry County between 2010 tax filing and 2011 tax filing than entered, based on 2011 federal income tax filing figures. 2.6
- Most (59.8%) residents who left McHenry County moved to another county in Illinois, most frequently to Cook (21.9%), Lake (13.1%), or Kane (11.1%) Counties. 2.6
- Seven in ten (71.6%) moving into McHenry County came from another county in Illinois, led by Cook (26.1%), Lake (16.4%), and Kane (13.5%) Counties. 2.6

Table 2.1
MCHENRY COUNTY
POPULATION: 1900-2013

| Year | Population | Change |
|------|------------|--------|
| 2013 | 307,409 | -0.4% |
| 2010 | 308,760 | +18.7% |
| 2000 | 260,077 | +41.9% |
| 1990 | 183,241 | +23.9% |
| 1980 | 147,897 | +32.6% |
| 1970 | 111,555 | +32.5% |
| 1960 | 84,210 | +66.2% |
| 1950 | 50,656 | +35.8% |
| 1940 | 37,311 | +6.4% |
| 1930 | 35,079 | +5.8% |
| 1920 | 33,164 | +2.0% |
| 1910 | 32,509 | +9.2% |
| 1900 | 29,759 | — |

Source: U.S. Census Bureau, decennial Censuses (actual counts as of April 1) and Population Estimates 2013 (estimate for July 1)

Table 2.2
MCHENRY COUNTY PLACES
POPULATION: 2000-2010 AND JULY 1, 2012 ESTIMATES

| Place | Estimate 2012 | 2010 | 2010-2012 Change | | 2000 | 2000-2010 Change | |
|--------------------------------|------------------|---------|---------------------|---------|---------|---------------------|---------|
| | | | Number | Percent | | Number | Percent |
| McHenry County | 308,145 | 308,760 | -615 | -0.2% | 260,077 | 48,683 | 18.7% |
| Algonquin village (pt.) | 21,471 | 21,613 | -142 | -0.7% | 18,254 | 3,359 | 18.4% |
| Barrington Hills village (pt.) | 1,303 | 1,309 | -6 | -0.5% | 1,336 | -27 | -2.0% |
| Bull Valley village | 1,064 | 1,077 | -13 | -1.2% | 726 | 351 | 48.3% |
| Cary village | 18,139 | 18,271 | -132 | -0.7% | 15,531 | 2,740 | 17.6% |
| Crystal Lake city | 40,480 | 40,743 | -263 | -0.6% | 38,000 | 2,743 | 7.2% |
| Fox Lake village (pt.) | 495 | 497 | -2 | -0.4% | 209 | 288 | 137.8% |
| Fox River Grove village (pt.) | 4,266 | 4,367 | -101 | -2.3% | 4,689 | -322 | -6.9% |
| Greenwood village | 254 | 255 | -1 | -0.4% | 244 | 11 | 4.5% |
| Harvard city | 9,357 | 9,447 | -90 | -1.0% | 7,996 | 1,451 | 18.1% |
| Hebron village | 1,208 | 1,216 | -8 | -0.7% | 1,038 | 178 | 17.1% |
| Holiday Hills village | 593 | 610 | -17 | -2.8% | 831 | -221 | -26.6% |
| Huntley village (pt.) | 18,810 | 18,496 | 314 | 1.7% | 4,623 | 13,873 | 300.1% |
| Island Lake village (pt.) | 4,741 | 4,761 | -20 | -0.4% | 5,022 | -261 | -5.2% |
| Johnsburg village | 6,333 | 6,337 | -4 | -0.1% | 5,391 | 946 | 17.5% |
| Lake in the Hills village | 29,098 | 28,965 | 133 | 0.5% | 23,152 | 5,813 | 25.1% |
| Lakemoor village (pt.) | 2,553 | 2,549 | 4 | 0.2% | 1,802 | 747 | 41.5% |
| Lakewood village | 3,822 | 3,811 | 11 | 0.3% | 2,337 | 1,474 | 63.1% |
| McCullom Lake village | 1,039 | 1,049 | -10 | -1.0% | 1,038 | 11 | 1.1% |
| McHenry city | 26,825 | 26,992 | -167 | -0.6% | 21,501 | 5,491 | 25.5% |
| Marengo city | 7,593 | 7,648 | -55 | -0.7% | 6,355 | 1,293 | 20.3% |
| Oakwood Hills village | 2,084 | 2,083 | 1 | 0.0% | 2,194 | -111 | -5.1% |
| Port Barrington village (pt.) | 990 | 923 | 67 | 7.3% | 611 | 312 | 51.1% |
| Prairie Grove village | 1,895 | 1,904 | -9 | -0.5% | 960 | 944 | 98.3% |
| Richmond village | 1,899 | 1,874 | 25 | 1.3% | 1,091 | 783 | 71.8% |
| Ringwood village | 832 | 836 | -4 | -0.5% | 471 | 365 | 77.5% |
| Spring Grove village | 5,763 | 5,778 | -15 | -0.3% | 3,880 | 1,898 | 48.9% |
| Trout Valley village | 534 | 537 | -3 | -0.6% | 599 | -62 | -10.4% |
| Union village | 572 | 580 | -8 | -1.4% | 576 | 4 | 0.7% |
| Wonder Lake village | 3,985 | 4,026 | -41 | -1.0% | 1,345 | 2,681 | 199.3% |
| Woodstock city | 25,084 | 24,770 | 314 | 1.3% | 20,151 | 4,619 | 22.9% |
| Balance of McHenry County | 65,063 | 65,436 | -373 | -0.6% | 68,124 | -2,688 | -3.9% |

Source: U.S. Census Bureau, decennial Censuses and 2012 Population Estimates

Table 2.3
MCHENRY COUNTY TOWNSHIPS
POPULATION: 2000-2010 AND JULY 1, 2012 ESTIMATES

| Township | Estimate 2012 | 2010 | 2010-2012 Change | | 2000 | 2000-2010 Change | |
|-----------|------------------|--------|---------------------|---------|--------|---------------------|---------|
| | | | Number | Percent | | Number | Percent |
| Alden | 1,391 | 1,402 | -11 | -0.8% | 1,534 | -132 | -8.6% |
| Algonquin | 87,930 | 88,389 | -459 | -0.5% | 86,219 | 2,170 | 2.5% |
| Burton | 4,986 | 5,003 | -17 | -0.3% | 3,997 | 1,006 | 25.2% |
| Chemung | 9,049 | 9,134 | -85 | -0.9% | 8,761 | 373 | 4.3% |
| Coral | 3,525 | 3,552 | -27 | -0.8% | 3,020 | 532 | 17.6% |
| Dorr | 21,104 | 20,911 | 193 | 0.9% | 18,157 | 2,754 | 15.2% |
| Dunham | 2,817 | 2,844 | -27 | -0.9% | 2,375 | 469 | 19.7% |
| Grafton | 53,424 | 53,137 | 287 | 0.5% | 27,547 | 25,590 | 92.9% |
| Greenwood | 14,036 | 13,990 | 46 | 0.3% | 10,677 | 3,313 | 31.0% |
| Hartland | 2,017 | 2,031 | -14 | -0.7% | 2,063 | -32 | -1.6% |
| Hebron | 2,338 | 2,356 | -18 | -0.8% | 2,166 | 190 | 8.8% |
| McHenry | 47,399 | 47,653 | -254 | -0.5% | 41,740 | 5,913 | 14.2% |
| Marengo | 7,507 | 7,564 | -57 | -0.8% | 7,239 | 325 | 4.5% |
| Nunda | 38,087 | 38,245 | -158 | -0.4% | 35,104 | 3,141 | 8.9% |
| Richmond | 6,692 | 6,683 | 9 | 0.1% | 4,934 | 1,749 | 35.4% |
| Riley | 2,903 | 2,922 | -19 | -0.7% | 1,811 | 1,111 | 61.3% |
| Seneca | 2,940 | 2,944 | -4 | -0.1% | 2,733 | 211 | 7.7% |

Source: U.S. Census Bureau, decennial Censuses and 2012 Population Estimates

Table 2.4
MCHENRY COUNTY, ILLINOIS, AND U.S.
RESIDENCE COMPARED TO ONE YEAR AGO: 2012

| Characteristic | McHenry County | | Illinois Percent | U.S. Percent |
|---|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| Population 1+ | 304,604 | 100.0% | 100.0% | 100.0% |
| Same house as one year ago | 278,279 | 91.4% | 86.8% | 84.8% |
| Different house as one year ago in U.S. | 25,638 | 8.4% | 12.7% | 14.6% |
| Same county | 13,333 | 4.4% | 8.5% | 9.2% |
| Different county | 12,305 | 4.0% | 4.2% | 5.4% |
| Other county in the state | 8,232 | 2.7% | 2.5% | 3.2% |
| Different state | 4,073 | 1.3% | 1.7% | 2.3% |
| From abroad | 687 | 0.2% | 0.5% | 0.6% |

Source: U.S. Census Bureau, 2008-2012 American Community Survey 5-Year Estimates

Table 2.5
MCHENRY COUNTY
COMPONENTS OF POPULATION CHANGE: 1990-1999, 2000-2009, AND 2010-2013

| Components | 2010-2013 ¹ | 2000-2009 | 1990-1999 |
|--------------------------------|------------------------|-----------|-----------|
| Population Change ² | -1,451 | 60,867 | 63,571 |
| Natural increase/decrease= | 4,856 | 23,429 | 21,143 |
| Total Births - | 10,861 | 39,252 | 33,731 |
| Total Deaths | 6,005 | 15,823 | 12,588 |
| Migration | -6,615 | 35,513 | 42,780 |
| International | 952 | 5,214 | 2,534 |
| Within U.S. | -7,567 | 30,299 | 40,246 |
| Residual | 308 | 1,925 | -352 |

¹April 1, 2010-July 1, 2013.

²Population change=natural increase/decrease ± net migration ± “residual.”

Source: U.S. Census Bureau, Population Division, Cumulative Components of Population Change

Table 2.6
MCHENRY COUNTY
MIGRATION: 2010-2011

| County/State | In-Migration ¹ (Moved From) | | | Out-Migration ² (Moved To) | | |
|--|--|----------------------|---------|---------------------------------------|----------------------|---------|
| | Households ³ | Persons ³ | Percent | Households ³ | Persons ³ | Percent |
| Total Movers | 5,395 | 10,460 | 100.0% | 6,535 | 12,184 | 100.0% |
| Cook and Collar Counties ⁴ | | | | | | |
| Cook | 1,410 | 2,634 | 26.1% | 1,428 | 2,268 | 21.9% |
| DuPage | 255 | 433 | 4.7% | 254 | 424 | 3.9% |
| Kane | 729 | 1,488 | 13.5% | 725 | 1,516 | 11.1% |
| Kendall | 20 | 32 | 0.4% | 25 | 52 | 0.4% |
| Lake | 885 | 1,760 | 16.4% | 855 | 1,636 | 13.1% |
| Will | 48 | 94 | 0.9% | 48 | 89 | 0.7% |
| Northwest Illinois Counties ⁴ | | | | | | |
| Boone | 106 | 252 | 2.0% | 133 | 334 | 2.0% |
| DeKalb | 106 | 162 | 2.0% | 110 | 183 | 1.7% |
| Ogle | 17 | 28 | 0.3% | 10 | 20 | 0.2% |
| Stephenson | 10 | 17 | 0.2% | -- | -- | -- |
| Winnebago | 102 | 200 | 1.9% | 106 | 236 | 1.6% |
| Other Illinois Counties ⁴ | | | | | | |
| Champaign | 16 | 18 | 0.3% | 24 | 27 | 0.4% |
| LaSalle | 14 | 16 | 0.3% | -- | -- | -- |
| Madison | -- | -- | -- | 10 | 16 | 0.2% |
| McLean | 13 | 16 | 0.2% | 19 | 27 | 0.3% |
| Peoria | 13 | 24 | 0.2% | 16 | 42 | 0.2% |
| Sangamon | -- | -- | -- | 13 | 17 | 0.2% |
| Wisconsin Counties ⁴ | | | | | | |
| Dane | 18 | 27 | 0.3% | 37 | 67 | 0.6% |
| Kenosha | 63 | 118 | 1.2% | 67 | 111 | 1.0% |
| Milwaukee | 23 | 35 | 0.4% | 47 | 73 | 0.7% |
| Racine | 15 | 29 | 0.3% | 12 | 18 | 0.2% |
| Rock | 21 | 49 | 0.4% | 34 | 62 | 0.5% |
| Walworth | 103 | 280 | 1.9% | 148 | 326 | 2.3% |
| Waukesha | 15 | 31 | 0.3% | 19 | 41 | 0.3% |
| Totals | | | | | | |
| Illinois Movers | 3,862 | 7,392 | 71.6% | 3,910 | 7,128 | 59.8% |
| Other U.S. Movers | 1,499 | 3,009 | 27.8% | 2,591 | 4,999 | 39.6% |
| Foreign Movers | 34 | 59 | 0.6% | 34 | 57 | 0.5% |
| Average Gross Income Per Household | \$51,222 | | | \$48,072 | | |

¹New residents came from this county or state between 2010 tax filing and 2011 tax filing.

²Residents moved to this county or state between 2010 tax filing and 2011 tax filing.

³Households are number of filings, persons are number of exemptions.

⁴Individual county named if ten or more households.

Source: Internal Revenue Service, Statistics of Income for 2010-2011

Figure 2.1
McHenry County
Population: 1900-2013




Figure 2.2
McHenry County
Population Change: 1940-2010




Figure 2.3
 McHenry County
 Communities With >5,000 Residents
 Percent Population Change: 2000-2010





Figure 2.4
 McHenry County, Illinois, and U.S.
 Lived in Same House as One Year Ago: 2012



Chapter 3
RACE, ETHNICITY, AGE, GENDER, FOREIGN BORN, AND LANGUAGE

| | <u>Table (Figure)</u> |
|---|---------------------------|
| ○ When the 2010 population is classified into race/ethnic categories, 83.7% of McHenry County is non-Hispanic white, 11.4% Hispanic, 2.5% non-Hispanic Asian, 1.1% non-Hispanic two or more races, and 1.0% non-Hispanic black. | 3.1 (3.1) |
| ○ The county's non-Hispanic black (+120.8%) and non-Hispanic Asian (+106.5%) populations more than doubled between 2000 and 2010, while the Hispanic population grew 79.8%. The non-Hispanic white population only increased by 11.0% over the decade. | 3.1 (3.2) |
| ○ McHenry County residents are less diverse than the state and nation in terms of race/ethnic makeup. The county's 83.7% non-Hispanic white proportion is much larger than Illinois and the U.S., both at 63.7%. Considerably fewer non-Hispanic blacks (1.0%) live in McHenry County compared to the state (14.3%) and nation (12.2%), while Hispanics make up 11.4% of McHenry County but comprise 15.8% of Illinois' population and 16.3% of the nation. | 3.2 (3.3) |
| ○ In terms of race alone, 90.1% of McHenry County residents in 2010 are white, 4.3% of an other race, 2.5% Asian, 1.7% two or more races, 1.1% black, and 0.3% American Indian/Alaska native. Since Hispanic is considered an ethnicity, not a race, the racial proportions include the county's Hispanic population. Compared to 2000, the white proportion dropped while all other racial groups grew. | 3.3 |
| ○ The majority of McHenry County Hispanic residents is of Mexican origin and comprises nearly one in ten county residents (9.3%). | 3.4 (3.4) |
| ○ McHenry County residents in 2010 are primarily of one race (98.3%) though 1.7% report belonging to two or more races. Among residents reporting only Asian race (7,807), most are Asian Indian (2,517) or Filipino (2,215) and both groups saw their numbers in the county more than double from 2000 to 2010. | 3.5 |
| ○ More McHenry County residents are under age 18 (27.3%) than across the U.S. (24.0%) and more county residents are ages 35-54 (32.4%) than in the U.S. (27.9%). Only 10.1% of county residents are age 65 and older which is fewer than the nation's proportion of 13.0%. | 3.6 |
| ○ The resident median age for McHenry County stands at 38.0 years in 2010, slightly higher than 37.2 for the U.S. | 3.6 |
| ○ During the 2000's McHenry County's under age 5 population dropped by 5.8%, while a similar drop was also seen for ages 25-44 (-5.6%). Gains occurred for all other age groups, led by ages 65-74 (+63.5%), 45-64 (+58.7%), and 75+ (33.4%). Smaller gains were seen for ages 18-24 (+27.5%) and ages 5-17 (+12.0%). | 3.7 (3.5) (3.6) |
| ○ The McHenry County population aged by 3.8 years in the past decade, the median age moving from 34.2 in 2000 up to 38.0 in 2010, double the increase for the U.S. which was only 1.9 years. | 3.8 (3.7) |

- The total number of males and females residing in McHenry County is similar with a male to female ratio of 99.4. However, males outnumber females in all age groups birth to 29, while females outnumber males in all 30-44 age groups and then again starting at age 60. By age 85 there are only four males for every ten females in the county. 3.9
- Between 2000 and 2010 the gender ratios in the 25-29 and 30-34 age groups rose, indicating an increase in men over women. Alternately, the ratio of men to women dropped for age groups in the 35-64 age range, signaling an increase in women over men. Women still outnumber men in the 65+ age groups in 2010, but over the past two decades the gender ratio gaps have lessened for seniors. 3.9
- Children under 18 make up 27.3% of McHenry County's population, young adults ages 18-24 comprise 7.6% of the county's residents, persons ages 25-44 make up just over one-quarter (26.6%) of the population, adults 45-64 comprise the largest share at 28.4%, and 10.1% of the county's population is seniors aged 65+. 3.10
- Children under age 18 comprise 39.9% of the county's Hispanic population and 34.9% of the black population, but just 29.5% of the Asian population and 24.9% of the white, non-Hispanic population. 3.11 (3.8)
- More than one in ten (11.5%) white, non-Hispanic residents is age 65 or older, far above the proportions for Hispanics (2.4%), blacks (2.8%), and Asians (7.7%). 3.11 (3.8)
- Median female age is 38.9 years, slightly higher than the male median age of 36.8 years. 3.12 (3.9)
- The white, non-Hispanic median age of 40.5 is slightly higher than the 37.1 for Asian residents, but both exceed by more than 10 years medians for the county's Hispanic (24.7) and black (26.8) residents. 3.12 (3.9)
- Over the past decade, the median age rose five or more years for white, non-Hispanic and Asian residents but remained the same for black residents and rose by less than one year for Hispanic residents. 3.12
- Among the county's white, non-Hispanic and Asian populations, females outnumber males but males are more prevalent than females among the county's Hispanics (110.4 males per 100 females) and blacks (110.9). 3.13
- Of the 29,176 foreign-born residents of McHenry County as of 2012, 70.2% entered the U.S. before 2000. 3.14
- Over half (51.3%) of foreign-born residents were born in Latin America, similar to the state (47.5%) and nation (52.8%). Nearly one-quarter (24.7%) were born in Europe which is similar to Illinois (21.7%) but twice as high as the U.S. (12.7%). Asian-born residents comprise one-fifth (20.2%) of McHenry County's foreign-born residents, less than the state (26.9%) and nation (28.5%). 3.15 (3.10)

- Among persons five years and older in the county, 14.6% speak a language other than English at home, with Spanish spoken by 9.1% which is below Spanish-speaking levels for both Illinois (13.0%) and U.S. (12.7%). Only 5.8% of persons speak English less than “very well.” 3.16
- For the county’s foreign-born population (9.5%), just over half (5.1%) are not U.S. citizens and just under half (4.4%) are naturalized citizens. 3.17
- Nearly one-third (32.5%) of McHenry County residents are of German ancestry which is far more common than in Illinois (19.8%) and the U.S. (15.7%). Irish (18.4%), Polish (14.2%), and Italian (10.7%) ancestries follow, all at levels above the state and nation. 3.18

Table 3.1
MCHENRY COUNTY
PERSONS BY RACE AND ETHNICITY: 2000 AND 2010

| Race/Ethnicity | 2010 | | 2000 | | 2000-2010 Change | |
|-----------------------------------|---------|---------|---------|---------|------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| Total | 308,760 | 100.0% | 260,077 | 100.0% | +48,683 | +18.7% |
| Not Hispanic or Latino | 273,511 | 88.6% | 240,475 | 92.5% | +33,036 | +13.7% |
| White | 258,584 | 83.7% | 233,026 | 89.6% | +25,558 | +11.0% |
| Black or African American | 3,045 | 1.0% | 1,379 | 0.5% | +1,666 | +120.8% |
| American Indian, Alaska Native | 455 | 0.1% | 352 | 0.1% | +103 | +29.3% |
| Asian | 7,712 | 2.5% | 3,734 | 1.4% | +3,978 | +106.5% |
| Native Hawaiian, Pacific Islander | 68 | 0.0% | 42 | 0.0% | +26 | +61.9% |
| Other race | 210 | 0.1% | 150 | 0.1% | +60 | +40.0% |
| Two or more races | 3,437 | 1.1% | 1,792 | 0.7% | +1,645 | +91.8% |
| Hispanic or Latino | 35,249 | 11.4% | 19,602 | 7.5% | +15,647 | +79.8% |

Source: U.S. Census Bureau, 2010 and 2000 Censuses

Table 3.2
MCHENRY COUNTY, ILLINOIS, AND U.S.
PERSONS BY RACE AND ETHNICITY: 2010

| Race/Ethnicity | McHenry County | | Illinois Percent | U.S. Percent |
|-----------------------------------|----------------|---------|------------------|--------------|
| | Number | Percent | | |
| Total | 308,760 | 100.0% | 100.0% | 100.0% |
| Not Hispanic or Latino | 273,511 | 88.6% | 84.2% | 83.7% |
| White | 258,584 | 83.7% | 63.7% | 63.7% |
| Black or African American | 3,045 | 1.0% | 14.3% | 12.2% |
| American Indian, Alaska Native | 455 | 0.1% | 0.1% | 0.7% |
| Asian | 7,712 | 2.5% | 4.5% | 4.7% |
| Native Hawaiian, Pacific Islander | 68 | 0.0% | 0.0% | 0.2% |
| Other race | 210 | 0.1% | 0.1% | 0.2% |
| Two or more races | 3,437 | 1.1% | 1.4% | 1.9% |
| Hispanic or Latino | 35,249 | 11.4% | 15.8% | 16.3% |

Source: U.S. Census Bureau, 2010 Census

Table 3.3
MCHENRY COUNTY
PERSONS BY RACE AND HISPANIC ORIGIN: 2000 AND 2010

| Race/Hispanic Origin | 2010 | | 2000 | | 2000-2010 Change | |
|-----------------------------------|---------|---------|---------|---------|------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| Total | 308,760 | 100.0% | 260,077 | 100.0% | +48,683 | +18.7% |
| Race (of any Hispanic Origin) | | | | | | |
| White | 278,257 | 90.1% | 244,240 | 93.9% | +34,017 | +13.9% |
| Black or African American | 3,283 | 1.1% | 1,523 | 0.6% | +1,760 | +115.6% |
| American Indian, Alaska Native | 939 | 0.3% | 445 | 0.2% | +494 | +111.0% |
| Asian | 7,807 | 2.5% | 3,782 | 1.5% | +4,025 | +106.4% |
| Native Hawaiian, Pacific Islander | 80 | 0.0% | 55 | 0.0% | +25 | +45.5% |
| Other race | 13,194 | 4.3% | 7,211 | 2.8% | +5,983 | +83.0% |
| Two or more races | 5,200 | 1.7% | 2,821 | 1.1% | +2,379 | +84.3% |
| Hispanic Origin | | | | | | |
| Hispanic or Latino | 35,249 | 11.4% | 19,602 | 7.5% | +15,647 | +79.8% |
| Non-Hispanic | 273,511 | 88.6% | 240,475 | 92.5% | +33,036 | +13.7% |

Source: U.S. Census Bureau, 2010 and 2000 Censuses

Table 3.4
MCHENRY COUNTY, ILLINOIS, AND U.S.
PERSONS BY HISPANIC OR LATINO ORIGIN: 2010

| Hispanic Origin | McHenry County | | Illinois Percent | U.S. Percent |
|---------------------------------------|----------------|---------|------------------|--------------|
| | Number | Percent | | |
| Total | 308,760 | 100.0% | 100.0% | 100.0% |
| Hispanic or Latino (of any race) | 35,249 | 11.4% | 15.8% | 16.3% |
| Mexican | 28,796 | 9.3% | 12.5% | 10.3% |
| Puerto Rican | 2,156 | 0.7% | 1.4% | 1.5% |
| Cuban | 439 | 0.1% | 0.2% | 0.6% |
| Other Hispanic or Latino ¹ | 3,858 | 1.2% | 1.7% | 4.0% |
| Not Hispanic or Latino | 273,511 | 88.6% | 84.2% | 83.7% |

¹Includes Dominican Republic, Spain, and Spanish-speaking Central or South American countries.
Source: U.S. Census Bureau, 2010 Census

Table 3.5
MCHENRY COUNTY
PERSONS BY RACE: 2000 AND 2010

| Race | 2010 | | 2000 | | 2000-2010 Change | |
|-----------------------------------|---------|---------|---------|---------|---------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent |
| Total | 308,760 | 100.0% | 260,077 | 100.0% | +48,683 | +18.7% |
| Population of one race | 303,560 | 98.3% | 257,256 | 98.9% | +46,304 | +18.0% |
| White | 278,257 | 90.1% | 244,240 | 93.9% | +34,017 | +13.9% |
| Black or African American | 3,283 | 1.1% | 1,523 | 0.6% | +1,760 | +115.6% |
| American Indian, Alaska Native | 939 | 0.3% | 445 | 0.2% | +494 | +111.0% |
| Asian | 7,807 | 2.5% | 3,782 | 1.5% | +4,025 | +106.4% |
| Asian Indian | 2,517 | 0.8% | 1,136 | 0.4% | +1,381 | +121.6% |
| Chinese | 888 | 0.3% | 585 | 0.2% | +303 | +51.8% |
| Filipino | 2,215 | 0.7% | 946 | 0.4% | +1,269 | +134.1% |
| Japanese | 219 | 0.1% | 194 | 0.1% | +25 | +12.9% |
| Korean | 674 | 0.2% | 447 | 0.2% | +227 | +50.8% |
| Vietnamese | 319 | 0.1% | 114 | 0.0% | +205 | +179.8% |
| Other Asian | 975 | 0.3% | 360 | 0.1% | +615 | +170.8% |
| Native Hawaiian, Pacific Islander | 80 | 0.0% | 55 | 0.0% | +25 | +45.5% |
| Other race | 13,194 | 4.3% | 7,211 | 2.8% | +5,983 | +83.0% |
| Two or more races | 5,200 | 1.7% | 2,821 | 1.1% | +2,379 | +84.3% |

Note: Person of Hispanic ethnicity may be of any race.

Source: U.S. Census Bureau, 2010 and 2000 Censuses

Table 3.6
MCHENRY COUNTY AND U.S.
AGE GROUPS: 2010

| Age Group (years) | McHenry County | | U.S. Percent |
|----------------------|----------------|---------|-----------------|
| | Number | Percent | |
| Total | 308,760 | 100.0% | 100.0% |
| Under 5 | 19,896 | 6.4% | 6.5% |
| 5 - 14 | 48,661 | 15.8% | 13.3% |
| 15 - 24 | 39,073 | 12.6% | 14.1% |
| 25 - 34 | 34,761 | 11.3% | 13.3% |
| 35 - 44 | 47,336 | 15.3% | 13.3% |
| 45 - 54 | 52,619 | 17.1% | 14.6% |
| 55 - 64 | 35,094 | 11.3% | 11.8% |
| 65 - 74 | 18,560 | 6.0% | 7.0% |
| 75 - 84 | 9,180 | 3.0% | 4.3% |
| 85 or older | 3,580 | 1.3% | 1.8% |
| Median Age | 38.0 | | 37.2 |
| Under 18 | 84,175 | 27.3% | 24.0% |
| 65 or older | 31,320 | 10.1% | 13.0% |

Source: U.S. Census Bureau, 2010 Census

Table 3.7
MCHENRY COUNTY
PERSONS BY AGE GROUP: 1990, 2000, AND 2010

| Age Group (years) | 2010 | | 2000 | | 2000-2010 Change | | 1990 | 1990- 2000 Change |
|----------------------|---------|---------|---------|---------|---------------------|---------|---------|-------------------------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| Total | 308,760 | 100.0% | 260,077 | 100.0% | +48,683 | +18.7% | 183,241 | +41.9% |
| Under 5 | 19,896 | 6.4% | 21,110 | 8.1% | -1,214 | -5.8% | 15,798 | +33.6% |
| 5 - 17 | 64,279 | 20.8% | 57,386 | 22.1% | +6,893 | +12.0% | 37,474 | +53.1% |
| 18 - 24 | 23,455 | 7.6% | 18,392 | 7.1% | +5,063 | +27.5% | 15,337 | +19.9% |
| 25 - 44 | 82,097 | 26.6% | 87,003 | 33.5% | -4,906 | -5.6% | 64,685 | +34.5% |
| 45 - 64 | 87,713 | 28.4% | 55,273 | 21.3% | +32,440 | +58.7% | 32,608 | +69.5% |
| 65 - 74 | 18,560 | 6.0% | 11,351 | 4.4% | +7,209 | +63.5% | 9,943 | +14.2% |
| 75 or older | 12,760 | 4.1% | 9,562 | 3.7% | +3,198 | +33.4% | 7,396 | +29.3% |
| Median Age (yrs.) | 38.0 | | 34.2 | | +3.8 | | 32.2 | +2.0 |

Source: U.S. Census Bureau, decennial Censuses

Table 3.8
MCHENRY COUNTY AND U.S.
MEDIAN AGE: 1990, 2000, AND 2010

| Year | McHenry County | U.S. |
|------|----------------|------|
| 2010 | 38.0 | 37.2 |
| 2000 | 34.2 | 35.3 |
| 1990 | 32.2 | 32.8 |

Source: U.S. Census Bureau,
decennial Censuses

Table 3.9
MCHENRY COUNTY
GENDER RATIO¹ BY AGE GROUP: 1990, 2000, AND 2010

| Age Group (years) | 2010 | | | 2000 Ratio | 1990 Ratio |
|-------------------|---------|---------|-------|------------|------------|
| | Males | Females | Ratio | | |
| Total | 153,936 | 154,824 | 99.4 | 100.7 | 99.9 |
| Under 5 | 10,152 | 9,744 | 104.2 | 107.6 | 106.8 |
| 5 - 9 | 11,970 | 11,438 | 104.7 | 105.4 | 109.7 |
| 10 - 14 | 12,924 | 12,329 | 104.8 | 107.2 | 109.5 |
| 15 - 19 | 12,220 | 11,385 | 107.3 | 110.9 | 106.8 |
| 20 - 24 | 8,202 | 7,266 | 112.9 | 113.6 | 105.7 |
| 25 - 29 | 8,456 | 8,107 | 104.3 | 99.8 | 96.3 |
| 30 - 34 | 9,070 | 9,128 | 99.4 | 96.2 | 98.9 |
| 35 - 39 | 10,652 | 10,930 | 97.5 | 100.1 | 102.1 |
| 40 - 44 | 12,645 | 13,109 | 96.5 | 101.0 | 100.2 |
| 45 - 49 | 13,855 | 13,845 | 100.1 | 104.9 | 107.7 |
| 50 - 54 | 12,451 | 12,468 | 99.9 | 102.1 | 108.0 |
| 55 - 59 | 9,815 | 9,759 | 100.6 | 104.0 | 103.0 |
| 60 - 64 | 7,622 | 7,898 | 96.5 | 98.5 | 97.0 |
| 65 - 69 | 5,409 | 5,898 | 91.7 | 89.8 | 85.0 |
| 70 - 74 | 3,414 | 3,839 | 88.9 | 81.9 | 72.3 |
| 75 - 79 | 2,342 | 2,880 | 81.3 | 69.8 | 64.4 |
| 80 - 84 | 1,621 | 2,337 | 69.4 | 53.6 | 56.4 |
| 85 or older | 1,116 | 2,464 | 45.3 | 39.8 | 39.6 |

¹Males per 100 females.

Source: U.S. Census Bureau, decennial Censuses

Table 3.10
MCHENRY COUNTY
PERSONS BY DETAILED AND COMPRESSED AGE GROUP: 2010

| Age Group (years) | Total Population | |
|-------------------------|---------------------|---------|
| | Number | Percent |
| Total | 308,760 | 100.0% |
| Under 5 | 19,896 | 6.4% |
| 5 to 9 | 23,408 | 7.6% |
| 10 to 14 | 25,253 | 8.2% |
| 15 to 17 | 15,618 | 5.1% |
| 18 and 19 | 7,987 | 2.6% |
| 20 | 3,229 | 1.0% |
| 21 | 2,903 | 0.9% |
| 22 to 24 | 9,336 | 3.0% |
| 25 to 29 | 16,563 | 5.4% |
| 30 to 34 | 18,198 | 5.9% |
| 35 to 39 | 21,582 | 7.0% |
| 40 to 44 | 25,754 | 8.3% |
| 45 to 49 | 27,700 | 9.0% |
| 50 to 54 | 24,919 | 8.1% |
| 55 to 59 | 19,574 | 6.3% |
| 60 and 61 | 6,666 | 2.2% |
| 62 to 64 | 8,854 | 2.9% |
| 65 and 66 | 4,788 | 1.6% |
| 67 to 69 | 6,519 | 2.1% |
| 70 to 74 | 7,253 | 2.3% |
| 75 to 79 | 5,222 | 1.7% |
| 80 to 84 | 3,958 | 1.3% |
| 85 or older | 3,580 | 1.2% |
| By Compressed Age Group | | |
| Under 18 | 84,175 | 27.3% |
| 18 - 24 | 23,455 | 7.6% |
| 25 - 44 | 82,097 | 26.6% |
| 45 - 64 | 87,713 | 28.4% |
| 65 or older | 31,320 | 10.1% |

Source: U.S. Census Bureau, 2010 Census

Table 3.11
MCHENRY COUNTY
RACE/ETHNICITY BY DETAILED AND COMPRESSED AGE GROUP: 2010

| Age Group (years) | White, Non-Hispanic | | Hispanic | | Asian, Non-Hispanic | | Black, Non-Hispanic | |
|-------------------------|------------------------|---------|----------|---------|------------------------|---------|------------------------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| Total | 258,584 | 100.0% | 35,249 | 100.0% | 7,712 | 100.0% | 3,045 | 100.0% |
| Under 5 | 14,272 | 5.5% | 4,132 | 11.7% | 575 | 7.5% | 257 | 8.4% |
| 5 to 9 | 17,564 | 6.8% | 4,146 | 11.8% | 727 | 9.4% | 285 | 9.4% |
| 10 to 14 | 20,019 | 7.7% | 3,668 | 10.4% | 646 | 8.4% | 305 | 10.0% |
| 15 to 17 | 12,648 | 4.9% | 2,113 | 6.0% | 330 | 4.3% | 215 | 7.1% |
| 18 and 19 | 6,384 | 2.5% | 1,257 | 3.6% | 131 | 1.7% | 88 | 2.9% |
| 20 | 2,539 | 1.0% | 562 | 1.6% | 42 | 0.5% | 47 | 1.5% |
| 21 | 2,245 | 0.9% | 522 | 1.5% | 49 | 0.6% | 45 | 1.5% |
| 22 to 24 | 7,315 | 2.8% | 1,625 | 4.6% | 178 | 2.3% | 99 | 3.3% |
| 25 to 29 | 12,900 | 5.0% | 2,920 | 8.3% | 393 | 5.1% | 173 | 5.7% |
| 30 to 34 | 14,146 | 5.5% | 3,129 | 8.9% | 562 | 7.3% | 196 | 6.4% |
| 35 to 39 | 17,126 | 6.6% | 3,054 | 8.7% | 881 | 11.4% | 260 | 8.5% |
| 40 to 44 | 21,922 | 8.5% | 2,529 | 7.2% | 798 | 10.3% | 285 | 9.4% |
| 45 to 49 | 24,577 | 9.5% | 2,053 | 5.8% | 591 | 7.7% | 273 | 9.0% |
| 50 to 54 | 22,728 | 8.8% | 1,334 | 3.8% | 476 | 6.2% | 207 | 6.8% |
| 55 to 59 | 18,048 | 7.0% | 836 | 2.4% | 427 | 5.5% | 132 | 4.3% |
| 60 and 61 | 6,213 | 2.4% | 229 | 0.6% | 138 | 1.8% | 47 | 1.5% |
| 62 to 64 | 8,280 | 3.2% | 297 | 0.8% | 178 | 2.3% | 47 | 1.5% |
| 65 and 66 | 4,487 | 1.7% | 160 | 0.5% | 96 | 1.2% | 18 | 0.6% |
| 67 to 69 | 6,135 | 2.4% | 182 | 0.5% | 157 | 2.0% | 20 | 0.7% |
| 70 to 74 | 6,836 | 2.6% | 194 | 0.6% | 158 | 2.0% | 20 | 0.7% |
| 75 to 79 | 4,939 | 1.9% | 158 | 0.4% | 91 | 1.2% | 15 | 0.5% |
| 80 to 84 | 3,776 | 1.5% | 101 | 0.3% | 59 | 0.8% | 6 | 0.2% |
| 85 or older | 3,485 | 1.3% | 48 | 0.1% | 29 | 0.4% | 5 | 0.2% |
| By Compressed Age Group | | | | | | | | |
| Under 18 | 64,503 | 24.9% | 14,059 | 39.9% | 2,278 | 29.5% | 1,062 | 34.9% |
| 18 - 24 | 18,483 | 7.1% | 3,966 | 11.3% | 400 | 5.2% | 279 | 9.2% |
| 25 - 44 | 66,094 | 25.6% | 11,632 | 33.0% | 2,634 | 34.2% | 914 | 30.0% |
| 45 -64 | 79,846 | 30.9% | 4,749 | 13.5% | 1,810 | 23.5% | 706 | 23.2% |
| 65 or older | 29,658 | 11.5% | 843 | 2.4% | 590 | 7.7% | 84 | 2.8% |

Source: U.S. Census Bureau, 2010 Census

Table 3.12
MCHENRY COUNTY
MEDIAN AGE BY RACE/ETHNIC AND GENDER: 1990, 2000, AND 2012

| Gender | 2012 | 2000 | 1990 |
|---------------------|------|------|------|
| Male | 36.8 | 33.5 | 31.6 |
| Female | 38.9 | 34.9 | 32.9 |
| Race/Ethnic | | | |
| White, non-Hispanic | 40.5 | 35.5 | 32.6 |
| Asian | 37.1 | 31.7 | 30.4 |
| Black | 26.8 | 26.8 | 22.9 |
| Hispanic | 24.7 | 23.8 | 23.9 |

Source: U.S. Census Bureau, decennial Censuses
and 2008-2012 American Community Survey
5-Year Estimates

Table 3.13
MCHENRY COUNTY
GENDER RATIO BY RACE/ETHNIC: 2012

| Race/Ethnic | Number | | Gender Ratio ¹ |
|---------------------|---------|---------|---------------------------|
| | Males | Females | |
| White, non-Hispanic | 127,741 | 130,016 | 98.3 |
| Asian | 3,764 | 4,163 | 90.4 |
| Black | 1,814 | 1,635 | 110.9 |
| Hispanic | 18,505 | 16,760 | 110.4 |

¹Males per 100 females.

Source: U.S. Census Bureau, 2008-2012 American
Community Survey 5-Year Estimates

Table 3.14
MCHENRY COUNTY
FOREIGN BORN RESIDENTS YEAR OF ENTRY: 2012

| Period | Number | Percent |
|-----------------------|--------|---------|
| Total | 29,176 | 100.0% |
| Entered 2000 or later | 8,687 | 29.8% |
| Entered before 2000 | 20,489 | 70.2% |

Source: U.S. Census Bureau, 2008-2012 American
Community Survey 5-Year Estimates

Table 3.15
MCHENRY COUNTY, ILLINOIS, AND U.S.
REGION OF BIRTH OF FOREIGN BORN: 2012

| Region | McHenry County | | Illinois Percent | U.S. Percent |
|-------------------------|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| Foreign Born Population | 29,176 | 100.0% | 100.0% | 100.0% |
| Latin America | 14,972 | 51.3% | 47.5% | 52.8% |
| Europe | 7,207 | 24.7% | 21.7% | 12.1% |
| Asia | 5,888 | 20.2% | 26.9% | 28.5% |
| Northern America | 619 | 2.1% | 1.0% | 2.1% |
| Africa | 403 | 1.4% | 2.7% | 4.0% |
| Oceania ¹ | 87 | 0.3% | 0.2% | 0.6% |

¹Margin of error >50% for McHenry County estimate.

Source: U.S. Census Bureau, 2008-2012 American Community Survey
5-Year Estimates

Table 3.16
MCHENRY COUNTY, ILLINOIS, AND U.S.
LEADING LANGUAGES SPOKEN AT HOME: 2012

| Language | McHenry County | | Illinois Percent | U.S. Percent |
|-------------------------------------|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| Persons Age 5+ | 288,572 | 100.0% | 100.0% | 100.0% |
| Language Spoken at Home | | | | |
| English only | 246,551 | 85.4% | 77.8% | 79.5% |
| Spanish | 26,175 | 9.1% | 13.0% | 12.7% |
| Speak English less than "very well" | 11,735 | 4.1% | 6.0% | 5.7% |
| Other language(s) | 15,846 | 5.5% | 9.2% | 7.8% |
| Speak English less than "very well" | 5,050 | 1.7% | 3.6% | 3.1% |

Source: U.S. Census Bureau, 2008-2012 American Community Survey 5-Year Estimates

Table 3.17
MCHENRY COUNTY, ILLINOIS, AND U.S.
NATIVITY AND CITIZENSHIP: 2012

| Nativity/ Citizenship | McHenry County | | Illinois Percent | U.S. Percent |
|----------------------------|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| Total | 308,163 | 100.0% | 100.0% | 100.0% |
| Native | 278,987 | 90.5% | 86.2% | 87.1% |
| Born in state of residence | 220,373 | 71.5% | 66.8% | 58.7% |
| Foreign born | 29,176 | 9.5% | 13.8% | 12.7% |
| Naturalized citizen | 13,542 | 4.4% | 6.3% | 5.7% |
| Not a citizen | 15,634 | 5.1% | 7.5% | 7.2% |

Source: U.S. Census Bureau, 2008-2012 American Community Survey
5-Year Estimates

Table 3.18
MCHENRY COUNTY, ILLINOIS, AND U.S.
LEADING ANCESTRIES REPORTED¹: 2012

| Ancestry | McHenry County | | Illinois Percent | U.S. Percent |
|------------------------|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| German | 100,278 | 32.5% | 19.8% | 15.7% |
| Irish | 56,672 | 18.4% | 12.5% | 11.4% |
| Polish | 43,627 | 14.2% | 7.5% | 3.1% |
| Italian | 33,049 | 10.7% | 6.3% | 5.7% |
| English | 22,586 | 7.3% | 6.2% | 8.5% |
| Swedish | 13,665 | 4.4% | 2.2% | 1.3% |
| American | 12,168 | 3.9% | 4.9% | 6.7% |
| Norwegian | 9,936 | 3.2% | 1.3% | 1.5% |
| French (except Basque) | 7,406 | 2.4% | 2.0% | 2.9% |
| Dutch | 5,193 | 1.7% | 1.5% | 1.5% |
| Scottish | 4,797 | 1.6% | 1.2% | 1.8% |
| Czech | 4,678 | 1.5% | 1.0% | 0.5% |
| Russian | 3,678 | 1.2% | 1.0% | 1.0% |
| Scotch-Irish | 2,487 | 0.8% | 0.7% | 1.1% |
| Danish | 2,469 | 0.8% | 0.4% | 0.5% |
| Lithuanian | 2,433 | 0.8% | 0.7% | 0.2% |
| Hungarian | 2,281 | 0.7% | 0.4% | 0.5% |
| Greek | 2,221 | 0.7% | 0.8% | 0.4% |

¹Census respondents could report up to two ancestries.

Note: Ancestry reported with number >2,000 for McHenry County.

Source: U.S. Census Bureau, 2008-2012 American Community Survey
5-Year Estimates

Figure 3.1
McHenry County
by Race/Ethnicity: 2010




Figure 3.2
McHenry County
Change in Race/Ethnicity of Population: 2000 to 2010




Figure 3.3
 McHenry County and U.S.
 by Race/Ethnicity: 2010




Figure 3.4
 McHenry County
 Hispanics by Hispanic Origin: 2010




Figure 3.5
McHenry County
Population by Age Group: 2010




Figure 3.6
McHenry County
Percent Change For Selected Age Groups: 2000 to 2010




Figure 3.7
 McHenry County and U.S.
 Median Age: 1990, 2000, and 2010




Figure 3.8
 McHenry County
 Race/Ethnicity For Children and Seniors: 2010




Figure 3.9
 McHenry County
 Median Age by Gender and Race/Ethnicity: 2012





Figure 3.10
 McHenry County
 Foreign-Born by Region of Birth: 2012



Chapter 4
HOUSEHOLDS, MARITAL STATUS, AND HOUSING

| | Table (Figure) |
|---|-------------------|
| ○ Within households, McHenry County residents are classified as householder (35.5%), spouse (22.1%), child (34.1%), other relatives (4.6%), nonrelatives (3.7%), and unmarried partner (1.7%). Levels are slightly higher than the state and nation for spouse and child proportions. | 4.1 |
| ○ Nearly nine in ten (89.2%) county residents live in a family household, a higher proportion than for both Illinois (83.8%) and U.S. (83.6%). Only one in ten (10.8%) lives in a nonfamily household, fewer than across the state (16.2%) and nation (16.4%). | 4.2 |
| ○ Only 7.1% of the population lives alone, below Illinois (10.8%) and U.S. (10.5%). | 4.2 |
| ○ Approximately 1,501 residents reside in group quarters, comprising only 0.5% of the county's entire population, far below levels for the state (2.3%) and nation (2.6%). | 4.2 |
| ○ According to 2012 Census estimates, McHenry County contains 108,950 households. | 4.3 |
| ○ Three-quarters (75.4%) of households are family households, far above the proportion for Illinois (65.8%) and U.S. (66.5%). Married-couple families, both with and without children, make up 62.6% of the county's households, also far higher than the state (48.7%) and nation (49.0%). | 4.3 |
| ○ Three in ten (30.4%) households are comprised of a married couple with children under 18, much higher than Illinois (21.2%) and U.S. (20.3%). | 4.3 (4.1) |
| ○ One in fourteen (7.3%) households is headed by a single parent, more often female-headed (5.3%) than male-headed (2.0%). | 4.3 (4.1) |
| ○ One-fifth (20.0%) of households include a householder living alone, fewer than in Illinois (28.5%) and U.S. (27.5%). Seniors age 65 and older living alone comprise 7.0% of McHenry County households, also slightly less than the state (9.9%) and nation (9.6%). | 4.3 |
| ○ Four in ten (39.7%) households include one or more children (age 0-17), higher than Illinois (33.4%) and U.S. (33.3%). On the other hand, fewer households include seniors age 65 and older (20.6%) than in Illinois (24.1%) and U.S. (24.9%). | 4.3 |
| ○ McHenry County's average household size at 2.81 is higher than 2.62 for Illinois and 2.61 for U.S. The average family size of 3.27 in McHenry County is the same as Illinois and slightly above the U.S. (3.21). | 4.3 |
| ○ Average household size declined in McHenry County from 2000 to 2012 (2.89 to 2.81 persons), contrary to the U.S.'s slight rise from 2.59 to 2.64. | 4.4 (4.2) |
| ○ Average family size decreased slightly in McHenry County from 2000 to 2012 (3.31 to 3.28), but increased for the U.S. moving from 3.14 to 3.25. | 4.4 |

- Of the 82,282 children under 18 in McHenry County in 2012, 80.5% lived in a married-couple household, far above levels seen in Illinois (67.1%) and U.S. (65.8%). 4.5 (4.3)
- More than one in eight (13.8%) McHenry County children live in a single-parent female-headed household, though this proportion is half of that for both Illinois (25.4%) and U.S. (26.1%). 4.5 (4.3)
- Over half (57.8%) of McHenry County residents age 15 and older are currently married, well above the proportions for the state (47.6%) and nation (48.0%). Slightly fewer residents age 15+ are widowed (4.5%) than in Illinois and U.S. (both 5.9%) and half as many (0.9%) are separated as in the state (1.8%) and nation (2.2%). 4.6 (4.4)
- Based on 2012 Census estimates, there are 5,541 unmarried-partner households in McHenry County, split almost evenly between a male householder (51.8%) or a female householder (48.2%). 4.7
- Of the 5,126 McHenry County grandparents estimated in 2012 to be living with a grandchild under age 18, 30% are responsible for care of the grandchild which is less than levels seen in Illinois (37.0%) and U.S. (39.8%). 4.8
- More than seven in ten (71.3%) McHenry County seniors age 65 and older live in a family household, above Illinois (64.2%) and U.S. (66.2%) proportions. 4.9
- Among seniors age 65 and older in the county, twice as many females (16.6%) than males (7.4%) live alone. 4.9
- In 2011, 1,060 divorces/annulments took place in McHenry County compared to 1,260 marriages, producing a dissolution ratio of 84.1, nearly twice Illinois' dissolution ratio of 46.1. 4.10 (4.5)
- Census estimates for 2012 report that McHenry County contains 116,368 housing units, a 0.1% increase over 2011 and a 0.2% increase over 2010. Growth in housing units during the early 2000's was far higher at >3% each year then dropped under 1% in 2009. 4.11
- According to 2012 Census data, the median year built for McHenry County housing units is 1986, making the average home much newer than across Illinois (1966) and U.S. (1975). Nearly 45% of McHenry County housing units have been built since 1990, twice the state (22.0%) and national (28.5%) levels. 4.12
- More than nine in ten (93.7%) McHenry County housing units are occupied, higher than Illinois (89.9%) and U.S. (87.2%). The remaining 6.3% of housing units are vacant in the county, below vacancy rates for the state (10.1%) and nation (12.8%). 4.13
- Rental units are nearly three times as likely (7.0%) to be vacant as homeowner units (2.5%). 4.13
- The proportion of owner-occupied housing units stood at 80.1% in 2012 for McHenry County, the remaining 19.9% were occupied by renters. McHenry County's home ownership level is much higher than Illinois (66.6%) and U.S. (63.9%). 4.14 (4.6)

- McHenry County's home ownership rate dropped between 2000 and 2012, falling from 83.2% to 80.1%. 4.14
- McHenry County homeowners with a mortgage have median monthly housing costs of \$1,974, above Illinois (\$1,681) and U.S. (\$1,517). For more than four in ten (41.7%) of these county homeowners, the costs are more than 30% of their household income, a greater proportion than the state (37.9%) and nation (36.2%). 4.15 (4.7)
- McHenry County homeowners without a mortgage have median monthly housing costs of \$688, higher than both Illinois (\$555) and U.S. (\$447). For one-fifth (21.5%) of nonmortgage owners, costs are 30% or more of their household income, higher than levels for the state (17.1%) and nation (15.5%). 4.15 (4.7)
- McHenry County renters have a median monthly rent of \$1,018, above Illinois (\$877) and U.S. (\$889). For over half (55.1%) of renters, their gross rent is 30% or more of their household income, similar to Illinois and U.S. 4.15 (4.7)
- The proportion of McHenry County households in owner-occupied units spending 30% or more of their household income for housing is similar across all age groups, but is higher for age 25 and older when compared to Illinois and U.S. 4.16
- More than half of McHenry County renters spend 30% or more of their household income for housing in the 15-24 (54.6%) and 65+ (57.4%) age groups, with lower levels for the 25-34 (46.3%) and 35-64 (47.5%) age groups. 4.16
- For all household income levels among owner-occupied housing, a greater proportion of McHenry County households spend 30% or more of their income for housing when compared to Illinois and U.S. The pattern with higher proportions than the state and nation is similar for renter-occupied housing, excluding McHenry County renters with an income of \$75,000 or more. 4.17 (4.8) (4.9)
- Only 3.1% of McHenry County households have no vehicle available, one-third of Illinois (10.8%) and U.S. (9.2%) levels. More than four in ten (46.4%) county households have two vehicles available, higher than Illinois (37.0%) and U.S. (37.5%). 4.18
- One in twelve (8.6%) McHenry County seniors age 65 and older does not have a vehicle available in the household, much higher than for ages 15-34 (2.3%) and 35-64 (1.6%). However, the senior proportion without a vehicle is much lower than Illinois (16.3%) and U.S. (13.8%). 4.19
- According to 2012 Census estimates, the median value of owner-occupied units in McHenry County is \$203,100, above both Illinois (\$170,600) and U.S. (\$171,900). 4.20
- Illinois Association of Realtors data indicate that 4,933 homes were sold in McHenry County in 2013, a 28.8% increase over 2012, and a rebound back to levels seen in 2006 after six years of fewer than 4,000 sales. 4.21
- The median sales price stood at \$152,500 in 2013, an increase of 8.9% from 2012 but still 33.6% lower than the peak median sales price of \$229,500 seen in 2006. McHenry's median sales price slightly outpaced Illinois (\$150,000). 4.21 (4.10)

Table 4.1
MCHENRY COUNTY, ILLINOIS, AND U.S.
RELATIONSHIP OF PERSONS IN HOUSEHOLDS: 2012

| Relationship (persons) | McHenry County | | Illinois Percent | U.S. Percent |
|---------------------------|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| Total Population | 308,145 | 100.0% | 100.0% | 100.0% |
| Household Population | 306,640 | 99.5% | 97.7% | 97.4% |
| Householder | 108,969 | 35.5% | 37.9% | 37.9% |
| Spouse | 67,823 | 22.1% | 18.2% | 18.2% |
| Child | 104,564 | 34.1% | 31.8% | 30.7% |
| Other relatives | 13,981 | 4.6% | 6.9% | 7.3% |
| Nonrelatives | 11,303 | 3.7% | 5.2% | 5.9% |
| Unmarried partner | 5,360 | 1.7% | 2.2% | 2.3% |

Source: U.S. Census Bureau, 2012 American Community Survey
1-Year Estimates

Table 4.2
MCHENRY COUNTY, ILLINOIS, AND U.S.
PERSONS BY HOUSEHOLD TYPE: 2012

| Persons | McHenry County | | Illinois Percent | U.S. Percent |
|--------------------------------|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| Total Population | 308,501 | 100.0% | 100.0% | 100.0% |
| Living in group quarters | 1,501 | 0.5% | 2.3% | 2.6% |
| Living in households | 307,000 | 99.5% | 97.7% | 97.4% |
| Household Population | 307,000 | 100.0% | 100.0% | 100.0% |
| Living in family households | 273,886 | 89.2% | 83.8% | 83.6% |
| Living in nonfamily households | 33,114 | 10.8% | 16.2% | 16.4% |
| Living alone | 21,728 | 7.1% | 10.8% | 10.5% |

Source: U.S. Census Bureau, 2010-2012 American Community Survey 3-Year Estimates

Table 4.3
MCHENRY COUNTY, ILLINOIS, AND U.S.
HOUSEHOLD STRUCTURE: 2012

| Household Type | McHenry County | | Illinois Percent | U.S. Percent |
|--|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| Total Households | 108,950 | 100.0% | 100.0% | 100.0% |
| Family Households | 82,182 | 75.4% | 65.8% | 66.5% |
| Married-couple families | 68,190 | 62.6% | 48.7% | 49.0% |
| With own children under 18 years | 33,094 | 30.4% | 21.2% | 20.3% |
| Male householder, no wife present | 4,254 | 3.9% | 4.5% | 4.6% |
| With own children under 18 years | 2,210 | 2.0% | 2.1% | 2.3% |
| Female householder, no husband present | 9,738 | 8.9% | 12.6% | 12.9% |
| With own children under 18 years | 5,734 | 5.3% | 7.0% | 7.3% |
| Nonfamily Households | 26,768 | 24.6% | 34.2% | 33.5% |
| Householder living alone | 21,767 | 20.0% | 28.5% | 27.5% |
| 65 years and over living alone | 7,579 | 7.0% | 9.9% | 9.6% |
| Households with 1+ persons <18 | 43,290 | 39.7% | 33.4% | 33.3% |
| Households with 1+ persons 65+ | 22,409 | 20.6% | 24.1% | 24.9% |
| Average Household Size | 2.81 | | 2.62 | 2.61 |
| Average Family Size | 3.27 | | 3.27 | 3.21 |

Source: U.S. Census Bureau, 2008-2012 American Community Survey 5-Year Estimates

Table 4.4
MCHENRY COUNTY AND U.S.
AVERAGE HOUSEHOLD SIZE AND AVERAGE FAMILY SIZE: 1970-2000 AND 2012

| Year | Average Household Size (persons) | | Average Family Size (persons) | |
|------|-------------------------------------|------|----------------------------------|------|
| | McHenry County | U.S. | McHenry County | U.S. |
| 2012 | 2.81 | 2.64 | 3.28 | 3.25 |
| 2000 | 2.89 | 2.59 | 3.31 | 3.14 |
| 1990 | 2.89 | 2.63 | 3.28 | 3.17 |
| 1980 | 2.99 | 2.76 | 3.35 | 3.29 |
| 1970 | 3.53 | 3.14 | NA | 3.58 |

Source: U.S. Census Bureau, decennial Censuses and
2012 American Community Survey 1-Year Estimates

Table 4.5
MCHENRY COUNTY, ILLINOIS, AND U.S.
HOUSEHOLD TYPE FOR CHILDREN UNDER 18: 2012

| Household Type | McHenry County | | Illinois Percent | U.S. Percent |
|---------------------------|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| Total Children | 82,282 | 100.0% | 100.0% | 100.0% |
| Married couple | 66,227 | 80.5% | 67.1% | 65.8% |
| Male parent, no wife | 4,292 | 5.2% | 6.9% | 7.5% |
| Female parent, no husband | 11,323 | 13.8% | 25.4% | 26.1% |
| Nonfamily ¹ | 440 | 0.5% | 0.6% | 0.7% |

¹Margin of error >50% for McHenry County estimate.

Source: U.S. Census Bureau, 2010-2012 American Community Survey
3-Year Estimates

Table 4.6
MCHENRY COUNTY, ILLINOIS, AND U.S.
MARITAL STATUS OF PERSONS AGES 15+: 2012

| Marital Status | McHenry County | | Illinois Percent | U.S. Percent |
|----------------------------------|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| Total Persons 15 Years and Older | 243,551 | 100.0% | 100.0% | 100.0% |
| Never married | 65,419 | 26.9% | 34.6% | 32.7% |
| Now married, except separated | 140,738 | 57.8% | 47.6% | 48.0% |
| Separated | 2,112 | 0.9% | 1.8% | 2.2% |
| Widowed | 11,050 | 4.5% | 5.9% | 5.9% |
| Divorced | 24,232 | 9.9% | 10.0% | 11.1% |

Source: U.S. Census Bureau, 2012 American Community Survey 1-Year Estimates

Table 4.7
MCHENRY COUNTY, ILLINOIS, AND U.S.
UNMARRIED-PARTNER HOUSEHOLDS BY SEX OF PARTNER: 2012

| Relationship | McHenry County | | Illinois Percent | U.S. Percent |
|------------------------------------|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| Total Unmarried-Partner Households | 5,541 | 100.0% | 100.0% | 100.0% |
| Male Householder | 2,869 | 51.8% | 51.0% | 50.4% |
| Male partner ¹ | 200 | 3.6% | 4.4% | 4.3% |
| Female partner | 2,669 | 48.2% | 46.6% | 46.1% |
| Female Householder | 2,672 | 48.2% | 49.0% | 49.6% |
| Male partner | 2,487 | 44.9% | 44.8% | 45.0% |
| Female partner ¹ | 185 | 3.3% | 4.2% | 4.7% |

¹Margin of error >33% for McHenry County estimate.

Source: U.S. Census Bureau, 2008-2012 American Community Survey
5-Year Estimates

Table 4.8
MCHENRY COUNTY, ILLINOIS, AND U.S.
GRANDPARENTS LIVING WITH OWN GRANDCHILDREN UNDER 18 YEARS
BY RESPONSIBILITY: 2012

| Responsibility | McHenry County | | Illinois Percent | U.S. Percent |
|--|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| Total Grandparent Living With Grandchild <18 | 5,126 | 100.0% | 100.0% | 100.0% |
| Grandparent responsible for child | 1,536 | 30.0% | 37.0% | 39.8% |
| Grandparent not responsible for child | 3,590 | 70.0% | 63.0% | 60.2% |

Source: U.S. Census Bureau, 2008-2012 American Community Survey 5-Year Estimates

Table 4.9
MCHENRY COUNTY, ILLINOIS, AND U.S.
HOUSEHOLD TYPE FOR PERSONS 65 YEARS AND OLDER: 2012

| Household Type | McHenry County | | Illinois Percent | U.S. Percent |
|----------------------------------|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| Total Persons 65 Years and Older | 31,619 | 100.0% | 100.0% | 100.0% |
| In Family Households | 22,543 | 71.3% | 64.2% | 66.2% |
| Householder | 11,020 | 34.9% | 32.7% | 33.2% |
| Spouse | 8,438 | 26.7% | 22.7% | 23.7% |
| Parent | 1,914 | 6.1% | 5.0% | 5.3% |
| Parent-in-law | 693 | 2.2% | 1.5% | 1.6% |
| Other relatives ¹ | 400 | 1.3% | 1.9% | 1.9% |
| Nonrelatives ¹ | 78 | 0.2% | 0.4% | 0.4% |
| In Nonfamily Households | 8,273 | 26.2% | 31.5% | 30.0% |
| Male householder | 2,495 | 7.9% | 8.6% | 8.5% |
| Living alone | 2,341 | 7.4% | 8.0% | 7.8% |
| Not living alone ¹ | 154 | 0.5% | 0.6% | 0.7% |
| Female householder | 5,464 | 17.3% | 21.8% | 20.2% |
| Living alone | 5,238 | 16.6% | 21.2% | 19.5% |
| Not living alone ¹ | 226 | 0.7% | 0.6% | 0.7% |
| Nonrelatives ¹ | 314 | 1.0% | 1.1% | 1.3% |
| In Group Quarters | 803 | 2.5% | 4.3% | 3.8% |

¹Margin of error >33% for McHenry County estimate.

Source: U.S. Census Bureau, 2008-2012 American Community Survey 5-Year Estimates

Table 4.10
MCHENRY COUNTY, ILLINOIS, AND U.S.
RECORDED MARRIAGES, DIVORCES¹, AND DISSOLUTION RATIO²: 1980-2011

| Year | McHenry County | | | Illinois Dissolution Ratio | U.S. Dissolution Ratio |
|------|----------------|----------|----------------------|----------------------------------|------------------------------|
| | Marriages | Divorces | Dissolution Ratio | | |
| 2011 | 1,260 | 1,060 | 84.1 | 46.1 | --- |
| 2010 | 1,231 | 1,055 | 85.7 | 46.3 | --- |
| 2009 | 1,246 | 945 | 75.8 | 44.6 | --- |
| 2008 | 1,253 | 951 | 75.9 | 43.4 | --- |
| 2007 | 1,251 | 875 | 69.9 | 42.8 | --- |
| 2006 | 1,299 | 873 | 67.2 | 41.2 | --- |
| 2005 | 1,301 | 837 | 64.3 | 43.1 | 48.0 ³ |
| 2004 | 1,233 | 865 | 70.2 | 41.4 | 49.4 |
| 2003 | 1,275 | 909 | 71.3 | 42.3 | 50.8 |
| 2002 | 1,313 | 967 | 73.6 | 44.7 | 51.2 |
| 2001 | 1,411 | 846 | 60.0 | 41.7 | 49.5 |
| 2000 | 1,301 | 897 | 68.9 | 46.1 | 50.9 |
| 1999 | 1,331 | 813 | 61.1 | 48.0 | 44.2 |
| 1998 | 1,394 | 895 | 64.2 | 48.0 | 45.3 |
| 1997 | 1,463 | 923 | 63.1 | 42.3 | 49.7 |
| 1996 | 1,404 | 876 | 62.4 | 44.7 | 51.1 |
| 1995 | 1,451 | 769 | 53.0 | 44.8 | 50.0 |
| 1994 | 1,505 | 894 | 59.4 | 46.4 | 50.4 |
| 1993 | 1,406 | 831 | 59.1 | 47.2 | 50.9 |
| 1992 | 1,467 | 685 | 46.7 | 46.3 | 51.4 |
| 1991 | 1,530 | 864 | 56.5 | 48.3 | 50.1 |
| 1990 | 1,459 | 771 | 52.8 | 45.7 | 48.0 |
| 1985 | 1,418 | 724 | 51.1 | 46.7 | 48.9 |
| 1980 | 1,403 | 640 | 45.6 | 47.5 | 49.7 |

¹Total for divorces includes annulments.

²Dissolution ratio = divorces per 100 marriages.

³Data are incomplete for divorces (four states did not report), subsequent years lack five states so U.S. rate not reported.

Source: Illinois Department of Public Health; National Center for Health Statistics

Table 4.11
MCHENRY COUNTY AND ILLINOIS
HOUSING UNITS: 2000-2012

| Year | McHenry County | | Illinois Percent Change |
|------|-------------------------------|---|-------------------------------|
| | Number of Housing Units | Percent Change From Previous Year | |
| 2012 | 116,368 | +0.1% | +0.3% |
| 2011 | 116,203 | +0.1% | +0.2% |
| 2010 | 116,118 | +0.1% | +0.1% |
| 2009 | 115,988 | +0.4% | +0.3% |
| 2008 | 115,488 | +1.1% | +0.6% |
| 2007 | 114,261 | +1.8% | +0.9% |
| 2006 | 112,254 | +2.6% | +1.1% |
| 2005 | 109,404 | +2.8% | +1.1% |
| 2004 | 106,449 | +3.1% | +1.0% |
| 2003 | 103,235 | +3.5% | +1.1% |
| 2002 | 99,706 | +3.3% | +1.0% |
| 2001 | 96,541 | +3.1% | +0.9% |
| 2000 | 93,638 | --- | --- |

Source: U.S. Census Housing Estimates (as of July 1)

Table 4.12
MCHENRY COUNTY, ILLINOIS, AND U.S.
YEAR HOUSING UNIT BUILT AND MEDIAN YEAR BUILT: 2012

| Year Structure Built | McHenry County | | Illinois Percent | U.S. Percent |
|----------------------------|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| Total Housing Units | 116,015 | 100.0% | 100.0% | 100.0% |
| 2010 or later ¹ | 261 | 0.2% | 0.2% | 0.3% |
| 2000-2009 | 25,159 | 21.7% | 11.1% | 14.2% |
| 1990-1999 | 26,736 | 23.0% | 10.7% | 14.0% |
| 1980-1989 | 14,743 | 12.7% | 8.8% | 14.0% |
| 1970-1979 | 16,622 | 14.3% | 14.3% | 16.1% |
| 1960-1969 | 8,891 | 7.7% | 11.9% | 11.2% |
| 1950-1959 | 9,368 | 8.1% | 13.2% | 11.1% |
| 1940-1949 | 3,901 | 3.4% | 6.8% | 5.6% |
| Prior to 1940 | 10,334 | 8.9% | 23.0% | 13.7% |
| Median Year Built | 1986 | | 1966 | 1975 |

¹Margin of error >40% for McHenry County estimate.

Source: U.S. Census Bureau, 2008-2012 American Community Survey
5-Year Estimates

Table 4.13
MCHENRY COUNTY, ILLINOIS, AND U.S.
HOUSING UNITS AND OCCUPANCY: 2012

| Indicator | McHenry County | | Illinois Percent | U.S. Percent |
|------------------------|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| Total Housing Units | 116,270 | 100.0% | 100.0% | 100.0% |
| Occupied | 108,995 | 93.7% | 89.9% | 87.2% |
| Vacant | 7,275 | 6.3% | 10.1% | 12.8% |
| Vacancy Rate (percent) | | | | |
| Homeowner | 2.5% | | 2.4% | 2.3% |
| Renter | 7.0% | | 7.1% | 7.4% |

Source: U.S. Census Bureau, 2010-2012 American Community Survey
3-Year Estimates

Table 4.14
MCHENRY COUNTY, ILLINOIS, AND U.S.
HOUSING OWNERSHIP: 1990, 2000, AND 2012

| Year | McHenry County | | Illinois Percent ¹ | U.S. Percent ¹ |
|-----------------|----------------|----------------------|----------------------------------|------------------------------|
| | Number | Percent ¹ | | |
| Owner-Occupied | | | | |
| 2012 | 87,299 | 80.1% | 66.6% | 63.9% |
| 2000 | 74,391 | 83.2% | 67.3% | 66.2% |
| 1990 | 50,289 | 79.9% | 64.2% | 64.2% |
| Renter-Occupied | | | | |
| 2012 | 21,670 | 19.9% | 33.4% | 36.1% |
| 2000 | 15,079 | 16.8% | 32.7% | 33.8% |
| 1990 | 12,651 | 20.1% | 35.8% | 35.8% |

¹Percent of occupied units.

Source: U.S. Census Bureau, 1990 and 2000 Censuses and
2012 American Community Survey 1-Year Estimates

Table 4.15
MCHENRY COUNTY, ILLINOIS, AND U.S.
SELECTED MONTHLY HOUSING COSTS FOR OWNERS AND RENTERS: 2012

| Characteristic | McHenry County | | Illinois Percent | U.S. Percent |
|---|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| Owner Units | | | | |
| Owner-Occupied Units | 90,261 | 100.0% | 100.0% | 100.0% |
| Housing units with a mortgage | 71,674 | 79.4% | 68.4% | 66.5% |
| Owner costs 30%+ of HH income | 29,757 | 41.7% | 37.9% | 36.2% |
| Median owner costs | \$1,974 | | \$1,681 | \$1,517 |
| Housing units without a mortgage | 18,587 | 20.6% | 31.6% | 33.5% |
| Nonmortgage owner costs 30%+ of HH income | 3,964 | 21.5% | 17.1% | 15.5% |
| Median owner costs | \$688 | | \$555 | \$447 |
| Renter Units | | | | |
| Renter-Occupied Units | 18,734 | 100.0% | 100.0% | 100.0% |
| Paying cash rent | 17,511 | 93.5% | 95.7% | 94.6% |
| Paying no cash rent | 1,223 | 6.5% | 4.3% | 5.4% |
| Median rent | \$1,018 | | \$877 | \$889 |
| Gross rent 30% or more of HH income | 9,499 | 55.1% | 52.1% | 52.8% |
| Gross rent of \$750 or more | 14,326 | 81.8% | 65.1% | 64.3% |

Source: U.S. Census Bureau, 2010-2012 American Community Survey 3-Year Estimates

Table 4.16
MCHENRY COUNTY, ILLINOIS, AND U.S.
HOUSEHOLDS SPENDING 30% OR MORE OF THEIR INCOME FOR HOUSING
BY TENURE BY AGE GROUP: 2012

| Tenure/ Age Group (years) | McHenry County | | Illinois Percent ¹ | U.S. Percent ¹ |
|--|----------------|----------------------|----------------------------------|------------------------------|
| | Number | Percent ¹ | | |
| Owner Occupied Spending ≥ 30% Income | | | | |
| 15 - 24 ² | 209 | 37.0% | 40.9% | 40.8% |
| 25 - 34 | 3,745 | 38.6% | 35.5% | 32.8% |
| 35 - 64 | 23,846 | 37.8% | 31.0% | 29.4% |
| 65 or older | 6,397 | 38.0% | 30.1% | 28.5% |
| Renter Occupied Spending ≥ 30% Income | | | | |
| 15 - 24 ² | 899 | 54.6% | 59.4% | 58.6% |
| 25 - 34 | 2,152 | 46.3% | 42.8% | 44.7% |
| 35 - 64 | 4,867 | 47.5% | 45.7% | 46.0% |
| 65 or older | 1,232 | 57.4% | 55.9% | 54.3% |

¹Each age group percent calculated using total households with householder in the age group as denominator.

²Margin of error >50% for McHenry County estimate.

Source: U.S. Census Bureau, 2008-2012 American Community Survey 5-Year Estimates

Table 4.17
MCHENRY COUNTY, ILLINOIS, AND U.S.
HOUSEHOLDS SPENDING 30% OR MORE OF THEIR INCOME FOR HOUSING
BY TENURE BY INCOME LEVEL: 2012

| Tenure/ Income Level | McHenry County | | Illinois Percent | U.S. Percent |
|-------------------------------|----------------|----------------------|---------------------|-----------------|
| | Number | Percent ¹ | | |
| Owner Occupied | | | | |
| Under \$20,000 | 4,593 | 85.5% | 74.0% | 68.3% |
| \$20,000-\$34,999 | 5,719 | 74.2% | 54.9% | 49.5% |
| \$35,000-\$49,999 | 5,568 | 64.0% | 44.4% | 39.5% |
| \$50,000-\$74,999 | 8,482 | 52.5% | 34.3% | 28.3% |
| \$75,000-\$99,999 | 5,553 | 33.7% | 22.0% | 18.6% |
| \$100,000 or more | 4,282 | 11.9% | 8.8% | 9.2% |
| Renter Occupied | | | | |
| Under \$20,000 | 3,581 | 91.3% | 88.4% | 88.5% |
| \$20,000-\$34,999 | 3,237 | 86.7% | 73.0% | 71.2% |
| \$35,000-\$49,999 | 1,238 | 50.8% | 34.0% | 39.1% |
| \$50,000-\$74,999 | 1,004 | 28.9% | 14.3% | 18.7% |
| \$75,000 or more ² | 90 | 2.6% | 3.8% | 5.3% |

¹Each income level percent calculated using total households in the level as denominator.

²Margin of error >50% for McHenry County estimate.

Source: U.S. Census Bureau, 2008-2012 American Community Survey 5-Year Estimates

Table 4.18
MCHENRY COUNTY, ILLINOIS, AND U.S.
VEHICLES AVAILABLE: 2012

| Vehicles | McHenry County | | Illinois Percent | U.S. Percent |
|------------------------|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| Occupied Housing Units | 108,995 | 100.0% | 100.0% | 100.0% |
| Vehicles Available | | | | |
| None | 3,356 | 3.1% | 10.8% | 9.2% |
| 1 | 26,705 | 24.5% | 35.2% | 34.0% |
| 2 | 50,626 | 46.4% | 37.0% | 37.5% |
| 3 or more | 28,308 | 26.0% | 17.0% | 19.4% |

Source: U.S. Census Bureau, 2010-2012 American Community Survey
3-Year Estimates

Table 4.19
MCHENRY COUNTY, ILLINOIS, AND U.S.
NO VEHICLE AVAILABLE BY AGE OF HOUSEHOLDER: 2012

| Age of Householder (years) | McHenry County | | Illinois Percent ¹ | U.S. Percent ¹ |
|-------------------------------|----------------|----------------------|----------------------------------|------------------------------|
| | Number | Percent ¹ | | |
| 15 - 34 ² | 381 | 2.3% | 13.3% | 10.0% |
| 35 - 64 | 1,181 | 1.6% | 7.7% | 6.9% |
| 65 or older | 1,637 | 8.6% | 16.3% | 13.8% |

¹Each age group percent calculated using total households with householder
in the age group as denominator.

²Margin of error >50% for McHenry County estimate.

Source: U.S. Census Bureau, 2008-2012 American Community Survey
5-Year Estimates

Table 4.20
MCHENRY COUNTY, ILLINOIS, AND U.S.
MEDIAN HOME VALUE: 2012

| Area | Median Home Value ¹ |
|----------------|--------------------------------|
| McHenry County | \$203,100 |
| Illinois | \$170,600 |
| U.S. | \$171,900 |

¹Self-report of owner-occupied units.

Source: U.S. Census Bureau, 2012
American Community Survey
1-Year Estimates

Table 4.21
MCHENRY COUNTY AND ILLINOIS
HOME SALES AND MEDIAN PRICE: 2005-2013

| Year | McHenry County | | Illinois Median Price |
|------|----------------|--------------|--------------------------|
| | Number | Median Price | |
| 2013 | 4,933 | \$152,500 | \$150,000 |
| 2012 | 3,831 | \$140,100 | \$138,500 |
| 2011 | 2,834 | \$152,000 | \$137,500 |
| 2010 | 2,684 | \$171,000 | \$151,500 |
| 2009 | 2,752 | \$181,000 | \$157,000 |
| 2008 | 2,760 | \$200,000 | \$183,900 |
| 2007 | 3,741 | \$227,000 | \$201,250 |
| 2006 | 4,913 | \$229,500 | \$203,500 |
| 2005 | 5,756 | \$226,000 | \$200,900 |

Note: Includes single-family homes and condos.

Source: Illinois Association of Realtors, Illinois Market Stats
Report for 2005-2010 and Local Market Update
Report for 2011-2013

Figure 4.1
McHenry County
Households by Type: 2012




Figure 4.2
McHenry County and U.S.
Average Household Size: 1970-2012




Figure 4.3
 McHenry County, Illinois, and U.S.
 Household Type For Children <18: 2012




Figure 4.4
 McHenry County
 Marital Status of Persons Age 15+: 2012




Figure 4.5
McHenry County and Illinois
Dissolution Ratio: 1980-2011




Figure 4.6
McHenry County, Illinois, and U.S.
Housing Ownership: 2012




Figure 4.7
 McHenry County, Illinois, and U.S.
 Monthly Housing Costs: 2012




Figure 4.8
 McHenry County, Illinois, and U.S.
 Owner Households Spending 30%+ of Income For Housing: 2012




Figure 4.9
 McHenry County, Illinois, and U.S.
 Renter Households Spending 30%+ of Income For Housing: 2012





Figure 4.10
 McHenry County and Illinois
 Median Sales Price of Homes: 2005-2013



Chapter 5
INCOME AND POVERTY

| | <u>Table (Figure)</u> |
|--|---------------------------|
| ○ McHenry County's 2012 median household income at \$76,417 stands above Illinois (\$55,126) and U.S. (\$51,371). From 1999 to 2012, the county's median household income rose by 17.9%, similar to the state increase of 18.3% but below 22.3% for the nation. Between 1989 and 1999, the county's 49.1% rise in median household income was above Illinois (+44.5%) and U.S. (+39.7%). | 5.1 (5.1) |
| ○ McHenry County families, defined as households containing two or more persons related by blood, marriage, or adoption, report a far higher median income (\$88,370) than nonfamily households (\$43,047) which includes persons living alone. The county's 2012 per capita income was \$32,408. The county's incomes for all household types stand well above Illinois and the U.S. | 5.2 |
| ○ Married-couple families with children claim the highest 2012 median income at \$101,727 more than three times the level for single female-parent families at \$32,457. | 5.2 (5.2) |
| ○ Local households headed by 45-64 year olds earned the most, an annual amount of \$85,276, followed by ages 25-44 at \$80,299. The county's youngest and oldest households report much lower incomes. Households headed by persons under 25 earned \$38,452 per year, while the median household income for 65+ was \$45,482. | 5.3 (5.3) |
| ○ Non-Hispanic white households report a 2012 median income of \$75,937, well above the amount for black households at \$57,372 and Hispanic households at \$55,239. | 5.3 (5.3) |
| ○ One in five (20.5%) households earn in the \$100,000-\$149,999 range, the largest proportion among income levels. One in eight (12.8%) local households earned less than \$25,000 per year, while 13.8% received incomes of \$150,000 or more. | 5.4 |
| ○ One-quarter (23.2%) of McHenry County households received Social Security income at a mean amount of \$18,589 in 2012. Only 4.9% of households received food stamp benefits in the past year, half the levels for Illinois (10.8%) and U.S. (11.4%). | 5.4 |
| ○ McHenry County's 2012 per capita personal income (PCPI) at \$43,802 equates to 100% of the U.S. PCPI. From 2008-2011 the county's PCPI as a percent of the U.S. PCPI dropped below 100% after holding above 100% from 1990 to 2007. | 5.5 (5.4) |
| ○ From 2000 to 2012, McHenry County's per capita personal income rose 28.6%, less than the increases seen for Illinois (+40.4%) and U.S. (+44.2%). | 5.5 |
| ○ Based on 2012 Census estimates, 7.6% of the county's population lives at or below poverty, far below the state (14.7%) and nation (15.9%). One in ten (9.9%) McHenry County children under 18 live at or below poverty, half of Illinois (20.6%) and U.S. (22.6%). | 5.6 (5.5) |
| ○ Child poverty in the county is now (9.9%) two and a half times greater than in 1989 (3.9%) and 1999 (3.8%). | 5.6 (5.6) |

- In 2013, more than one-quarter (27.0%) of school-age children in McHenry County were eligible to receive free and reduced price lunch, a program for students who live in homes where the income falls below 185% poverty. This level is half the state proportion at 54.2%. Locally, the percentage of children eligible for free and reduced lunch has escalated dramatically over the past decade (12.4% in 2004). 5.7 (5.7)
- Nearly one-third (32.1%) of McHenry County’s single female-headed families with children at home live in poverty, less than Illinois (38.9%) and U.S. (39.1%). Poverty for married-couple families with children at home is only 3.8% and for seniors age 65 and older only 5.2%, both at levels below the state and nation. 5.8 (5.8)
- In McHenry County, one-fifth (21.1%) of Hispanics live at or below the poverty line, almost twice the level for black residents (10.8%), and nearly four times the level for white, non-Hispanic residents (5.7%). The county’s Hispanic poverty level is similar to the state and nation, but poverty among black and white, non-Hispanic residents is considerably below. 5.9 (5.9)
- Known as the ratio of income to poverty, those living in extreme poverty (under 50% of the poverty threshold) are 2.9% of the county’s population. An additional 4.6% live between 50%-99% of poverty. Residents at 100%-199% poverty are considered “struggling” or near poor and make up 11.1% of McHenry County’s population. Altogether, 57,016 persons in the county or nearly one in five (18.6%) are poor or near poor, much lower than Illinois (30.7%) and U.S. (33.6%). 5.10
- Among McHenry County school districts, school-age child poverty based on 2012 U.S. Census estimates is highest in Huntley Consolidated (21.7%), followed by Harvard Community Unit (15.6%), Alden-Hebron (13.7%), and Riley Community Consolidated (12.6%). 5.11
- According to the Illinois State Board of Education, Huntley Consolidated has the highest proportion (63.2%) of low-income students (receiving free/reduced lunch and/or public aid, living in foster homes or institutions) among the McHenry County school districts. Others with more than one-third low income are Marengo-Union Elementary Consolidated (54.5%), Harvard Community Unit (51.8%), Woodstock Community Unit (43.6%), McHenry Community Consolidated (41.8%), and Alden-Hebron (36.7%). 5.11

Table 5.1
MCHENRY COUNTY, ILLINOIS, AND U.S.
MEDIAN HOUSEHOLD INCOME: 1989, 1999, AND 2012

| Year | McHenry County | Illinois | U.S. |
|--------------------------|----------------|----------|----------|
| 2012 | \$76,417 | \$55,126 | \$51,371 |
| 1999 | \$64,826 | \$46,590 | \$41,994 |
| 1989 | \$43,471 | \$32,252 | \$30,056 |
| Percent Change 1999-2012 | +17.9% | +18.3% | +22.3% |
| Percent Change 1989-1999 | +49.1% | +44.5% | +39.7% |

Source: U.S. Census Bureau, 1990 and 2000 Censuses and 2012 Small Area Income and Poverty Estimates

Table 5.2
MCHENRY COUNTY, ILLINOIS, AND U.S.
MEDIAN INCOME BY HOUSEHOLD TYPE: 2012

| Household Type | McHenry County | Illinois | U.S. |
|-------------------------------------|----------------|----------|----------|
| Household Median | \$77,325 | \$56,853 | \$53,046 |
| Family median | \$88,370 | \$70,144 | \$64,585 |
| Married-couple with own child <18 | \$101,727 | \$88,619 | \$82,593 |
| Single female parent with child <18 | \$32,457 | \$25,181 | \$24,617 |
| Nonfamily median | \$43,047 | \$33,783 | \$31,796 |
| Female living alone | \$30,297 | \$26,263 | \$24,800 |
| Male living alone | \$45,062 | \$36,062 | \$32,712 |
| Per Capita | \$32,408 | \$29,519 | \$28,051 |

Source: U.S. Census Bureau, 2008-2012 American Community Survey 5-Year Estimates

Table 5.3
MCHENRY COUNTY, ILLINOIS, AND U.S.
MEDIAN HOUSEHOLD INCOME BY AGE AND RACE/ETHNICITY: 2012

| Householder | McHenry County | Illinois | U.S. |
|---------------------|----------------|----------|----------|
| Total | \$74,008 | \$55,231 | \$51,777 |
| Age Group (years) | | | |
| Under 25 | \$38,452 | \$23,435 | \$24,812 |
| 25 - 44 | \$80,299 | \$60,339 | \$56,243 |
| 45 - 64 | \$85,276 | \$67,772 | \$62,828 |
| 65 or older | \$45,482 | \$36,625 | \$36,236 |
| Race/Ethnic | | | |
| White, non-Hispanic | \$75,937 | \$61,661 | \$56,699 |
| Black | \$57,372 | \$33,545 | \$34,406 |
| Hispanic | \$55,239 | \$45,217 | \$40,857 |

Source: U.S. Census Bureau, 2010-2012 American Community Survey 3-Year Estimates

Table 5.4
MCHENRY COUNTY, ILLINOIS, AND U.S.
HOUSEHOLD INCOME BY DETAILED CATEGORY AND INCOME TYPE: 2012

| Income | McHenry County | | Illinois Percent | U.S. Percent |
|--|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| Total Households | 108,950 | 100.0% | 100.0% | 100.0% |
| Income and Benefit Amounts | | | | |
| Less than \$10,000 | 3,817 | 3.5% | 6.9% | 7.2% |
| \$10,000 to \$14,999 | 2,550 | 2.3% | 4.7% | 5.4% |
| \$15,000 to \$24,999 | 7,658 | 7.0% | 10.1% | 10.7% |
| \$25,000 to \$34,999 | 7,779 | 7.1% | 9.7% | 10.4% |
| \$35,000 to \$49,999 | 11,316 | 10.4% | 13.0% | 13.7% |
| \$50,000 to \$74,999 | 19,787 | 18.2% | 18.2% | 18.2% |
| \$75,000 to \$99,999 | 18,618 | 17.1% | 13.0% | 12.2% |
| \$100,000 to \$149,999 | 22,369 | 20.5% | 13.9% | 12.8% |
| \$150,000 to \$199,999 | 8,928 | 8.2% | 5.3% | 4.8% |
| \$200,000 or more | 6,128 | 5.6% | 5.2% | 4.6% |
| Median household income | \$77,325 | | \$56,853 | \$53,046 |
| Mean household income | \$90,540 | | \$77,163 | \$73,034 |
| Type of Income and Amount | | | | |
| With earnings | 93,616 | 85.9% | 79.8% | 78.7% |
| Mean household earnings | \$89,228 | | \$78,981 | \$74,373 |
| With social security | 25,274 | 23.2% | 26.3% | 28.3% |
| Mean household social security income | \$18,589 | | \$17,010 | \$16,727 |
| With retirement income | 15,991 | 14.7% | 16.5% | 17.6% |
| Mean household retirement income | \$27,572 | | \$24,637 | \$23,126 |
| With supplemental security income | 2,377 | 2.2% | 3.8% | 4.6% |
| Mean household supplemental security income | \$10,593 | | \$9,361 | \$8,912 |
| With cash public assistance income | 1,558 | 1.4% | 2.3% | 2.7% |
| Mean household cash public assistance income | \$5,550 | | \$3,760 | \$3,807 |
| With food stamp benefits in the past 12 months | 5,370 | 4.9% | 10.8% | 11.4% |

Source: U.S. Census Bureau, 2008-2012 American Community Survey 5-Year Estimates

Table 5.5
MCHENRY COUNTY, ILLINOIS, AND U.S.
PER CAPITA PERSONAL INCOME¹: 1990-2012

| Year | McHenry County | Illinois | U.S. | McHenry County PCPI as Percent of U.S. |
|----------------|----------------|----------|----------|--|
| 2012 | \$43,802 | \$45,832 | \$43,735 | 100.0% |
| 2011 | \$41,110 | \$44,106 | \$42,298 | 97.2% |
| 2010 | \$39,067 | \$42,072 | \$40,163 | 97.3% |
| 2009 | \$39,233 | \$41,544 | \$39,357 | 99.7% |
| 2008 | \$40,784 | \$43,338 | \$40,873 | 99.8% |
| 2007 | \$40,567 | \$42,271 | \$39,804 | 101.9% |
| 2006 | \$39,980 | \$40,194 | \$38,127 | 104.9% |
| 2005 | \$37,715 | \$37,702 | \$35,888 | 105.1% |
| 2004 | \$36,285 | \$36,184 | \$34,300 | 105.8% |
| 2003 | \$35,344 | \$34,726 | \$32,676 | 108.2% |
| 2002 | \$34,903 | \$34,129 | \$31,798 | 109.8% |
| 2001 | \$34,865 | \$33,762 | \$31,524 | 110.6% |
| 2000 | \$34,049 | \$32,645 | \$30,319 | 112.3% |
| 1999 | \$31,328 | \$30,619 | \$28,333 | 110.6% |
| 1998 | \$29,865 | \$29,746 | \$27,258 | 109.6% |
| 1997 | \$29,013 | \$28,130 | \$25,654 | 113.1% |
| 1996 | \$27,593 | \$26,806 | \$24,442 | 112.9% |
| 1995 | \$26,432 | \$25,382 | \$23,262 | 113.6% |
| 1990 | \$21,999 | \$20,835 | \$19,354 | 113.7% |
| Percent Change | | | | |
| 2000-2012 | +28.6% | +40.4% | +44.2% | --- |
| 1990-2012 | +99.1% | +120.0% | +126.0% | --- |

¹Per capita personal income includes earnings and other income sources such as dividends, interest, rent, and government payments including Social Security, disability, Medicare, Medicaid, unemployment, and veterans benefits.

Source: U.S. Department of Commerce, Bureau of Economic Analysis, BEARFACTS

Table 5.6
MCHENRY COUNTY, ILLINOIS, AND U.S.
POVERTY FOR ALL PERSONS AND CHILDREN: 1989, 1999, AND 2012

| Year | McHenry County | | Illinois Percent | U.S. Percent |
|-----------------|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| 2012 | | | | |
| All Persons | 23,277 | 7.6% | 14.7% | 15.9% |
| Children 0 - 17 | 7,849 | 9.9% | 20.6% | 22.6% |
| 1999 | | | | |
| All Persons | 9,446 | 3.7% | 10.7% | 12.4% |
| Children 0 - 17 | 2,960 | 3.8% | 14.0% | 16.1% |
| 1989 | | | | |
| All Persons | 6,342 | 3.5% | 11.9% | 13.1% |
| Children 0 - 17 | 2,070 | 3.9% | 16.8% | 17.9% |

Source: U.S. Census Bureau, 2000 and 1990 Censuses and
2012 Small Area Income and Poverty Estimates

Table 5.7
MCHENRY COUNTY AND ILLINOIS
PERCENT OF STUDENTS ELIGIBLE FOR FREE
AND REDUCED SCHOOL LUNCHES: 2004-2013

| Year | Percent of Students | |
|------|---------------------|----------|
| | McHenry County | Illinois |
| 2013 | 27.0% | 54.2% |
| 2012 | 24.9% | 53.6% |
| 2011 | 22.8% | 51.7% |
| 2010 | 20.4% | 51.5% |
| 2009 | 16.6% | 49.0% |
| 2008 | 14.6% | 47.1% |
| 2007 | 13.8% | 46.9% |
| 2006 | 12.1% | 45.5% |
| 2005 | 12.4% | 45.2% |
| 2004 | 12.4% | 44.5% |

Note: Students who are eligible for free or
reduced price lunches live in
households with incomes up to 185%
of poverty threshold.

Source: Illinois State Board of Education,
Nutrition Programs, Free and
Reduced Price Meal Eligibility Data

Table 5.8
MCHENRY COUNTY, ILLINOIS, AND U.S.
POVERTY FOR SELECTED GROUPS: 2012

| Group | Percent of Population | | |
|-------------------------|-----------------------|----------|-------|
| | McHenry County | Illinois | U.S. |
| Persons | 7.5% | 13.7% | 14.9% |
| Families | 5.8% | 10.0% | 10.9% |
| Married-couple families | 2.9% | 4.5% | 5.4% |
| With children <18 | 3.8% | 6.7% | 7.9% |
| Female-headed household | 22.8% | 29.5% | 30.1% |
| With children <18 | 32.1% | 38.9% | 39.1% |
| Persons 65 or older | 5.2% | 8.6% | 9.4% |

Source: U.S. Census Bureau, 2008-2012 American Community Survey 5-Year Estimates

Table 5.9
MCHENRY COUNTY, ILLINOIS, AND U.S.
POVERTY BY RACE/ETHNICITY: 2012

| Race | Percent of Population | | |
|---------------------|-----------------------|----------|-------|
| | McHenry County | Illinois | U.S. |
| White, non-Hispanic | 5.7% | 8.6% | 10.3% |
| Black | 10.8% | 29.5% | 26.5% |
| Hispanic | 21.1% | 20.1% | 24.1% |

Source: U.S. Census Bureau, 2008-2012 American Community Survey 5-Year Estimates

Table 5.10
MCHENRY COUNTY, ILLINOIS, AND U.S.
RATIO OF INCOME TO POVERTY: 2012

| Ratio of Income to Poverty Line | McHenry County | | Illinois Percent | U.S. Percent |
|--|----------------|---------|------------------|--------------|
| | Number | Percent | | |
| Population for whom poverty status is determined | 306,512 | 100.0% | 100.0% | 100.0% |
| Under .50 | 8,797 | 2.9% | 6.1% | 6.5% |
| .50 to .99 | 14,123 | 4.6% | 7.5% | 8.4% |
| 1.00 to 1.49 | 15,977 | 5.2% | 8.5% | 9.5% |
| 1.50 to 1.99 | 18,119 | 5.9% | 8.6% | 9.2% |
| 2.00 and over | 249,496 | 81.4% | 69.2% | 66.4% |

Note: Under 50% of poverty is considered "extreme poverty," 50-99% "poverty," 100-199% "struggling."

Source: U.S. Census Bureau, 2008-2012 American Community Survey 5-Year Estimates

Table 5.11
MCHENRY COUNTY SCHOOL DISTRICTS
CHILDREN IN POVERTY AND LOW-INCOME

| School District | 2012 U.S. Census Data | | | 2013 ISBE Data | |
|---|-------------------------|---|---------|--|----------------------|
| | Population Ages 5-17 | Children Ages 5-17 in Poverty ¹ | | Students Low-Income ² | |
| | | Estimated Number | Percent | Estimate Based on ISBE Data ³ | Percent ⁴ |
| Total Within McHenry County | 55,514 | 4,746 | 8.5% | 15,285 | 27.5% |
| Alden-Hebron 19 | 511 | 70 | 13.7% | 188 | 36.7% |
| Cary Community Consolidated 26 | 3,400 | 230 | 6.8% | 704 | 20.7% |
| Community High School District 155 | 7,214 | 407 | 5.6% | 1,017 | 14.1% |
| Crystal Lake Community Consolidated 47 | 8,974 | 386 | 4.3% | 655 | 7.3% |
| Fox River Grove Consolidated 3 | 8,881 | 657 | 7.4% | 2,726 | 30.7% |
| Harrison 36 | 555 | 42 | 7.6% | 104 | 18.7% |
| Harvard Community Unit 50 | 474 | 74 | 15.6% | 246 | 51.8% |
| Huntley Consolidated 158 | 2,575 | 560 | 21.7% | 1,627 | 63.2% |
| Johnsburg Community Unit 12 | 2,407 | 167 | 6.9% | 551 | 22.9% |
| Marengo Community High 154 | 891 | 78 | 8.8% | 117 | 13.1% |
| Marengo-Union Elementary Consolidated 165 | 1,300 | 155 | 11.9% | 709 | 54.5% |
| McHenry Community Consolidated 15 | 5,206 | 578 | 11.1% | 2,176 | 41.8% |
| McHenry Community High 156 | 2,690 | 249 | 9.3% | 834 | 31.0% |
| Nippersink 2 | 1,554 | 103 | 6.6% | 345 | 22.2% |
| Prairie Grove Community 46 | 1,029 | 108 | 10.5% | 174 | 16.9% |
| Richmond-Burton Community High 157 | 816 | 41 | 5.0% | 95 | 11.6% |
| Riley Community Consolidated 18 | 390 | 49 | 12.6% | 119 | 30.5% |
| Woodstock Community Unit 200 | 6,647 | 792 | 11.9% | 2,898 | 43.6% |

¹Children related to householder.

²Defined as students who are eligible to receive free or reduced lunch, from families receiving public aid, live in institutions for neglected or delinquent children or are supported in foster homes with public funds.

³Estimate calculated using U.S. Census Population 5-17 which does not include students outside the age range.

⁴Percent based on all students in the District.

Source: U.S. Census Bureau, 2012 Small Area Income and Poverty Estimates (SAIPE);
Illinois State Board of Education, 2013 Illinois District Report Cards

Figure 5.1
 McHenry County, Illinois, and U.S.
 Median Household Income: 1989, 1999, and 2012




Figure 5.2
 McHenry County
 Median Income by Household Type: 2012




Figure 5.3
McHenry County
Median Household Income by Age and Race/Ethnicity: 2012




Figure 5.4
McHenry County, Illinois, and U.S.
Per Capita Personal Income: 1990-2012




Figure 5.5
 McHenry County, Illinois, and U.S.
 Poverty: 2012




Figure 5.6
 McHenry County
 Poverty: 1989, 1999, and 2012




Figure 5.7
 McHenry County and Illinois
 Percent of Students Eligible For Free or Reduced Lunch: 2004-2013




Figure 5.8
 McHenry County
 Poverty by Selected Groups: 2012





Figure 5.9
McHenry County, Illinois, and U.S.
Poverty by Race/Ethnicity: 2012



Chapter 6
EDUCATION AND EMPLOYMENT

| | Table (Figure) |
|--|-------------------|
| ○ Among McHenry County adults ages 25 years and older, more than nine in ten (92.2%) have completed high school, exceeding the state (87.0%) and nation (85.7%). The proportion of local adults who have obtained a four-year college degree at 32.5% is slightly higher than Illinois (31.1%) and U.S. (28.5%). | 6.1 |
| ○ One in ten (10.3%) adults in McHenry County has a graduate or professional degree, similar to the state (11.8%) and nation (10.6%). | 6.1 (6.1) |
| ○ In terms of highest educational attainment level, about a quarter (27.0%) of the county's adults 25+ have only a high school diploma, while 7.8% have less education. One-quarter (24.6%) have attended some college but received no degree, and 8.1% hold an associate degree. | 6.1 (6.1) |
| ○ Over the past two decades, McHenry County has witnessed a rise in the percent of adults with a high school education, rising from 84.5% in 1990 to 92.2% in 2012, an increase also experienced at the state and national levels. | 6.2 |
| ○ McHenry County also achieved progress in the adult 25+ population obtaining a Bachelor's degree rising from 21.0% in 1990 to 32.4% in 2012, similar to the improvement in Illinois and slightly better than the nation's improvement. Graduate degree completion in the county rose from 6.4% in 1990 to 10.3% in 2012, similar to the state and nation. | 6.2 |
| ○ One-third (34.9%) of Hispanic adults in McHenry County do not have a high school diploma, well above black (7.7%), Asian (7.1%), and white, non-Hispanic (5.1%) levels. | 6.3 (6.2) |
| ○ More Asian adults in the county (59.6%) have a Bachelor's degree or higher than black (36.5%), white, non-Hispanic (33.6%), and especially Hispanic (12.7%) residents. | 6.3 (6.2) |
| ○ In McHenry County, 71.9% of adults ages 16 years and older participated in the 2012 labor force, a decrease from 74.0% in 2000 and 73.7%, 1990. More than three in four (77.9%) males are current labor force participants as are 66.0% of the county's females. Male labor force participation has fallen over the past two decades while female participation has increased. | 6.4 |
| ○ Three-quarters (74.1%) of McHenry County children under age 6 have all parents in the labor force as do 68.5% of children 6-17. The level for parents of under 6 exceeds the state (68.0%) and nation (64.9%), but for 6-17 is below the state (72.9%) and nation (70.6%). | 6.4 (6.3) |
| ○ Labor force participation among McHenry County seniors ages 65 and older hit 20.2% in 2012, higher than both Illinois (16.6%) and U.S. (16.2%). The county's 2012 level was higher than 1990's 16.7%. | 6.5 (6.4) |

- Based on Illinois Department of Employment Security (IDES) Local Employment Dynamics data, McHenry County's three top industry types in 2012 were manufacturing, retail trade, and education. Health care/social assistance and accommodation/food services fall at fourth and fifth places. These data encompass employees who work in McHenry County. 6.6
- Compared to 12 years earlier, the county's biggest proportional loss in terms of number of employees has taken place in utilities (-87.5%), real estate/rental/leasing (-38.3%), mining/quarrying/oil and gas extraction (-35.7%), and manufacturing (-32.6%). The biggest gains occurred for management of companies/enterprises (+667.8%), administrative/support/waste management/remediation services (+107.2%), and health care/social assistance (+54.9%). 6.6
- Among the top five McHenry County industries in 2012, only manufacturing lost jobs between 2000 and 2012 (-32.6%), with gains in the other four: retail trade (+8.7%), educational services (+33.9%), health care and social assistance (+54.9%), and accommodation and food services (+22.1%). 6.6 (6.5)
- One in five (19.0%) employees who live in McHenry County works in education/health/social services, the largest industry group and a category that combines two groups in the IDES data. Manufacturing follows at 17.2%, while retail trade accounts for 11.8%. Manufacturing claims the biggest excess over U.S. (10.6%). 6.7 (6.6)
- The largest number of McHenry County males work in management/business/financial (16,170) and females in administrative support (20,410). As a ratio, males are most dominant in construction (9,939 males:210 females), installation/maintenance/repair (7,227:500), and protective service (2,439:535). Females dominate in administrative support (20,410 females:5,800 males), healthcare practitioner (3,415:990), and service worker except protective (11,229:5,785). 6.8
- By race/ethnicity and gender, management/business/financial accounts for 19.3% of white, non-Hispanic male employees in McHenry County, their number one occupational group, while leading among white, non-Hispanic females is administrative support (27.9%). 6.9
- Among black men, sales is the number one occupational group (21.8%) and black females most often are service workers (18.4%). For both Hispanic men (19.7%) and women (22.8%), production operative is the leading occupational group. 6.9
- Centegra Health System tops the list of McHenry County employers with 3,650 employees followed by McHenry County government (1,400) and Follett Library Resources, Inc. (1,378). Follett Software ranks fourth but did not report the number of employees. Others with more than 600 employees include Catalent Pharma Solutions (830), Mercy Health System (732), and Brown Printing (650). 6.10
- McHenry County unemployment in 2013 stood at 8.3%, a five-year low. Unemployment was highest in 2010 at 10.0%. The county's unemployment rate was consistently similar to or below state and national levels until 2009. Since then, McHenry County's unemployment rate has been above the nation, but below Illinois. 6.11 (6.7)

- Just over half (51.5%) of McHenry County workers are employed in jobs based within the county. The most common county for workers who commute out of the county is Cook accounting for one in five (33,522 workers, 22.1%) followed by Lake County (18,758 workers, 12.4%), Kane County (9,826 workers, 6.5%), and Du Page County (5,987 workers, 4.0%). 6.12
- McHenry County workers travel, on average, 33.8 minutes to get to work, longer than Illinois at 28.1 and the national 25.4 average. Nearly one in five (18.5%) commuters travel more than an hour to work, 13.0% driving 60-89 minutes and 5.5% 90+ minutes. 6.13 (6.8) (6.9)
- Most (89.8%) workers in the county use a car, truck, or van to commute, of whom 7.5% carpooled; 5.1% work at home. 6.13
- McHenry County's daytime population drops by 14.3% due to commuting, a loss of 43,854 people during the day. 6.14

Table 6.1
MCHENRY COUNTY, ILLINOIS, AND U.S.
EDUCATIONAL ATTAINMENT: 2012

| Highest Educational Level | McHenry County | | Illinois Percent | U.S. Percent |
|---|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| Population 25 Years and Older | 200,749 | 100.0% | 100.0% | 100.0% |
| Less than 9 th grade | 6,061 | 3.0% | 5.8% | 6.0% |
| 9 th to 12 th grade, no diploma | 9,565 | 4.8% | 7.3% | 8.2% |
| High school graduate, includes equivalency | 54,299 | 27.0% | 27.2% | 28.2% |
| Some college, no degree | 49,359 | 24.6% | 21.3% | 21.3% |
| Associate degree | 16,283 | 8.1% | 7.4% | 7.7% |
| Bachelor's degree | 44,420 | 22.1% | 19.3% | 17.9% |
| Graduate or professional degree | 20,762 | 10.3% | 11.8% | 10.6% |
| High school graduate or higher | 185,123 | 92.2% | 87.0% | 85.7% |
| Bachelor's degree or higher | 65,182 | 32.4% | 31.1% | 28.5% |

Source: U.S. Census Bureau, 2008-2012 American Community Survey 5-Year Estimates

Table 6.2
MCHENRY COUNTY, ILLINOIS, AND U.S.
EDUCATIONAL ATTAINMENT: 1990, 2000, AND 2012

| Attainment | Percent of Population Ages 25+ | | |
|-----------------------------|--------------------------------|----------|-------|
| | McHenry County | Illinois | U.S. |
| High School Graduate | | | |
| 2012 | 92.2% | 87.0% | 85.7% |
| 2000 | 89.2% | 81.4% | 80.4% |
| 1990 | 84.5% | 76.2% | 75.2% |
| Bachelor's Degree or Higher | | | |
| 2012 | 32.4% | 31.1% | 28.5% |
| 2000 | 27.7% | 26.1% | 24.4% |
| 1990 | 21.0% | 21.0% | 20.3% |
| Graduate Degree | | | |
| 2012 | 10.3% | 11.8% | 10.6% |
| 2000 | 8.2% | 9.5% | 8.9% |
| 1990 | 6.4% | 7.5% | 7.2% |

Source: U.S. Census Bureau, decennial Censuses and
2008-2012 American Community Survey
5-Year Estimates

Table 6.3
MCHENRY COUNTY
EDUCATIONAL ATTAINMENT¹ BY RACE/ETHNICITY: 2012

| Highest Educational Level | White, Non-Hispanic | | Asian | | Black | | Hispanic ² | |
|--|---------------------|-------|------------------|-------|------------------|-------|-----------------------|-------|
| | No. | Pct. | No. | Pct. | No. | Pct. | No. | Pct. |
| Less than high school | 8,905 | 5.1% | 370 ³ | 7.1% | 137 ³ | 7.7% | 6,070 | 34.9% |
| High school graduate, includes equivalency | 48,313 | 27.6% | 651 ³ | 12.4% | 333 ³ | 18.8% | 4,698 | 27.0% |
| Some college or Associate degree | 58,897 | 33.7% | 1,093 | 20.9% | 654 ³ | 37.0% | 4,419 | 25.4% |
| Bachelor's degree or higher | 58,854 | 33.6% | 3,120 | 59.6% | 645 ³ | 36.5% | 2,206 | 12.7% |

¹Population 25 years and older.

²Hispanic can be of any race.

³Margin of error >30%.

Source: U.S. Census Bureau, 2008-2012 American Community Survey 5-Year Estimates

Table 6.4
MCHENRY COUNTY, ILLINOIS, AND U.S.
LABOR FORCE PARTICIPATION
BY GENDER AND CHILDREN PRESENCE: 1990, 2000, AND 2012

| Gender | McHenry County | | Illinois Percent | U.S. Percent |
|-------------------------------------|----------------|---------|------------------|--------------|
| | Number | Percent | | |
| All Persons Ages 16+ in Labor Force | | | | |
| 2012 | 171,068 | 71.9% | 66.2% | 63.8% |
| 2000 | 140,203 | 74.0% | 65.4% | 63.9% |
| 1990 | 99,313 | 73.7% | 66.4% | 65.3% |
| Male | | | | |
| 2012 | 91,337 | 77.9% | 71.3% | 69.2% |
| 2000 | 77,981 | 83.1% | 72.2% | 70.7% |
| 1990 | 56,611 | 85.3% | 75.9% | 74.4% |
| Female | | | | |
| 2012 | 79,731 | 66.0% | 61.4% | 58.8% |
| 2000 | 62,222 | 65.1% | 59.0% | 57.5% |
| 1990 | 42,702 | 62.4% | 57.7% | 56.8% |
| Children Presence/Age | McHenry County | | Illinois Percent | U.S. Percent |
| | Number | Percent | | |
| All Parents in Labor Force: 2012 | | | | |
| Under 6 | 15,681 | 74.1% | 68.0% | 64.9% |
| 6 - 17 | 39,521 | 68.5% | 72.9% | 70.6% |

Source: U.S. Census Bureau, decennial Censuses and 2012 American Community Survey 1-Year Estimates

Table 6.5
MCHENRY COUNTY, ILLINOIS, AND U.S.
LABOR FORCE PARTICIPATION AGE 65+: 1990, 2000, AND 2012

| Location | 2012 | 2000 | 1990 | Change 1990-2012 |
|----------------|-------|-------|-------|---------------------|
| McHenry County | 20.2% | 16.8% | 16.7% | +3.5 |
| Illinois | 16.6% | 13.9% | 12.9% | +3.7 |
| U.S. | 16.2% | 13.3% | 12.1% | +4.1 |

Source: U.S. Census Bureau, decennial Censuses and 2008-2012
American Community Survey 5-Year Estimates

Table 6.6
MCHENRY COUNTY
EMPLOYMENT BY INDUSTRY: 2000, 2005, AND 2012

| Industry | 2012 | 2005 | Percent Change 2005-2012 | 2000 | Percent Change 2000-2012 |
|---------------------------------------|--------|--------|--------------------------------|--------|--------------------------------|
| Total | 92,606 | 97,486 | -5.0% | 89,012 | +4.0% |
| Agriculture | 768 | 710 | +8.2% | 618 | +24.3% |
| Mining, quarrying, oil/gas extraction | 63 | 111 | -43.2% | 98 | -35.7% |
| Utilities | 177 | 1,451 | -87.8% | 1,416 | -87.5% |
| Construction | 6,110 | 9,782 | -37.5% | 8,579 | -28.8% |
| Manufacturing | 15,227 | 18,612 | -18.2% | 22,601 | -32.6% |
| Wholesale trade | 5,598 | 5,031 | +11.3% | 4,518 | +23.9% |
| Retail trade | 11,530 | 11,664 | -1.1% | 10,608 | +8.7% |
| Transportation and warehousing | 1,490 | 1,778 | -16.2% | 1,949 | -23.6% |
| Information | 1,095 | 1,456 | -24.8% | 1,396 | -21.6% |
| Finance and insurance | 2,151 | 2,233 | -3.7% | 1,749 | +23.0% |
| Real estate, rental and leasing | 537 | 868 | -38.1% | 871 | -38.3% |
| Professional, scientific, technical | 3,355 | 3,696 | -9.2% | 3,156 | +6.3% |
| Management comp/enterprises | 691 | 543 | +27.3% | 90 | +667.8% |
| Admin, support, waste mgmt. | 6,730 | 5,468 | +23.1% | 3,248 | +107.2% |
| Education | 10,947 | 9,797 | +11.7% | 8,174 | +33.9% |
| Health care, social assistance | 9,911 | 8,648 | +14.6% | 6,399 | +54.9% |
| Arts, entertainment, recreation | 2,263 | 2,206 | +2.6% | 1,927 | +17.4% |
| Accommodation, food | 7,017 | 6,427 | +9.2% | 5,749 | +22.1% |
| Other services (except public admin.) | 3,085 | 3,258 | -5.3% | 2,790 | +10.6% |
| Public administration | 3,859 | 3,747 | +3.0% | 3,077 | +25.4% |

Note: Data from fourth quarter of each year.

Source: Illinois Department of Employment Security, Local Employment Dynamics

Table 6.7
MCHENRY COUNTY, ILLINOIS, AND U.S.
OCCUPATION, INDUSTRY, AND CLASS OF WORKER: 2012

| Occupation/Industry/Class of Worker | McHenry County | | Illinois Percent | U.S. Percent |
|--|----------------|---------|------------------|--------------|
| | Number | Percent | | |
| Civilian Employed Population 16 Years and Older | 153,749 | 100.0% | 100.0% | 100.0% |
| Occupation | | | | |
| Management, business, science, arts | 57,639 | 37.5% | 36.1% | 35.9% |
| Sales and office | 42,372 | 27.6% | 25.3% | 24.9% |
| Production, transportation, material moving | 19,323 | 12.6% | 13.9% | 12.1% |
| Service | 21,960 | 14.3% | 17.0% | 17.8% |
| Natural resources, construction, maintenance | 12,455 | 8.1% | 7.7% | 9.3% |
| Industry | | | | |
| Education, health care, social assistance | 29,175 | 19.0% | 22.6% | 22.9% |
| Manufacturing | 26,395 | 17.2% | 12.7% | 10.6% |
| Retail trade | 18,096 | 11.8% | 10.9% | 11.6% |
| Arts, entertainment, recreation, accom., food services | 12,586 | 8.2% | 8.8% | 9.2% |
| Professional, scientific, management, administrative | 15,643 | 10.2% | 11.1% | 10.7% |
| Construction | 10,752 | 7.0% | 5.4% | 6.5% |
| Finance, insurance, real estate, rental and leasing | 11,224 | 7.3% | 7.6% | 6.7% |
| Agriculture, forestry, fishing, hunting, mining | 1,291 | 0.8% | 1.1% | 1.9% |
| Transportation, warehousing, utilities | 7,596 | 4.9% | 5.8% | 5.0% |
| Public administration | 4,367 | 2.8% | 3.9% | 4.9% |
| Wholesale trade | 6,285 | 4.1% | 3.1% | 2.8% |
| Information | 3,834 | 2.5% | 2.2% | 2.2% |
| Other services (except public administration) | 6,505 | 4.2% | 4.9% | 4.9% |
| Class of Worker | | | | |
| Private wage and salary workers | 129,010 | 83.9% | 82.0% | 78.7% |
| Government workers | 16,781 | 10.9% | 13.0% | 14.9% |
| Self-employed workers | 7,652 | 5.0% | 4.9% | 6.3% |
| Unpaid family workers | 306 | 0.2% | 0.1% | 0.1% |

Source: U.S. Census Bureau, 2008-2012 American Community Survey 5-Year Estimates

Table 6.8
MCHENRY COUNTY
NUMBER EXPERIENCED LABOR FORCE BY OCCUPATION, GENDER, AND RACE/ETHNIC GROUP: 2010

| Occupational Group | Total Population | | | White ¹ | | Black ¹ | | Other Races ¹ | | Hispanic | |
|---|------------------|--------|--------|--------------------|--------|--------------------|--------|--------------------------|--------|----------|--------|
| | Total | Male | Female | Male | Female | Male | Female | Male | Female | Male | Female |
| Management, business, financial | 25,150 | 16,170 | 8,980 | 15,065 | 8,360 | 145 | 110 | 420 | 185 | 540 | 325 |
| Science, engineering, computer | 8,250 | 6,560 | 1,690 | 5,840 | 1,350 | 85 | 10 | 410 | 195 | 225 | 135 |
| Healthcare practitioner | 4,405 | 990 | 3,415 | 665 | 2,910 | 25 | 50 | 285 | 335 | 15 | 120 |
| Other professional | 17,014 | 6,005 | 11,009 | 5,455 | 10,315 | 25 | 75 | 190 | 259 | 335 | 360 |
| Technicians | 4,429 | 2,115 | 2,314 | 1,780 | 2,195 | 0 | 0 | 230 | 74 | 105 | 45 |
| Sales | 22,170 | 12,400 | 9,770 | 11,440 | 8,745 | 175 | 55 | 335 | 255 | 450 | 715 |
| Administrative support | 26,210 | 5,800 | 20,410 | 4,840 | 18,570 | 80 | 105 | 215 | 535 | 665 | 1,200 |
| Construction, extractive craft | 10,149 | 9,939 | 210 | 8,765 | 200 | 4 | 0 | 95 | 0 | 1,075 | 10 |
| Installation, maintenance, repair | 7,727 | 7,227 | 500 | 6,455 | 410 | 30 | 0 | 142 | 0 | 600 | 90 |
| Production operative | 8,930 | 5,800 | 3,130 | 3,710 | 1,510 | 30 | 25 | 105 | 110 | 1,955 | 1,485 |
| Transportation, material moving operative | 6,270 | 4,995 | 1,275 | 4,370 | 840 | 60 | 25 | 130 | 30 | 435 | 380 |
| Laborers, helpers | 5,774 | 4,734 | 1,040 | 2,815 | 825 | 25 | 55 | 114 | 10 | 1,780 | 150 |
| Protective service | 2,974 | 2,439 | 535 | 2,280 | 445 | 65 | 25 | 19 | 35 | 75 | 30 |
| Service workers except protective | 17,014 | 5,785 | 11,229 | 4,120 | 9,325 | 55 | 130 | 55 | 489 | 1,555 | 1,285 |
| Other occupations | 1,338 | 584 | 754 | 455 | 495 | 0 | 40 | 19 | 39 | 110 | 180 |

¹Race groups of white, black, and other are non-Hispanic.

Source: Illinois Department of Employment Security (IDES), Economic Information and Analysis Division, Workforce Availability; IDES drew data from Equal Employment Opportunity (EEO) tabulation in U.S. Census, 2006-2010 American Community Survey 5-Year Estimates

Table 6.9
MCHENRY COUNTY
PERCENT EXPERIENCED LABOR FORCE BY OCCUPATION, GENDER, AND RACE/ETHNIC GROUP: 2010

| Occupational Group | Total Population | | | White ¹ | | Black ¹ | | Other Races ¹ | | Hispanic | |
|---|------------------|-------|--------|--------------------|--------|--------------------|--------|--------------------------|--------|----------|--------|
| | Total | Male | Female | Male | Female | Male | Female | Male | Female | Male | Female |
| Management, business, financial | 15.0% | 17.7% | 11.8% | 19.3% | 12.6% | 18.0% | 15.6% | 15.2% | 7.3% | 5.4% | 5.0% |
| Science, engineering, computer | 4.9% | 7.2% | 2.2% | 7.5% | 2.0% | 10.6% | 1.4% | 14.8% | 7.6% | 2.3% | 2.1% |
| Healthcare practitioner | 2.6% | 1.1% | 4.5% | 0.9% | 4.4% | 3.1% | 7.1% | 10.3% | 13.1% | 0.2% | 1.8% |
| Other professional | 10.1% | 6.6% | 14.4% | 7.0% | 15.5% | 3.1% | 10.6% | 6.9% | 10.2% | 3.4% | 5.5% |
| Technicians | 2.6% | 2.3% | 3.0% | 2.3% | 3.3% | 0.0% | 0.0% | 8.3% | 2.9% | 1.1% | 0.7% |
| Sales | 13.2% | 13.5% | 12.8% | 14.7% | 13.2% | 21.8% | 7.8% | 12.1% | 10.0% | 4.5% | 11.0% |
| Administrative support | 15.6% | 6.3% | 26.8% | 6.2% | 27.9% | 10.0% | 14.9% | 7.8% | 21.0% | 6.7% | 18.4% |
| Construction, extractive craft | 6.0% | 10.9% | 0.3% | 11.2% | 0.3% | 0.5% | 0.0% | 3.4% | 0.0% | 10.8% | 0.2% |
| Installation, maintenance, repair | 4.6% | 7.9% | 0.7% | 8.3% | 0.6% | 3.7% | 0.0% | 5.1% | 0.0% | 6.0% | 1.4% |
| Production operative | 5.3% | 6.3% | 4.1% | 4.8% | 2.3% | 3.7% | 3.5% | 3.8% | 4.3% | 19.7% | 22.8% |
| Transportation, material moving operative | 3.7% | 5.5% | 1.7% | 5.6% | 1.3% | 7.5% | 3.5% | 4.7% | 1.2% | 4.4% | 5.8% |
| Laborers, helpers | 3.4% | 5.2% | 1.4% | 3.6% | 1.2% | 3.1% | 7.8% | 4.1% | 0.4% | 17.9% | 2.3% |
| Protective service | 1.8% | 2.7% | 0.7% | 2.9% | 0.7% | 8.1% | 3.5% | 0.7% | 1.4% | 0.8% | 0.5% |
| Service workers except protective | 10.1% | 6.3% | 14.7% | 5.3% | 14.0% | 6.8% | 18.4% | 2.0% | 19.2% | 15.7% | 19.7% |
| Other occupations | 0.8% | 0.6% | 1.0% | 0.6% | 0.7% | 0.0% | 5.7% | 0.7% | 1.5% | 1.1% | 2.8% |

¹Race groups of white, black, and other are non-Hispanic.

Note: This table is read vertically by column.

Source: Illinois Department of Employment Security (IDES), Economic Information and Analysis Division, Workforce Availability; IDES drew data from Equal Employment Opportunity (EEO) tabulation in U.S. Census, 2006-2010 American Community Survey 5-Year Estimates

Table 6.10
MCHENRY COUNTY
TOP 15 EMPLOYERS

| Rank | Employer | Business/Service | Employees |
|------|---------------------------------|--|------------------|
| 1 | Centegra Health System | Healthcare/hospital | 3,650 |
| 2 | McHenry County | County government | 1,400 |
| 3 | Follett Library Resources, Inc. | Wholesale library and classroom books | 1,378 |
| 4 | Follett Software Co. | Education, software, solutions | --- ¹ |
| 5 | Catalent Pharma Solutions | Blow-fill-seal, sterile manufacturing, packaging services | 830 |
| 6 | Mercy Health System | Integrated health care delivery system | 732 |
| 7 | Brown Printing | Printer of magazines, catalogs, & business publications | 650 |
| 8 | Snap-On Tools Co. | Distribution, customer service, repair centers | 590 |
| 9 | Sage Products, Inc. | Manufacturer of interventional patient hygiene products | 583 |
| 10 | Medela | Healthcare/breast pumps | 540 |
| 11 | McHenry County College | Educational institution | 500 |
| 12 | Knaack Manufacturing Co. | Manufacturer of jobsite, truck, and van tool storage equipment | 500 |
| 13 | InTren | Underground and overhead utility contractor | 490 |
| 14 | Aptar Group, Inc. | Designer and manufacturer of consumer dispensing systems | 475 |
| 15 | Wells Manufacturing Co. | Manufacturer of continuous cast iron bar | 290 |

¹Number not given.

Source: McHenry County Economic Development Corporation, accessed on 2-13-14 at www.mchenrycountyedc.com/business-information/employers.html

Table 6.11
MCHENRY COUNTY, ILLINOIS, AND U.S.
ANNUAL AVERAGE EMPLOYMENT AND UNEMPLOYMENT: 1990-2013

| Year | McHenry County | | | | Percent Unemployed | |
|------|----------------|----------|------------|--------------------|--------------------|------|
| | Labor Force | Employed | Unemployed | Percent Unemployed | Illinois | U.S. |
| 2013 | 175,380 | 160,894 | 14,486 | 8.3% | 9.2% | 7.4% |
| 2012 | 176,716 | 161,900 | 14,816 | 8.4% | 8.9% | 8.1% |
| 2011 | 174,823 | 158,436 | 16,387 | 9.4% | 9.7% | 8.9% |
| 2010 | 176,056 | 158,512 | 17,544 | 10.0% | 10.5% | 9.6% |
| 2009 | 179,505 | 162,160 | 17,345 | 9.7% | 10.0% | 9.3% |
| 2008 | 181,068 | 170,535 | 10,533 | 5.8% | 6.4% | 5.8% |
| 2007 | 179,298 | 171,538 | 7,760 | 4.3% | 5.1% | 4.6% |
| 2006 | 173,808 | 167,272 | 6,536 | 3.8% | 4.6% | 4.6% |
| 2005 | 166,951 | 158,437 | 8,514 | 5.1% | 5.8% | 5.1% |
| 2004 | 163,596 | 155,033 | 8,563 | 5.2% | 6.2% | 5.5% |
| 2003 | 160,033 | 150,600 | 9,433 | 5.9% | 6.7% | 6.0% |
| 2002 | 156,134 | 147,426 | 8,708 | 5.6% | 6.5% | 5.8% |
| 2001 | 155,137 | 147,904 | 7,233 | 4.7% | 5.4% | 4.7% |
| 2000 | 151,359 | 145,929 | 5,430 | 3.6% | 4.5% | 4.0% |
| 1999 | 140,673 | 135,748 | 4,925 | 3.5% | 4.5% | 4.2% |
| 1998 | 135,571 | 130,629 | 4,942 | 3.6% | 4.5% | 4.5% |
| 1997 | 132,883 | 127,815 | 5,068 | 3.8% | 4.8% | 4.9% |
| 1996 | 131,681 | 126,226 | 5,455 | 4.1% | 5.3% | 5.4% |
| 1995 | 127,168 | 121,958 | 5,210 | 4.1% | 5.2% | 5.6% |
| 1994 | 120,112 | 114,203 | 5,909 | 4.9% | 5.8% | 6.1% |
| 1993 | 115,345 | 107,857 | 7,488 | 6.5% | 7.4% | 6.9% |
| 1992 | 110,524 | 102,571 | 7,953 | 7.2% | 7.8% | 7.5% |
| 1991 | 105,852 | 98,612 | 7,240 | 6.8% | 7.3% | 6.8% |
| 1990 | 102,572 | 97,057 | 5,515 | 5.4% | 6.3% | 5.6% |

Note: Not seasonally adjusted.

Source: Illinois Department of Employment Security,
Local Area Unemployment Statistics (LAUS)

Table 6.12
MCHENRY COUNTY WORKERS
COMMUTING PATTERNS: 2010

| County | State | Number | Percent |
|---|-----------|---------|---------|
| Total Workers | | 151,510 | 100.0% |
| Counties With >100 Workers Living in McHenry County | | | |
| McHenry | Illinois | 77,951 | 51.5% |
| Cook | Illinois | 33,522 | 22.1% |
| Lake | Illinois | 18,758 | 12.4% |
| Kane | Illinois | 9,826 | 6.5% |
| Du Page | Illinois | 5,987 | 4.0% |
| Walworth | Wisconsin | 834 | 0.6% |
| Winnebago | Illinois | 787 | 0.5% |
| Kenosha | Wisconsin | 518 | 0.3% |
| DeKalb | Illinois | 433 | 0.3% |
| Will | Illinois | 380 | 0.3% |
| Boone | Illinois | 254 | 0.2% |
| Waukesha | Wisconsin | 187 | 0.1% |
| Milwaukee | Wisconsin | 166 | 0.1% |
| Racine | Wisconsin | 147 | 0.1% |
| Other Counties | | | |
| Other Illinois counties | | 491 | 0.3% |
| Other Wisconsin counties | | 259 | 0.2% |
| Other counties in U.S. | | 1,010 | 0.7% |

Note: These data based on five-year estimates gathered through the American Community Survey. Five-year data represent 8-10% of households. Individual counties are shown with at least 0.1% of workers and margin of error not more than estimate (number).

Source: U.S. Census Bureau, Residence County to Workplace County Flows by Residence Geography: 2006-2010

Table 6.13
MCHENRY COUNTY, ILLINOIS, AND U.S.
COMMUTING TIME AND METHOD: 2012

| Travel to Work Method | McHenry County | | Illinois Percent | U.S. Percent |
|---|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| Workers 16 Years and Older | 151,120 | 100.0% | 100.0% | 100.0% |
| Workers 16+ who commute to work | 143,443 | 94.9% | 95.9% | 95.7% |
| Car, truck, or van; drove alone | 124,413 | 82.3% | 73.5% | 76.1% |
| Car, truck, or van; carpoled | 11,319 | 7.5% | 9.0% | 10.0% |
| Public transportation (excluding taxicab) | 4,282 | 2.8% | 8.7% | 5.0% |
| Walked to work | 1,861 | 1.2% | 3.1% | 2.8% |
| Other means of commuting | 1,568 | 1.0% | 1.6% | 1.8% |
| Worked at home | 7,677 | 5.1% | 4.1% | 4.3% |
| Travel Time to Work ¹ | | | | |
| <30 minutes | 71,362 | 49.7% | 57.3% | 64.4% |
| 30 - 59 minutes | 45,438 | 31.7% | 31.8% | 27.5% |
| 60 - 89 minutes | 18,686 | 13.0% | 8.1% | 5.6% |
| 90+ minutes | 7,957 | 5.5% | 2.9% | 2.5% |
| Mean travel time to work (minutes) | 33.8 | | 28.1 | 25.4 |

¹For workers who did not work at home.

Source: U.S. Census Bureau, 2008-2012 American Community Survey 5-Year Estimates

Table 6.14
MCHENRY COUNTY
COMMUTER-ADJUSTED DAYTIME POPULATION: 2010

| | |
|--|---------|
| Total McHenry County Resident Population | 306,050 |
| +Total workers working in McHenry County | 107,751 |
| -Total workers living in McHenry County | 151,605 |
| =Estimated McHenry County daytime population | 262,196 |
| Number daytime population change due to commuting | -43,854 |
| Percent daytime population change due to commuting | -14.3% |
| Employment/Residence Ratio ¹ | 0.71 |

¹Ratio of workers working in the county to workers living in the county.

Source: U.S. Census Bureau, 2006-2010 American Community Survey
5-Year Estimates

Figure 6.1
 McHenry County, Illinois, and U.S.
 Highest Educational Level: 2012




Figure 6.2
 McHenry County
 Highest Educational Level by Race/Ethnicity: 2012




Figure 6.3
 McHenry County, Illinois, and U.S.
 All Parents in Labor Force: 2012




Figure 6.4
 McHenry County, Illinois, and U.S.
 Labor Force Participation Age 65+: 1990, 2000, and 2012




Figure 6.5
McHenry County
Change in Employment For Top 5 Industries: 2000 to 2012




Figure 6.6
McHenry County and U.S.
Worker Industries: 2012




Figure 6.7
McHenry County, Illinois, and U.S.
Unemployment: 1990-2013




Figure 6.8
McHenry County, Illinois, and U.S.
Travel Time to Work: 2012





Figure 6.9
McHenry County, Illinois, and U.S.
Mean Travel Time to Work: 2012



Chapter 7
CRIME AND SAFETY

| | <u>Table (Figure)</u> |
|--|---------------------------|
| ○ McHenry County reported 4,440 crimes in 2011, a rate of 1,437.2 per 100,000 population, half the state rate of 3,073.1. | 7.1 |
| ○ The vast majority of crimes (91.8%) are property-related and most of those are theft which accounted for 76.1% of total crimes in the county in 2011. | 7.1 |
| ○ Violent crimes numbered 362 in 2011, a rate of 117.2 per 100,000, far below the state at 428.1. Property crimes numbered 4,078, a rate of 1,320.0, closer to the state rate of 2,645.0 than violent crimes but still half the state rate. | 7.1 (7.1) |
| ○ Comparing rates for specific crimes, McHenry County's rates are far lower than the state for all eight offenses. | 7.1 (7.2) (7.3) |
| ○ Drug arrests in McHenry County totaled 1,427 in 2011, down from the previous year but above all years 1998 to 2009, except 2005. The 2011 number was 74.7% higher than 1998. | 7.2 |
| ○ The 2011 drug arrest rate in McHenry County stood at 461.9 per 100,000 population, the third highest and a 36.4% rate increase since 1998. | 7.2 (7.4) |
| ○ Four in ten (41.0%) drug arrests were for drug paraphernalia, followed by cannabis (36.8%), controlled substances (20.2%), and hypodermic syringe needle (2.0%). | 7.2 |
| ○ McHenry County arrest rates peaked in 2010 for cannabis, drug paraphernalia, and hypodermic syringe, while 2005 was the peak for controlled substances arrests. | 7.2 (7.5) |
| ○ McHenry County residents entering an Illinois Department of Corrections facility during 2009-2011 were far more often male (90.1%) than female (9.9%) and more likely to enter for a non-violent (74.7%) than a violent (25.3%) crime. Property (35.2%) and drug (34.2%) offenses most often led to incarceration. | 7.3 |
| ○ McHenry County residents entering an Illinois Department of Corrections facility during 2009-2011 had an average of 13.8 prior arrests and 5.7 prior convictions, with nearly half (49.2%) previously imprisoned. | 7.4 (7.6) |
| ○ Nearly six in ten (58.2%) persons who exited Illinois Department of Corrections (IDOC) from 2009 to 2011 and lived in McHenry County at the time of their exit, were re-arrested between their release and June 2012, more than one-third (36.8%) were re-convicted and 22.0% re-entered IDOC. | 7.4 (7.7) |
| ○ During 2012, 1,735 children were reported as abused in McHenry County, a rate of 22.5 per 1,000 children ages 0-17, below the state at 28.3. The county's highest number of reported child abuse within the past decade occurred in 2008. | 7.5 (7.8) |

- Of the 2012 reported cases, cases affecting 502 children (28.9% of reported) were indicated, a rate of 6.5, again below the state at 8.2. 7.5 (7.8)
- A record low number of motor vehicle crashes (4,708) took place on McHenry County roads in 2012 compared to the years 2009-2011 when crash reporting thresholds were comparable. Number of persons injured in 2012 (1,662) was similar to the previous three years. 7.6
- Twenty-four persons were killed in 2012 McHenry County motor vehicle crashes, far more than in each of the previous three years: 2011 (14), 2010 (15), 2009 (15). 7.6

Table 7.1
MCHENRY COUNTY AND ILLINOIS
NUMBER AND RATE OF CRIME BY TYPE OFFENSE: 2011

| Offense | McHenry County | | Illinois Rate Per 100,000 |
|----------------------------|----------------|---------------------|---------------------------------|
| | Number | Rate Per 100,000 | |
| Total | 4,440 | 1,437.2 | 3,073.1 |
| Violent | 362 | 117.2 | 428.1 |
| Criminal homicide | 5 | 1.6 | 6.0 |
| Forcible rape | 57 | 18.4 | 34.2 |
| Robbery | 47 | 15.2 | 155.6 |
| Aggravated assault/battery | 253 | 81.9 | 232.3 |
| Property | 4,078 | 1,320.0 | 2,645.0 |
| Burglary | 613 | 198.4 | 591.3 |
| Theft | 3,377 | 1,093.1 | 1,799.5 |
| Motor vehicle theft | 68 | 22.0 | 226.2 |
| Arson | 20 | 6.5 | 28.0 |

Note: 1) Violent crimes are crimes against persons and include criminal homicide, forcible rape, robbery, aggravated assault/battery; property crimes are burglary, theft, motor vehicle theft, arson.

2) Due to changes in crime reporting implemented in 2010, these data should not be compared to earlier years.

Source: Illinois State Police, Illinois Uniform Crime Reports

Table 7.2
MCHENRY COUNTY
NUMBER AND RATE¹ OF DRUG OFFENSE ARRESTS: 1998-2011

| Year | Total Drug Arrests | | Cannabis | | Controlled Substances | | Hypodermic Syringe Needle | | Drug Paraphernalia | |
|--------------------|--------------------|--------|----------|-------|-----------------------|---------|---------------------------|---------|--------------------|--------|
| | No. | Rate | No. | Rate | No. | Rate | No. | Rate | No. | Rate |
| 2011 | 1,427 | 461.9 | 525 | 169.9 | 288 | 93.2 | 29 | 9.4 | 585 | 189.4 |
| 2010 | 1,549 | 501.7 | 610 | 197.6 | 248 | 80.3 | 46 | 14.9 | 639 | 207.0 |
| 2009 | 1,394 | 437.5 | 529 | 166.0 | 265 | 83.2 | 36 | 11.3 | 564 | 177.0 |
| 2008 | 1,275 | 403.6 | 503 | 159.2 | 200 | 63.3 | 33 | 10.4 | 539 | 170.6 |
| 2007 | 1,252 | 400.8 | 521 | 166.8 | 232 | 74.3 | 26 | 8.3 | 473 | 151.4 |
| 2006 | 1,363 | 448.4 | 507 | 166.8 | 316 | 104.0 | 25 | 8.2 | 515 | 169.4 |
| 2005 | 1,518 | 512.2 | 573 | 193.3 | 393 | 132.6 | 18 | 6.1 | 534 | 180.2 |
| 2004 | 1,149 | 401.6 | 470 | 164.3 | 233 | 81.4 | 13 | 4.5 | 433 | 151.4 |
| 2003 | 1,166 | 420.1 | 470 | 169.4 | 229 | 82.5 | 9 | 3.2 | 458 | 165.0 |
| 2002 | 987 | 379.5 | 409 | 157.3 | 170 | 65.4 | 9 | 3.5 | 399 | 153.4 |
| 2001 | 967 | 371.8 | 417 | 160.3 | 161 | 61.9 | 8 | 3.1 | 381 | 146.5 |
| 2000 | 843 | 324.1 | 355 | 136.5 | 161 | 61.9 | 6 | 2.3 | 321 | 123.4 |
| 1999 | 903 | 365.9 | 422 | 171.0 | 130 | 52.7 | 4 | 1.6 | 347 | 140.6 |
| 1998 | 817 | 338.6 | 399 | 165.4 | 104 | 43.1 | 9 | 3.7 | 305 | 126.4 |
| % Change 1998-2011 | +74.7% | +36.4% | +31.6% | +2.7% | +177.0% | +116.2% | +222.2% | +154.1% | +91.8% | +49.8% |

¹Rate per 100,000 population.

Source: Illinois State Police, Illinois Uniform Crime Reports

Table 7.3
MCHENRY COUNTY AND ILLINOIS
DEMOGRAPHICS FOR RESIDENTS ENTERING
ILLINOIS DEPARTMENT OF CORRECTIONS: 2009-2011

| Group | McHenry County | | Illinois Percent |
|-------------------------|----------------|---------|---------------------|
| | Number | Percent | |
| Total ¹ | 565 | 0.25% | 0.78% |
| Gender | | | |
| Male | 509 | 90.1% | 90.3% |
| Female | 56 | 9.9% | 9.7% |
| Race/Ethnic | | | |
| White | 419 | 74.2% | 30.9% |
| Black | 56 | 9.9% | 55.4% |
| Hispanic | 90 | 15.9% | 13.3% |
| Other/Don't know | 0 | 0.0% | 0.5% |
| Offense Type | | | |
| Person | 122 | 21.6% | 24.5% |
| Property | 199 | 35.2% | 32.1% |
| Drug | 193 | 34.2% | 35.8% |
| Violent Sex | 21 | 3.7% | 2.9% |
| Other | 30 | 5.3% | 4.7% |
| Violent vs. Non-violent | | | |
| Violent | 143 | 25.3% | 27.4% |
| Non-violent | 422 | 74.7% | 72.6% |
| Ratio NV/V | 3.0 | | 2.6 |
| Average Age | 34 yrs. | | 33 yrs. |

¹Percent calculation based on population age 18+ from Census 2010.

Source: Illinois Criminal Justice Information Authority,
Illinois Statistical Analysis Center,
Illinois Criminal Justice Cohorts:
Criminal History and Recidivism Tool

Table 7.4
MCHENRY COUNTY AND ILLINOIS
CRIMINAL HISTORY AND RECIDIVISM
FOR RESIDENTS SENT TO/EXITING ILLINOIS DEPARTMENT OF CORRECTIONS

| History/Recidivism | McHenry County | Illinois |
|-------------------------------------|-------------------|----------|
| Prior Criminal History ¹ | | |
| Mean prior arrests | 13.8 | 15.5 |
| Mean prior convictions | 5.7 | 5.6 |
| % prior IDOC admission | 49.2% | 53.7% |
| Recidivism ² | | |
| % arrested after IDOC exit | 58.2% | 61.9% |
| % convicted after IDOC exit | 36.8% | 34.1% |
| % re-entry into IDOC | 22.0% | 21.4% |

¹Criminal history for persons entering IDOC 2009-2011.

²For persons exiting IDOC 2009-2011, with offense between IDOC release and June 2012.

Source: Illinois Criminal Justice Information Authority, Illinois Statistical Analysis Center, Illinois Criminal Justice Cohorts: Criminal History and Recidivism Tool

Table 7.5
MCHENRY COUNTY AND ILLINOIS
CHILD ABUSE/NEGLECT REPORTED AND INDICATED CASES: 2000-2012

| Fiscal Year | Reported | | | Indicated ¹ | | |
|-------------|---|-------------------|----------------------------|---|-------------------|----------------------------|
| | McHenry County | | Illinois Rate ³ | McHenry County | | Illinois Rate ³ |
| | Number Children <18 (Unduplicated) ² | Rate ³ | | Number Children <18 (Unduplicated) ² | Rate ³ | |
| 2012 | 1,735 | 22.5 | 28.3 | 502 | 6.5 | 8.2 |
| 2011 | 1,713 | 22.2 | 27.4 | 573 | 7.4 | 8.0 |
| 2010 | 1,900 | 24.7 | 29.6 | 504 | 6.5 | 8.3 |
| 2009 | 1,824 | 21.2 | 30.1 | 518 | 6.0 | 8.5 |
| 2008 | 1,984 | 22.9 | 30.2 | 652 | 7.5 | 8.6 |
| 2007 | 1,881 | 21.6 | 30.1 | 573 | 6.6 | 8.1 |
| 2006 | 1,853 | 21.3 | 29.8 | 620 | 7.1 | 7.6 |
| 2005 | 1,659 | 19.2 | 30.0 | 506 | 5.9 | 7.9 |
| 2004 | 1,649 | 19.4 | 28.3 | 485 | 5.7 | 7.9 |
| 2003 | 1,431 | 17.1 | 26.4 | 474 | 5.6 | 7.9 |
| 2002 | 1,309 | 15.9 | 26.2 | 327 | 4.0 | 7.7 |
| 2001 | 1,416 | 17.6 | 26.4 | 403 | 5.0 | 8.0 |
| 2000 | 1,389 | 17.7 | 27.6 | 498 | 6.3 | 9.2 |

¹Indicated means that sufficient credible evidence has been found to support an abuse/neglect claim.

²In a given year, a child may have more than one reported and indicated case, however, this column shows affected children, not total reports.

³Rate per 1,000 population under age 18.

Source: Illinois Department of Children and Family Services Annual Reports



Table 7.6
MCHENRY COUNTY
MOTOR VEHICLE CRASHES AND RELATED DATA: 2000-2012



| Year | Crashes | Persons Killed | Persons Injured |
|-------------------|---------|----------------|-----------------|
| 2012 | 4,708 | 24 | 1,662 |
| 2011 | 4,783 | 14 | 1,625 |
| 2010 | 4,768 | 15 | 1,671 |
| 2009 ¹ | 5,150 | 15 | 1,687 |
| 2008 | 7,163 | 18 | 1,937 |
| 2007 | 7,266 | 30 | 2,129 |
| 2006 | 7,222 | 32 | 2,190 |
| 2005 | 7,217 | 30 | 2,212 |
| 2004 | 7,449 | 28 | 2,373 |
| 2003 | 7,495 | 40 | 2,566 |
| 2002 | 7,144 | 36 | 2,419 |
| 2001 | 6,883 | 27 | 2,374 |
| 2000 | 7,201 | 31 | 2,552 |

¹Change in crash reporting threshold effective January 1, 2009.

Note: These data include crashes by place of occurrence on all public roadways. Prior to 2000, the data reflected only crashes which took place on state-maintained roads, i.e., interstates, U.S. and state highways.

Source: Illinois Department of Transportation, Illinois Crash Facts and Statistics









Figure 7.7
 McHenry County and Illinois
 Recidivism Through June 2012 of Residents
 Released From IDOC in 2009-2011





Figure 7.8
 McHenry County and Illinois
 Child Abuse/Neglect Reported and Indicated Rates: 2000-2012



Chapter 8
BIRTHS

| | Table (Figure) |
|--|-----------------------|
| ○ McHenry County reported 3,248 births in 2012, the fewest since 1991. The county's birth rate of 10.5 births per 1,000 population, a record low, is below the state (12.4) and U.S. (12.6) as has been true for the previous six years. | 8.1 (8.1) (8.2) |
| ○ McHenry County's 2012 fertility at 55.7 births per 1,000 females ages 15-44 is much lower than the 69.9 of twelve years earlier. Both the 2012 and 2000 fertility rates are also significantly below 1990's 77.2. The county's 2012 fertility rate is below the state and nation which was not the case in 1990 and 2000. | 8.2 (8.3) |
| ○ Most (95.1%) McHenry County newborns are white, with Asian babies making up 3.0%. Hispanic births (any race) represent 20.7% of the county's births. | 8.3 |
| ○ Nearly one-third (32.7%) of McHenry County 2012 births were born to women ages 30-34 with slightly fewer (29.6%) born to women ages 25-29, the two largest proportions. Mothers ages 35 years and older gave birth to nearly one in five (18.4%) of the county's babies, higher than the state (16.4%) and nation (14.9%). Only 19.2% of McHenry County births were to women ages 24 and younger, far below Illinois (27.8%) and U.S. (31.0%). | 8.4 |
| ○ The median age of McHenry mothers at 30.2 years old is older than mothers statewide (29.0) and nationally (28.3). | 8.4 |
| ○ The highest fertility rate for McHenry County in 2012 is in the 25-29 age group at 125.0 per 1,000 females. McHenry County exhibits lower 2012 fertility for ages under 25 and 40-54 than the U.S. Higher fertility in the county than the U.S. marks ages 25-39. | 8.5 (8.4) |
| ○ Compared to 2000, the county's 2012 fertility rates dropped for all except females ages 35-39 and ages 45-54 which stayed the same (under 10 births). | 8.5 |
| ○ For the years 2007-2012, Hispanic fertility (86.4) is more than 50% higher than for white, non-Hispanics (56.0). Hispanic fertility peaks for ages 20-24 but is highest in the 30-34 age group for white, non-Hispanics. The fertility rate for Hispanics ages 15-19 (53.8) is more than five times that of non-Hispanic whites (10.2) in the same age group. | 8.6 (8.5) |
| ○ One-hundred and fifty-two babies were born to McHenry County teens (females under age of 20) in 2012, representing 4.7% of births. The county's teen birth proportion continues to be well below the state (7.7%) and nation (7.8%). | 8.7 (8.6) |
| ○ At 13.4 births per 1,000 females ages 15-19, the county's 2012 teen birth rate falls far below both Illinois (27.9) and U.S. (29.4). | 8.7 |
| ○ For 2012, the county's Hispanic teen birth rate (50.0) is more than six times the white, non-Hispanic teen birth rate (7.4) which is a much greater race/ethnic disparity than seen for the state and nation. | 8.7 (8.7) |

- Just over half (52.0%) of McHenry County teen births were to Hispanic mothers in 2012, with 44.7% to white, non-Hispanic mothers, a record low after a spike in 2010 to 62.0%. This is only the second time since 1995 that more than half of the county's teen births were to Hispanic mothers. 8.8
- Low weight babies, weighing less than five and a half pounds (2,500 grams), accounted for one in fourteen (7.1%) McHenry County births in 2012, below state (8.1%) and national (8.0%) levels. 8.9
- Preterm births, defined as newborns delivered before 37 completed weeks of gestation, represented 12.5% of 2012 births in McHenry County, higher than Illinois (11.9%) and U.S. (11.5%). 8.10
- Nearly three in ten (29.4%) McHenry County 2012 births were to unmarried mothers. This proportion has exceeded 20% since 2004 and is more than five times the 5.6% reported in 1980. The county's percent of babies born to unmarried mothers has always remained far below the state and nation. 8.11 (8.8)
- Receiving first trimester prenatal care in 2009 were 83.7% of McHenry County births, higher than each of the previous four years, and slightly above Illinois (81.1%). 8.12
- In 2009, 87.9% of McHenry County births received adequate or adequate-plus prenatal care according to the Kotelchuck Index, topping the state's 80.2%. 8.13
- Only 5.1% of McHenry County births in 2012 were delivered by women who used tobacco while pregnant, a record low, and below the state (7.1%). Since 1990, tobacco use among pregnant women in the county has dropped by two-thirds. 8.14 (8.9)
- Pregnancy-related risk factors among McHenry County residents who gave birth in 2012 included diabetes (7.1%), pregnancy-associated hypertension (4.7%), and chronic hypertension (1.2%). 8.15
- In 2012, McHenry County Hispanic women (9.5%) who gave birth more often suffered from diabetes than white, non-Hispanic women (6.2%). Alternately, white, non-Hispanic women more often experienced pregnancy-associated hypertension (5.1%) than Hispanic women (2.5%). 8.16
- Nearly one-third (31.3%) of McHenry County births in 2012 were delivered by Cesarean section, slightly below the state (31.9%) and nation (32.8%). 8.17
- Of the county's 2012 births, 38.1% represented the mother's first birth, 33.4% a second, and 28.4% a third or more. 8.17
- In 2012, multiple births accounted for 4.6% of McHenry County births, slightly higher than Illinois (3.9%) and U.S. (3.4%). 8.17
- One in nine (11.5%) 2012 McHenry County births was born to a mother who had not completed high school, lower than Illinois (15.1%) and U.S. (14.6%). 8.17

- In McHenry County in 2012, more Hispanic (52.0%) than white, non-Hispanic (23.0%) women who gave birth were unmarried and eleven times as many Hispanic (41.4%) than white, non-Hispanic (3.6%) women who gave birth did not graduate from high school. 8.18 (8.10)
- Four times as many Hispanic (11.8%) as white, non-Hispanic (2.9%) county women who gave birth in 2012 were teenagers. 8.18 (8.10)
- Tobacco use during pregnancy was much higher in 2012 among the county's white, non-Hispanic (6.5%) than Hispanic (0.7%) women. 8.18 (8.10)
- In 2012, first semester prenatal care reached 84.3% for white, non-Hispanic mothers in McHenry County, higher than 72.7% for Hispanic mothers. 8.18 (8.10)
- Cesarean delivery was slightly more likely for white, non-Hispanic (31.6%) than Hispanic (28.9%) county mothers who gave birth in 2012. 8.18
- In 2012, 486 abortions took place among McHenry County women for a rate of 149.6 per 1,000 births, a record high rate for the county, but far below Illinois (271.4). 8.19
- McHenry County reported 12 infant deaths in 2010, the lowest in the period 1980-2010 and less than half of the 26 infant deaths in 1980. The county's 2010 infant death rate (3.5) fell well below the state (6.8) and nation (6.1). 8.20
- The county's 2007-2010 infant death rate of 4.8 per 1,000 live births is lower than the state (6.9) and U.S. (6.5). 8.21
- For McHenry County in 2007-2010, the Hispanic infant death rate (7.1) is higher than white, non-Hispanic (4.0). 8.22 (8.11)

Table 8.1
MCHENRY COUNTY, ILLINOIS, AND U.S.
BIRTHS AND BIRTH RATE¹: 1980-2012

| Year | McHenry County | | Illinois Rate | U.S. Rate |
|------|----------------|------|---------------|-----------|
| | Number | Rate | | |
| 2012 | 3,248 | 10.5 | 12.4 | 12.6 |
| 2011 | 3,363 | 10.9 | 12.5 | 12.7 |
| 2010 | 3,432 | 11.1 | 12.9 | 13.0 |
| 2009 | 3,723 | 12.1 | 13.4 | 13.5 |
| 2008 | 3,822 | 12.4 | 13.9 | 14.0 |
| 2007 | 4,120 | 13.5 | 14.2 | 14.3 |
| 2006 | 4,231 | 14.1 | 14.3 | 14.3 |
| 2005 | 4,239 | 14.4 | 14.2 | 14.0 |
| 2004 | 4,378 | 15.2 | 14.4 | 14.0 |
| 2003 | 4,156 | 14.8 | 14.5 | 14.1 |
| 2002 | 4,200 | 15.1 | 14.3 | 13.9 |
| 2001 | 4,125 | 15.3 | 14.7 | 14.1 |
| 2000 | 4,056 | 15.6 | 14.9 | 14.4 |
| 1999 | 4,016 | 15.7 | 14.7 | 14.2 |
| 1998 | 3,822 | 15.4 | 14.9 | 14.3 |
| 1997 | 3,836 | 16.2 | 14.8 | 14.2 |
| 1996 | 3,894 | 16.9 | 15.1 | 14.4 |
| 1995 | 3,824 | 17.0 | 15.5 | 14.6 |
| 1994 | 3,684 | 16.9 | 15.9 | 15.0 |
| 1993 | 3,453 | 16.6 | 16.1 | 15.4 |
| 1992 | 3,385 | 16.9 | 16.3 | 15.8 |
| 1991 | 3,246 | 16.9 | 16.8 | 16.2 |
| 1990 | 3,365 | 18.4 | 17.1 | 16.7 |
| 1989 | 3,041 | 16.6 | 16.7 | 16.4 |
| 1988 | 2,841 | 16.6 | 16.2 | 16.0 |
| 1987 | 2,716 | 16.2 | 15.8 | 15.7 |
| 1986 | 2,552 | 15.7 | 15.5 | 15.6 |
| 1985 | 2,512 | 15.8 | 15.8 | 15.8 |
| 1984 | 2,406 | 15.4 | 15.7 | 15.6 |
| 1983 | 2,339 | 15.3 | 15.7 | 15.6 |
| 1982 | 2,405 | 16.0 | 16.1 | 15.9 |
| 1981 | 2,358 | 15.7 | 16.2 | 15.8 |
| 1980 | 2,435 | 16.4 | 16.6 | 15.9 |

¹Births per 1,000 population.

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database for 2003-2012; Illinois Department of Public Health for County & IL for 1980-2002; National Center for Health Statistics, Vital Statistics of the United States, National Vital Statistics Reports for U.S. 1980-2002

Table 8.2
MCHENRY COUNTY, ILLINOIS, AND U.S.
FERTILITY RATES: 1990, 2000, AND 2012

| Year | McHenry County | | | Illinois Rate ¹ | U.S. Rate ¹ |
|------|----------------|--------------------|-------------------|----------------------------|------------------------|
| | Births | Females Ages 15-44 | Rate ¹ | | |
| 2012 | 3,248 | 58,279 | 55.7 | 60.9 | 63.0 |
| 2000 | 4,056 | 58,052 | 69.9 | 67.4 | 65.9 |
| 1990 | 3,365 | 43,586 | 77.2 | 72.9 | 70.9 |

¹Fertility rate is number of births per 1,000 women of childbearing age defined as 15-44 years.

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database for 2012; Illinois Department of Public Health for County & IL 1990 & 2000; National Center for Health Statistics, Vital Statistics of the United States, National Vital Statistics Reports for U.S. 1990 & 2000

Table 8.3
MCHENRY COUNTY
BIRTHS BY RACE AND HISPANIC ETHNICITY: 1980-2012

| Year | Total | Race | | | | | | Hispanic ¹ | |
|------|-------|-------|-------|-------|------|------------|------|-----------------------|-------|
| | | White | | Asian | | Other Race | | No. | Pct. |
| | | No. | Pct. | No. | Pct. | No. | Pct. | | |
| 2012 | 3,248 | 3,089 | 95.1% | 99 | 3.0% | 60 | 1.8% | 671 | 20.7% |
| 2011 | 3,363 | 3,218 | 95.7% | 103 | 3.1% | 42 | 1.2% | 655 | 19.5% |
| 2010 | 3,432 | 3,234 | 94.2% | 142 | 4.1% | 56 | 1.6% | 624 | 18.2% |
| 2009 | 3,723 | 3,518 | 94.5% | 142 | 3.8% | 63 | 1.7% | 734 | 19.7% |
| 2008 | 3,822 | 3,638 | 95.2% | 138 | 3.6% | 46 | 1.2% | 749 | 19.6% |
| 2007 | 4,120 | 3,919 | 95.1% | 152 | 3.7% | 49 | 1.2% | 860 | 20.9% |
| 2006 | 4,231 | 4,020 | 95.0% | 170 | 4.0% | 41 | 1.0% | 830 | 19.6% |
| 2005 | 4,239 | 4,040 | 95.3% | 155 | 3.7% | 44 | 1.0% | 857 | 20.2% |
| 2004 | 4,378 | 4,169 | 95.2% | 171 | 3.9% | 38 | 0.9% | 791 | 18.1% |
| 2003 | 4,156 | 3,977 | 95.7% | 147 | 3.5% | 32 | 0.8% | 729 | 17.5% |
| 2002 | 4,221 | 4,082 | 96.7% | 106 | 2.5% | 33 | 0.8% | 736 | 17.4% |
| 2001 | 4,144 | 4,002 | 96.6% | 108 | 2.6% | 34 | 0.8% | 700 | 16.9% |
| 2000 | 4,062 | 3,944 | 97.1% | 79 | 1.9% | 39 | 1.0% | 648 | 16.0% |
| 1999 | 4,017 | 3,912 | 97.4% | 79 | 2.0% | 26 | 0.6% | 579 | 14.4% |
| 1998 | 3,826 | 3,744 | 97.9% | 52 | 1.4% | 30 | 0.8% | 422 | 11.0% |
| 1997 | 3,839 | 3,769 | 98.2% | 49 | 1.3% | 21 | 0.5% | 372 | 9.7% |
| 1996 | 3,893 | 3,825 | 98.3% | 41 | 1.1% | 27 | 0.7% | 352 | 9.0% |
| 1995 | 3,827 | 3,761 | 98.3% | 41 | 1.1% | 25 | 0.7% | 325 | 8.5% |
| 1990 | 3,365 | 3,341 | 99.3% | | | | | 183 | 5.4% |
| 1985 | 2,512 | 2,490 | 99.1% | | | | | 71 | 2.8% |
| 1980 | 2,435 | 2,419 | 99.3% | | | | | 65 | 2.7% |

¹Hispanic may be of any race.

Note: Data broken out by Asian and Other Race not available for 1980-1990.

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database for 1995-2012; Illinois Department of Public Health for 1980-1990

Table 8.4
MCHENRY COUNTY, ILLINOIS, AND U.S.
BIRTHS BY AGE OF MOTHER: 2012

| Age Group (years) | McHenry County | | Illinois Percent | U.S. Percent |
|------------------------------|----------------|---------|------------------|--------------|
| | Number | Percent | | |
| Total | 3,248 | 100.0% | 100.0% | 100.0% |
| <15 | 1 | 0.0% | 0.1% | 0.1% |
| 15 - 19 | 151 | 4.6% | 7.6% | 7.7% |
| 20 - 24 | 473 | 14.6% | 20.1% | 23.2% |
| 25 - 29 | 962 | 29.6% | 27.4% | 28.4% |
| 30 - 34 | 1,062 | 32.7% | 28.4% | 25.6% |
| 35 - 39 | 498 | 15.3% | 13.2% | 11.9% |
| 40 - 44 | 97 | 3.0% | 3.0% | 2.8% |
| 45 - 54 | 4 | 0.1% | 0.2% | 0.2% |
| Median Age of Mother (years) | 30.2 | | 29.0 | 28.3 |

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database

Table 8.5
MCHENRY COUNTY AND U.S.
AGE-SPECIFIC FERTILITY: 2000 AND 2012

| Age Group (years) | 2012 | | | 2000 | | |
|--------------------|----------------|-------------------|------------------------|----------------|-------------------|------------------------|
| | McHenry County | | U.S. Rate ¹ | McHenry County | | U.S. Rate ¹ |
| | Births | Rate ¹ | | Births | Rate ¹ | |
| Total ² | 3,248 | 55.7 | 63.0 | 4,062 | 70.0 | 65.9 |
| 10 - 14 | 1 | 0.1 | 0.4 | 2 | 0.2 | 0.9 |
| 15 - 19 | 151 | 13.4 | 29.4 | 239 | 27.8 | 47.7 |
| 20 - 24 | 473 | 58.9 | 83.1 | 575 | 99.0 | 109.7 |
| 25 - 29 | 962 | 125.0 | 106.5 | 1,104 | 144.0 | 113.5 |
| 30 - 34 | 1,062 | 119.6 | 97.3 | 1,409 | 129.0 | 91.2 |
| 35 - 39 | 498 | 50.2 | 48.3 | 606 | 47.2 | 39.7 |
| 40 - 44 | 97 | 7.8 | 10.4 | 123 | 10.1 | 8.0 |
| 45 - 54 | 4 | 0.2 | 0.3 | 4 | 0.2 | 0.5 |

¹Births per 1,000 females in specified age group.

²Total rate is births per 1,000 females age 15-44.

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database for 2012 and McHenry Births in 2000; National Vital Statistics Report for U.S. rates in 2000; U.S. Census Bureau, 2000 Census for calculating McHenry rates in 2000; U.S. Census Bureau, 2012 Population Estimates for calculating rates for age 10-14 and age 45-54 in 2012

Table 8.6
MCHENRY COUNTY
AGE-SPECIFIC FERTILITY BY WHITE, NON-HISPANIC AND HISPANIC: 2007-2012

| Age Group (years) | White, Non-Hispanic | | Hispanic ¹ | |
|----------------------|------------------------|-------------------|-----------------------|-------------------|
| | Number | Rate ² | Number | Rate ² |
| Total ³ | 16,328 | 56.0 | 4,293 | 86.4 |
| 10 - 14 | 2 | 0.0 | 4 | 0.4 |
| 15 - 19 | 564 | 10.2 | 510 | 53.8 |
| 20 - 24 | 2,073 | 59.8 | 1,089 | 155.4 |
| 25 - 29 | 4,885 | 127.3 | 1,118 | 140.2 |
| 30 - 34 | 5,460 | 127.7 | 969 | 107.7 |
| 35 - 39 | 2,723 | 51.9 | 503 | 57.8 |
| 40 - 44 | 593 | 8.8 | 96 | 12.9 |
| 45 - 54 | 28 | 0.2 | 4 | 0.4 |

¹Hispanic may be of any race.

²Births per 1,000 females in specified age group. Rates calculated using 2010 Census counts for each age and race/ethnic group multiplied by 6.

³Total rate is births to females age 15-44 per 1,000 females age 15-44 in ethnic group.

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database

Table 8.7
MCHENRY COUNTY, ILLINOIS, AND U.S.
BIRTHS TO TEEN MOTHERS¹: 1980-2012

| Year | McHenry County | | Illinois Percent | U.S. Percent |
|-------------------------------------|-----------------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| 2012 | 152 | 4.7% | 7.7% | 7.8% |
| 2011 | 151 | 4.5% | 8.2% | 8.4% |
| 2010 | 163 | 4.7% | 9.1% | 9.3% |
| 2009 | 227 | 6.1% | 9.6% | 10.0% |
| 2008 | 191 | 5.0% | 10.0% | 10.4% |
| 2007 | 237 | 5.8% | 10.1% | 10.4% |
| 2006 | 223 | 5.3% | 10.0% | 10.4% |
| 2005 | 232 | 5.5% | 9.7% | 10.2% |
| 2004 | 236 | 5.4% | 9.9% | 10.1% |
| 2003 | 213 | 5.1% | 9.7% | 10.3% |
| 2002 | 219 | 5.2% | 10.3% | 10.8% |
| 2001 | 228 | 5.5% | 10.9% | 11.3% |
| 2000 | 241 | 5.9% | 11.4% | 11.8% |
| 1999 | 225 | 5.6% | 12.0% | 12.3% |
| 1998 | 191 | 5.0% | 12.4% | 12.5% |
| 1997 | 191 | 5.0% | 12.5% | 12.8% |
| 1996 | 215 | 5.5% | 12.7% | 12.9% |
| 1995 | 202 | 5.3% | 13.0% | 13.2% |
| 1990 | 175 | 5.2% | 13.1% | 12.8% |
| 1985 | 169 | 6.7% | 12.5% | 12.7% |
| 1980 | 195 | 8.0% | 15.7% | 15.6% |
| 2012 Teen Birth Rates ² | | | | |
| 2012 | Births to Teens 15-19 | | | |
| | Number | Rate | Rate | Rate |
| All | 151 | 13.4 | 27.9 | 29.4 |
| White, Non-Hispanic ³ | 68 | 7.4 | 15.4 | 20.5 |
| Hispanic ³ | 79 | 50.0 | 43.4 | 46.3 |

¹Births to women ages 19 years and younger.

²Rate per 1,000 females ages 15-19.

³McHenry County and IL rates calculated from 2010 Census counts.

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database for McHenry County 1995-2012 and Illinois & U.S. for 2010-2012; Illinois Department of Public Health for McHenry County 1980-1990 and Illinois 1980-2009; National Center for Health Statistics for U.S. 1980-2009; National Center for Health Statistics, National Vital Statistics Report, December 2013 for 2012 teen birth rates

Table 8.8
MCHENRY COUNTY
TEEN BIRTHS¹ BY WHITE, NON-HISPANIC AND HISPANIC: 1995-2012

| Year | Total | White, Non-Hispanic | | Hispanic ² | |
|------|-------|------------------------|---------|-----------------------|---------|
| | | Number | Percent | Number | Percent |
| 2012 | 152 | 68 | 44.7% | 79 | 52.0% |
| 2011 | 151 | 73 | 48.3% | 75 | 49.7% |
| 2010 | 163 | 101 | 62.0% | 52 | 31.9% |
| 2009 | 227 | 115 | 50.7% | 104 | 45.8% |
| 2008 | 191 | 99 | 51.8% | 85 | 44.5% |
| 2007 | 237 | 109 | 46.0% | 119 | 50.2% |
| 2006 | 223 | 108 | 48.4% | 107 | 48.0% |
| 2005 | 232 | 116 | 50.0% | 114 | 49.1% |
| 2004 | 236 | 122 | 51.7% | 111 | 47.0% |
| 2003 | 213 | 104 | 48.8% | 105 | 49.3% |
| 2002 | 219 | 109 | 49.8% | 105 | 47.9% |
| 2001 | 228 | 121 | 53.1% | 102 | 44.7% |
| 2000 | 241 | 125 | 51.9% | 111 | 46.1% |
| 1999 | 225 | 139 | 61.8% | 86 | 38.2% |
| 1998 | 191 | 131 | 68.6% | 55 | 28.8% |
| 1997 | 191 | 138 | 72.3% | 51 | 26.7% |
| 1996 | 215 | 165 | 76.7% | 47 | 21.9% |
| 1995 | 202 | 153 | 75.7% | 48 | 23.8% |

¹Births to women ages 19 years and younger.

²Hispanic may be of any race.

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database

Table 8.9
MCHENRY COUNTY, ILLINOIS, AND U.S.
LOW BIRTH WEIGHT BIRTHS¹: 1980-2012

| Year | McHenry County | | Illinois Percent | U.S. Percent |
|------|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| 2012 | 231 | 7.1% | 8.1% | 8.0% |
| 2011 | 234 | 7.0% | 8.2% | 8.1% |
| 2010 | 266 | 7.8% | 8.3% | 8.1% |
| 2009 | 225 | 6.0% | 8.4% | 8.2% |
| 2008 | 297 | 7.8% | 8.4% | 8.2% |
| 2007 | 280 | 6.8% | 8.5% | 8.2% |
| 2006 | 283 | 6.7% | 8.6% | 8.3% |
| 2005 | 284 | 6.7% | 8.5% | 8.2% |
| 2004 | 319 | 7.3% | 8.4% | 8.1% |
| 2003 | 286 | 6.9% | 8.3% | 7.9% |
| 2002 | 256 | 6.1% | 8.2% | 7.8% |
| 2001 | 293 | 7.1% | 8.0% | 7.7% |
| 2000 | 225 | 5.5% | 7.9% | 7.6% |
| 1999 | 245 | 6.1% | 8.0% | 7.6% |
| 1998 | 191 | 5.0% | 8.0% | 7.7% |
| 1997 | 241 | 6.3% | 7.9% | 7.5% |
| 1996 | 229 | 5.9% | 8.0% | 7.4% |
| 1995 | 201 | 5.3% | 7.9% | 7.3% |
| 1990 | 175 | 5.2% | 7.6% | 7.0% |
| 1985 | 122 | 4.9% | 7.1% | 6.7% |
| 1980 | 125 | 5.1% | 7.4% | 6.9% |

¹Weight at birth of less than 5 lbs., 8 oz. (2,500 grams).

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database for 1995-2012; Illinois Department of Public Health for McHenry County & IL 1980-1990; National Center for Health Statistics for U.S. 1980-1990

Table 8.10
MCHENRY COUNTY, ILLINOIS, AND U.S.
PRETERM BIRTHS¹: 1995-2012

| Year | McHenry County | | Illinois Percent | U.S. Percent |
|------|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| 2012 | 407 | 12.5% | 11.9% | 11.5% |
| 2011 | 398 | 11.8% | 12.1% | 11.7% |
| 2010 | 431 | 12.6% | 12.1% | 12.0% |
| 2009 | 426 | 11.4% | 12.4% | 12.2% |
| 2008 | 478 | 12.5% | 12.7% | 12.3% |
| 2007 | 466 | 11.3% | 13.0% | 12.7% |
| 2006 | 514 | 12.1% | 13.3% | 12.7% |
| 2005 | 486 | 11.5% | 13.1% | 12.6% |
| 2004 | 543 | 12.4% | 13.0% | 12.4% |
| 2003 | 522 | 12.6% | 12.8% | 12.2% |
| 2002 | 524 | 12.4% | 12.5% | 12.0% |
| 2001 | 457 | 11.0% | 12.5% | 11.8% |
| 2000 | 377 | 9.3% | 12.1% | 11.5% |
| 1999 | 450 | 11.2% | 12.3% | 11.6% |
| 1998 | 372 | 9.7% | 12.1% | 11.5% |
| 1997 | 384 | 10.0% | 12.1% | 11.2% |
| 1996 | 371 | 9.5% | 11.6% | 10.9% |
| 1995 | 317 | 8.3% | 11.7% | 10.9% |

¹Births born prior to 37 completed weeks of gestation.

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database

Table 8.11
MCHENRY COUNTY, ILLINOIS, AND U.S.
BIRTHS TO UNMARRIED MOTHERS: 1980-2012

| Year | McHenry County | | Illinois Percent | U.S. Percent |
|------|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| 2012 | 955 | 29.4% | 40.4% | 40.7% |
| 2011 | 919 | 27.3% | 40.0% | 40.7% |
| 2010 | 924 | 26.9% | 40.5% | 40.8% |
| 2009 | 1,048 | 28.1% | 40.8% | 41.0% |
| 2008 | 1,026 | 26.8% | 40.7% | 40.6% |
| 2007 | 1,036 | 25.1% | 40.1% | 39.7% |
| 2006 | 978 | 23.1% | 38.7% | 38.5% |
| 2005 | 924 | 21.8% | 37.1% | 36.8% |
| 2004 | 910 | 20.8% | 36.3% | 35.7% |
| 2003 | 759 | 18.3% | 35.3% | 34.6% |
| 2002 | 778 | 18.5% | 34.8% | 34.0% |
| 2001 | 704 | 17.1% | 34.5% | 33.5% |
| 2000 | 679 | 16.7% | 34.5% | 33.2% |
| 1999 | 679 | 16.9% | 34.1% | 33.0% |
| 1998 | 521 | 13.6% | 34.1% | 32.8% |
| 1997 | 545 | 14.2% | 33.4% | 32.4% |
| 1996 | 524 | 13.5% | 33.7% | 32.2% |
| 1995 | 489 | 12.8% | 33.8% | 32.0% |
| 1985 | 237 | 9.4% | 25.7% | 22.0% |
| 1980 | 137 | 5.6% | 22.5% | 18.4% |

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database for 2003-2012; Illinois Department of Public Health for McHenry & IL 1980-2002; National Center for Health Statistics, National Vital Statistics Reports for U.S. 1980-2002

Table 8.12
MCHENRY COUNTY AND ILLINOIS
PRENATAL CARE BEGUN FIRST TRIMESTER: 1990-2009

| Year | McHenry County | | Illinois Percent |
|------|----------------|---------|---------------------|
| | Number | Percent | |
| 2009 | 3,113 | 83.7% | 81.1% |
| 2008 | 3,147 | 82.5% | 80.8% |
| 2007 | 3,396 | 82.6% | 80.8% |
| 2006 | 3,445 | 81.6% | 82.5% |
| 2005 | 3,468 | 82.0% | 81.8% |
| 2004 | 3,667 | 84.0% | 80.7% |
| 2003 | 3,586 | 86.6% | 82.0% |
| 2002 | 3,614 | 86.0% | 82.8% |
| 2001 | 3,599 | 87.2% | 81.9% |
| 2000 | 3,549 | 87.5% | 80.7% |
| 1995 | 3,327 | 87.0% | 79.4% |
| 1990 | 2,844 | 84.5% | 77.3% |

Source: Illinois Department of Public Health

Table 8.13
MCHENRY COUNTY AND ILLINOIS
PERCENT BIRTHS RECEIVING ADEQUATE PRENATAL CARE: 1990-2009

| Year | Kotelchuck ¹ | |
|------|-------------------------|----------|
| | McHenry County | Illinois |
| 2009 | 87.9% | 80.2% |
| 2005 | 79.7% | 74.9% |
| 2000 | 84.7% | 73.7% |
| 1995 | 83.0% | 72.6% |
| 1990 | 70.0% | 65.6% |

¹Includes adequate and adequate plus.

Source: Illinois Department of Public Health

Table 8.14
MCHENRY COUNTY AND ILLINOIS
MOTHERS WHO USE TOBACCO DURING PREGNANCY: 1990-2012

| Year | McHenry County | | Illinois Percent |
|------|----------------|---------|---------------------|
| | Number | Percent | |
| 2012 | 165 | 5.1% | 7.1% |
| 2011 | 194 | 5.8% | 7.5% |
| 2010 | 207 | 6.0% | 7.9% |
| 2009 | 277 | 7.4% | 7.9% |
| 2008 | 256 | 6.7% | 7.9% |
| 2007 | 271 | 6.6% | 8.4% |
| 2006 | 290 | 6.9% | 8.6% |
| 2005 | 278 | 6.6% | 8.6% |
| 2004 | 327 | 7.5% | 10.2% |
| 2003 | 330 | 8.0% | 9.6% |
| 2002 | 355 | 8.5% | 10.0% |
| 2001 | 367 | 8.9% | 10.5% |
| 2000 | 372 | 9.2% | 10.9% |
| 1999 | 410 | 10.2% | 11.5% |
| 1998 | 380 | 9.9% | 12.0% |
| 1997 | 444 | 11.6% | 12.3% |
| 1996 | 457 | 11.7% | 12.7% |
| 1995 | 485 | 12.7% | 13.1% |
| 1994 | 504 | 13.7% | 13.6% |
| 1993 | 490 | 14.2% | 14.5% |
| 1992 | 431 | 12.7% | 15.5% |
| 1991 | 522 | 16.1% | 15.8% |
| 1990 | 569 | 16.9% | 16.4% |

Source: National Center for Health Statistics,
Division of Vital Statistics, CDC WONDER
Online Database for 2010-2012; Illinois
Department of Public Health file for 2009;
Illinois Department of Public Health,
IQuery Online Database for 2000-2008;
Illinois Department of Public Health,
IPLAN Online Database for 1990-1999

Table 8.15
MCHENRY COUNTY, ILLINOIS, AND U.S.
SELECTED MATERNAL RISK FACTORS: 2012

| Maternal Characteristic | McHenry County | | Illinois Percent | U.S. Percent |
|-----------------------------------|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| All Births | 3,248 | 100.0% | 100.0% | 100.0% |
| Diabetes | 231 | 7.1% | 6.8% | 5.9% |
| Pregnancy-associated Hypertension | 152 | 4.7% | 4.8% | 4.6% |
| Chronic Hypertension | 40 | 1.2% | 1.4% | 1.5% |

Source: National Center for Health Statistics, Division of Vital Statistics,
CDC WONDER Online Database

Table 8.16
MCHENRY COUNTY
SELECTED MATERNAL RISK FACTORS
BY WHITE, NON-HISPANIC AND HISPANIC: 2012

| Maternal Characteristic | White, Non-Hispanic | | Hispanic ¹ | |
|-----------------------------------|------------------------|---------|-----------------------|---------|
| | Number | Percent | Number | Percent |
| All Births | 2,417 | 100.0% | 671 | 100.0% |
| Diabetes | 150 | 6.2% | 64 | 9.5% |
| Pregnancy-associated Hypertension | 124 | 5.1% | 17 | 2.5% |
| Chronic Hypertension | 30 | 1.2% | 8 | 1.2% |

¹Hispanic may be of any race.

Source: National Center for Health Statistics, Division of Vital Statistics,
CDC WONDER Online Database

Table 8.17
MCHENRY COUNTY, ILLINOIS, AND U.S.
SELECTED BIRTH AND DELIVERY CHARACTERISTICS: 2012

| Characteristic | McHenry County | | Illinois Percent | U.S. Percent |
|---------------------------------|----------------|---------|---------------------|-----------------|
| | Number | Percent | | |
| All Births | 3,248 | 100.0% | 100.0% | 100.0% |
| Delivery | | | | |
| Vaginal delivery | 2,226 | 68.5% | 68.0% | 67.1% |
| Cesarean section | 1,018 | 31.3% | 31.9% | 32.8% |
| Birth Order | | | | |
| First birth | 1,237 | 38.1% | 39.1% | 39.7% |
| Second birth | 1,084 | 33.4% | 31.8% | 31.5% |
| Third+ birth | 921 | 28.4% | 27.1% | 28.2% |
| Multiple Births | | | | |
| Single birth | 3,097 | 95.4% | 96.1% | 96.6% |
| Two or more births | 151 | 4.6% | 3.9% | 3.4% |
| Mother Not High School Graduate | 374 | 11.5% | 15.1% | 14.6% |

Source: National Center for Health Statistics, Division of Vital Statistics,
CDC WONDER Online Database

Table 8.18
MCHENRY COUNTY AND U.S.
BIRTH CHARACTERISTICS BY WHITE, NON-HISPANIC AND HISPANIC: 2011 AND 2012

| 2012 | McHenry County | | | | | | U.S. | |
|---|----------------|---------|---------------------|---------|-----------------------|---------|---------------------|-----------------------|
| | Total | | White, Non-Hispanic | | Hispanic ¹ | | White, Non-Hispanic | Hispanic ¹ |
| | Number | Percent | Number | Percent | Number | Percent | Percent | Percent |
| All Births | 3,248 | 100.0% | 2,417 | 100.0% | 671 | 100.0% | 100.0% | 100.0% |
| Mother unmarried | 955 | 29.4% | 557 | 23.0% | 349 | 52.0% | 29.3% | 53.5% |
| Mother not high school graduate | 374 | 11.5% | 87 | 3.6% | 278 | 41.4% | 7.6% | 32.2% |
| Mother teen | 152 | 4.7% | 69 | 2.9% | 79 | 11.8% | 5.7% | 11.5% |
| Mother smoked during pregnancy | 165 | 5.1% | 158 | 6.5% | 5 | 0.7% | 10.4% | 1.7% |
| Cesarean delivery | 1,018 | 31.3% | 764 | 31.6% | 194 | 28.9% | 32.3% | 32.1% |
| Received first trimester prenatal care ² | 2,646 | 81.5% | 2,038 | 84.3% | 488 | 72.7% | 65.9% | 59.7% |
| Low birth weight ³ | 231 | 7.1% | 173 | 7.2% | 43 | 6.4% | 7.0% | 7.0% |
| Preterm birth ⁴ | 407 | 12.5% | 298 | 12.3% | 87 | 13.0% | 10.3% | 11.6% |

| 2011 | Total | | White, Non-Hispanic | | Hispanic ¹ | | White, Non-Hispanic | Hispanic ¹ |
|---|--------|---------|---------------------|---------|-----------------------|---------|---------------------|-----------------------|
| | Number | Percent | Number | Percent | Number | Percent | Percent | Percent |
| All Births | 3,363 | 100.0% | 2,565 | 100.0% | 655 | 100.0% | 100.0% | 100.0% |
| Mother unmarried | 919 | 27.3% | 562 | 21.9% | 324 | 49.5% | 29.0% | 53.3% |
| Mother not high school graduate | 393 | 11.7% | 93 | 3.6% | 294 | 44.9% | 7.7% | 33.5% |
| Mother teen | 151 | 4.5% | 73 | 2.8% | 75 | 11.5% | 6.1% | 12.1% |
| Mother smoked during pregnancy | 194 | 5.8% | 185 | 7.2% | 6 | 0.9% | 9.9% | 1.6% |
| Cesarean delivery | 1,101 | 32.7% | 860 | 33.5% | 190 | 29.0% | 32.3% | 32.0% |
| Received first trimester prenatal care ² | 2,736 | 81.4% | 2,179 | 85.0% | 456 | 69.6% | 62.0% | 57.8% |
| Low birth weight ³ | 234 | 7.0% | 182 | 7.1% | 44 | 6.7% | 7.1% | 7.0% |
| Preterm birth ⁴ | 398 | 11.8% | 317 | 12.4% | 68 | 10.4% | 10.5% | 11.6% |

¹Hispanic may be of any race.

²Prenatal care began during 1st, 2nd, or 3rd month of pregnancy.

³Weight at birth of less than 5 lbs., 8 oz. (2,500 grams).

⁴Births prior to 37 weeks gestation.

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database

Table 8.19
MCHENRY COUNTY AND ILLINOIS
INDUCED PREGNANCY TERMINATIONS: 1995-2012

| Year | Induced Pregnancy Terminations (Abortions) | | |
|------|---|--------------------------|--------------------------------------|
| | McHenry County | | Illinois Rate Per 1,000 Births |
| | Number | Rate Per 1,000 Births | |
| 2012 | 486 | 149.6 | 271.4 |
| 2011 | 442 | 131.4 | 256.2 |
| 2010 | 483 | 140.7 | 253.4 |
| 2009 | 506 | 135.9 | 269.3 |
| 2008 | 562 | 147.0 | 270.1 |
| 2007 | 564 | 136.9 | 250.9 |
| 2006 | 531 | 125.5 | 257.4 |
| 2005 | 486 | 114.6 | 242.7 |
| 2004 | 462 | 105.5 | 211.2 |
| 2003 | 451 | 108.5 | 231.5 |
| 2002 | 490 | 116.1 | 236.2 |
| 2001 | 510 | 123.1 | 252.9 |
| 2000 | 548 | 134.9 | 220.3 |
| 1999 | 560 | 139.4 | 228.0 |
| 1998 | 430 | 112.4 | 245.6 |
| 1997 | 390 | 101.6 | 277.6 |
| 1996 | 442 | 113.5 | 270.1 |
| 1995 | 404 | 105.6 | 261.2 |

Source: Illinois Department of Public Health for numbers of abortions 1995-2012; National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database for total births 1995-2012 used to compute rates

Table 8.20
MCHENRY COUNTY, ILLINOIS, AND U.S.
NUMBER OF INFANT DEATHS AND RATES¹: 1980-2010

| Year | McHenry County | | Illinois Rate | U.S. Rate |
|------|----------------|-------------------|---------------|-----------|
| | Infant Deaths | Infant Death Rate | | |
| 2010 | 12 | 3.5 | 6.8 | 6.1 |
| 2009 | 17 | 4.6 | 6.9 | 6.4 |
| 2008 | 23 | 6.0 | 7.2 | 6.6 |
| 2007 | 20 | 4.9 | 6.8 | 6.8 |
| 2006 | 22 | 5.2 | 7.3 | 6.7 |
| 2005 | 18 | 4.2 | 7.4 | 6.9 |
| 2004 | 19 | 4.3 | 7.5 | 6.8 |
| 2003 | 20 | 4.8 | 7.7 | 6.8 |
| 2002 | 14 | 3.3 | 7.2 | 7.0 |
| 2001 | 15 | 3.6 | 7.5 | 6.8 |
| 2000 | 22 | 5.4 | 8.3 | 6.9 |
| 1999 | 23 | 5.7 | 8.3 | 7.0 |
| 1998 | 23 | 6.0 | 8.2 | 7.2 |
| 1997 | 25 | 6.5 | 8.2 | 7.2 |
| 1996 | 13 | 3.3 | 8.4 | 7.3 |
| 1995 | 16 | 4.2 | 9.3 | 7.6 |
| 1990 | 22 | 6.5 | 10.7 | 9.2 |
| 1985 | 23 | 9.2 | 11.6 | 10.6 |
| 1980 | 26 | 10.7 | 14.7 | 12.6 |

¹Infant deaths per 1,000 births.

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database for 2003-2010; Illinois Department of Public Health for McHenry & IL 1980-2002; National Center for Health Statistics, National Vital Statistics Reports for U.S. 1980-2002

Table 8.21
MCHENRY COUNTY, ILLINOIS, AND U.S.
AVERAGE ANNUAL INFANT DEATH RATES¹: 1995-2010

| Years | Rate Per 1,000 Births | | |
|---|-----------------------|----------|--------|
| | McHenry County | Illinois | U.S. |
| 2007 - 2010 | 4.8 | 6.9 | 6.5 |
| 2003 - 2006 | 4.7 | 7.5 | 6.8 |
| 1999 - 2002 | 4.5 | 8.0 | 6.9 |
| 1995 - 1998 | 5.0 | 8.7 | 7.3 |
| Percent Change 1995-1998 to 2007-2010 | -4.0% | -20.7% | -11.0% |

¹Rate per 1,000 births.

Sources: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database for 2003-2010 and U.S. 1995-2002 calculations; Illinois Department of Public Health for McHenry & IL 1995-2002 calculations

Table 8.22
MCHENRY COUNTY
AVERAGE ANNUAL INFANT DEATH RATES¹
BY WHITE, NON-HISPANIC AND HISPANIC: 2007-2010

| Years | White, Non-Hispanic | | Hispanic ² | |
|-------------|------------------------|------|-----------------------|------|
| | Number | Rate | Number | Rate |
| 2007 - 2010 | 45 | 4.0 | 21 | 7.1 |

¹Rate per 1,000 births.

²Hispanic may be of any race.

Source: National Center for Health Statistics,
Division of Vital Statistics,
CDC WONDER Online Database

Figure 8.1
McHenry County
Births: 2000-2012




Figure 8.2
McHenry County, Illinois, and U.S.
Birth Rate: 2000-2012




Figure 8.3
 McHenry County, Illinois, and U.S.
 Fertility Rate: 1990, 2000, and 2012





Figure 8.4
 McHenry County and U.S.
 Age-Specific Fertility: 2012







Figure 8.7
 McHenry County, Illinois, and U.S.
 Teen Birth Rate by White, Non-Hispanic and Hispanic: 2012




Figure 8.8
 McHenry County, Illinois, and U.S.
 Births to Unmarried Mothers: 1995-2012




Figure 8.9
McHenry County and Illinois
Tobacco Use During Pregnancy: 1995-2012




Figure 8.10
McHenry County
Selected Birth Characteristics by White, Non-Hispanic and Hispanic: 2012





Figure 8.11
McHenry County
Average Annual Infant Death Rate
by White, Non-Hispanic and Hispanic: 2007-2010



Chapter 9
DEATHS

| | Table (Figure) |
|---|-----------------------|
| ○ McHenry County recorded 1,957 deaths in 2012, based on provisional data, the highest number ever for the county, producing a rate of 6.4 deaths per 1,000 population. Over the past twenty-two years, the county's death rate has remained below both the state and nation. | 9.1 (9.1) (9.2) |
| ○ McHenry County's 2010 age-adjusted death rate at 7.3 deaths per 1,000 population falls slightly below Illinois (7.4) and U.S. (7.5). | 9.2 |
| ○ Compared to the nation, McHenry County reported lower 2010 death rates for all age groups except 75-84 and 85 years and older. | 9.3 |
| ○ Over the past twelve years, the number of county resident deaths due to stroke has dropped by more than 35%. However, the number of cancer deaths in 2010 exceeded 500 for just the second time in the past twelve years (also in 2006) and the 41 deaths from suicide and 27 deaths from Parkinson's disease in 2010 were the highest in the period 1999-2010. | 9.4 |
| ○ The county's top two killers, based on 2008-2010 deaths, are cancer and heart disease followed by chronic lower respiratory diseases, stroke, and accidents. | 9.5 (9.3) |
| ○ Based on 2008-2010 data, McHenry County death rates matched or fell below the U.S. for all 13 top causes. In relation to Illinois, county death rates were lower except for suicide which was higher and chronic liver disease and cirrhosis which was slightly higher. | 9.5 |
| ○ Based on 2008-2010 data, cancer death in McHenry County is most often due to cancer of the lung/bronchus which accounts for more than one-quarter (28.1%) of all cancer deaths, followed by cancer of colon/rectum/anus (9.3%), breast (7.3%), and pancreas (6.5%). | 9.6 (9.4) |
| ○ Accidental deaths in the county during 2010 total 87 for a rate of 28.2 per 100,000 population, below Illinois (31.2) and U.S. (39.1). | 9.7 |
| ○ More than one-third (37.4%) of the county's accidental deaths for 2008-2010 are related to poisoning/exposure to noxious substances, while motor vehicle crashes caused 26.8%, and falls 18.3%. McHenry's rate for poisoning deaths (10.4 per 100,000) is above the state (9.4) and equal to the nation (10.4). | 9.8 (9.5) |
| ○ For the 12-year period 1999-2010, motor vehicle traffic (38.9%) led as the injury mechanism in accidental deaths, followed by poisoning (23.7%) and fall (14.6%). | 9.9 |
| ○ The county death rate in 2010 for drug and alcohol induced causes at 20.1 per 100,000 population is the highest in the period 1999-2010 and twice the rate in 1999 (9.8). The county's current rate is significantly above the state (15.9) but below the nation (21.4). Prior to 2008, the county's rate was consistently below the state. | 9.10 (9.6) |

- Among drug and alcohol induced deaths in the county during 2007-2010, 64.1% were drug induced and 35.9% were alcohol induced, a decrease in drug and an increase in alcohol over 2003-2006. 9.11 (9.7)
- Using age-adjusted rates that eliminate the differences due to age, only two of the county's top ten death causes (2008-2010 data) exceed both Illinois and U.S.: cancer and chronic lower respiratory diseases. For Alzheimer's disease and suicide the county's rate is above the state but below the nation. The remaining six fall below both the state and nation with an especially wide gap for heart disease (164.5 per 100,000 McHenry, 186.8 Illinois, and 184.6 U.S.). 9.12 (9.8)
- McHenry County males display higher 2006-2010 age-adjusted death rates than females for eight of the ten leading causes (except stroke and Alzheimer's disease). Men are five times more likely than women to die from suicide and two-and-a-half times more likely to die from accidents. 9.13
- One-quarter (27.1%) of McHenry County 2006-2010 deaths occurred to persons under age 65, similar to the nation's premature mortality at 27.4%. Three causes claim a disproportionate share of early death: suicide (89.7%), accidents (73.8%), and chronic liver disease/cirrhosis (65.1%). More cancer deaths occur before age 65 (32.6%) than heart disease (20.2%). Larger proportions of county residents die before age 65 due to suicide and accidents than across the nation. 9.14
- One measure looks at years of life lost before age 75 compared to the population. For McHenry County, 5,069 years were lost per 100,000 population under 75, a lower rate than the state at 6,604 and U.S. 5,317. These figures are based on 2008-2010 mortality data. 9.15
- Comparing 2010 death rates by Hispanic origin shows a wide gap with the county's non-Hispanic age-adjusted rate (740.9 per 100,000) much higher than Hispanic (358.0). A similar disparity exists state and nationwide. 9.16 (9.9)
- Non-Hispanics in McHenry County, like the U.S., have higher age-adjusted death rates due to heart disease and cancer than Hispanics (2006-2010 data). 9.17
- Among Hispanics in McHenry County, 57.4% of deaths occur under age 65 compared to 26.3% among non-Hispanics, based on 2006-2010 mortality data. 9.18 (9.10)
- Based on data for 2001-2010, deaths to McHenry County's youngest age group, ages 0-14, are mostly due to perinatal conditions or congenital malformations. Accidents rank first for ages 15-44 followed by cancer. For ages 45-64 and 65-74, cancer is the number one death cause, then heart disease. The top two causes are reversed for the oldest age group of 75+ with heart disease first and cancer second. 9.19
- In 1999-2001, heart disease captured 27.8% of McHenry County deaths, dropping to one in five (22.3%) in 2008-2010. Cancer accounted for more than one-quarter (26.5%) of deaths in 2008-2010, similar to 26.2% in 1999-2001. 9.20

- Cancer, the leading death cause, exhibits a slightly higher crude death rate among the county's population in 2008-2010 over eight years earlier, but the crude death rate for heart disease, the number two death cause, dropped by 19.1% and for stroke, the fourth cause, dropped 25.2%. Among other causes of death, notable rises between 1999-2001 and 2008-2010 occurred for Parkinson's disease (+72.5%), suicide (+58.0%), and Alzheimer's disease (+53.9%). 9.21 (9.11)
- In 2012, 1.66 births occurred for every death in McHenry County, a record low birth:death index. In 1990, there were 2.90 births for each death in the county, the highest in the years examined. 9.22
- In 2010, 41 local residents took their own life, a rate of 13.3 per 100,000 population, above Illinois (9.2) and U.S. (12.4), and the highest number and rate seen during the period 1995-2010. 9.23 (9.12)
- Firearms were the mechanism for 36.3% of the county's past decade of suicide deaths. An additional 27.3% are attributed to suffocation, while 24.9% were poisoning. 9.24
- Among age groups, McHenry County's highest suicide death rates occur among ages 45-54 and 55-64, both with levels above Illinois but below the nation, based on data from 1999-2010. 9.25
- In 2010, 40 McHenry County residents died from a drug overdose, a rate of 13.0 per 100,000, above both Illinois (10.0) and U.S. (12.4), and the highest number and rate seen during the period 1999-2010. Since 1999, the number of drug overdose deaths has increased by 185.7% and the rate by 136.4%. 9.26 (9.13)
- Among age groups, the county's drug overdose death rate during the period 1999-2010 is highest for ages 25-34, a rate also above both the state and nation. 9.27 (9.14)

Table 9.1
MCHENRY COUNTY, ILLINOIS, AND U.S.
TOTAL RESIDENT DEATHS AND DEATH RATES¹: 1990-2012

| Year | McHenry County | | Illinois Rate | U.S. Rate |
|-------------------|----------------|------|---------------|-----------|
| | Deaths | Rate | | |
| 2012 ² | 1,957 | 6.4 | -- | -- |
| 2011 ³ | 1,891 | 6.1 | 7.9 | 8.1 |
| 2010 | 1,870 | 6.1 | 7.8 | 8.0 |
| 2009 | 1,713 | 5.6 | 7.8 | 7.9 |
| 2008 | 1,867 | 6.1 | 8.1 | 8.1 |
| 2007 | 1,820 | 6.0 | 7.9 | 8.0 |
| 2006 | 1,794 | 6.0 | 8.1 | 8.1 |
| 2005 | 1,709 | 5.8 | 8.2 | 8.3 |
| 2004 | 1,662 | 5.8 | 8.2 | 8.2 |
| 2003 | 1,706 | 6.1 | 8.4 | 8.4 |
| 2002 | 1,625 | 5.9 | 8.5 | 8.5 |
| 2001 | 1,507 | 5.6 | 8.4 | 8.5 |
| 2000 | 1,521 | 5.8 | 8.6 | 8.5 |
| 1999 | 1,548 | 6.1 | 8.8 | 8.6 |
| 1998 | 1,485 | 6.1 | 8.6 | 8.6 |
| 1997 | 1,440 | 6.1 | 8.6 | 8.6 |
| 1996 | 1,445 | 6.3 | 8.9 | 8.7 |
| 1995 | 1,382 | 6.1 | 9.1 | 8.8 |
| 1994 | 1,370 | 6.3 | 9.1 | 8.8 |
| 1993 | 1,337 | 6.4 | 9.1 | 8.8 |
| 1992 | 1,237 | 6.2 | 8.8 | 8.5 |
| 1991 | 1,305 | 6.8 | 9.0 | 8.6 |
| 1990 | 1,160 | 6.3 | 9.0 | 8.6 |

¹Deaths per 1,000 population.

²Provisional data for McHenry County, no data for IL & U.S.

³Provisional data for McHenry County, preliminary for IL & U.S.

Source: Illinois Department of Public Health, Vital Statistics for McHenry 2011-2012; National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database for 1999-2010; Illinois Department of Public Health, IPLAN Online Database for McHenry & IL 1990-1998; National Center for Health Statistics, Vital Statistics Reports for U.S. 1990-1998, IL & U.S. 2011

Table 9.2
MCHENRY COUNTY, ILLINOIS, AND U.S.
AGE-ADJUSTED DEATH RATE¹: 2010

| Area | Crude Rate | Age-Adjusted Rate |
|----------------|------------|-------------------|
| McHenry County | 6.1 | 7.3 |
| Illinois | 7.8 | 7.4 |
| U.S. | 8.0 | 7.5 |

¹Per 1,000 population adjusted to 2000 U.S. Standard Population.

Source: National Center for Health Statistics,
Division of Vital Statistics,
CDC WONDER Online Database

Table 9.3
MCHENRY COUNTY AND U.S.
DEATHS AND DEATH RATES BY AGE GROUP: 2010

| Age Group (years) | McHenry County | | U.S. Rate ¹ |
|-------------------|----------------|--------------------|------------------------|
| | Number | Rate ¹ | |
| All Deaths | 1,870 | 605.6 | 799.5 |
| <1 | 12 | 328.4 ² | 623.4 |
| 1 - 24 | 35 | 33.7 | 38.8 |
| 25 - 44 | 76 | 92.6 | 136.7 |
| 45 - 54 | 190 | 361.1 | 407.1 |
| 55 - 64 | 218 | 621.2 | 851.9 |
| 65 - 74 | 301 | 1,621.8 | 1,875.1 |
| 75 - 84 | 466 | 5,076.3 | 4,790.2 |
| 85+ | 572 | 15,977.7 | 13,934.3 |

¹Per 100,000 population.

²Rate unreliable since numerator is <20.

Source: National Center for Health Statistics,
Division of Vital Statistics,
CDC WONDER Online Database

Table 9.4
MCHENRY COUNTY
DEATHS BY CAUSE: 1999-2010

| Cause | 2010 | 2009 | 2008 | 2007 | 2006 | 2005 | 2004 | 2003 | 2002 | 2001 | 2000 | 1999 |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| All Deaths | 1,870 | 1,713 | 1,867 | 1,820 | 1,794 | 1,709 | 1,662 | 1,706 | 1,625 | 1,507 | 1,521 | 1,548 |
| Septicemia | 27 | 17 | 24 | 29 | 27 | 19 | 19 | 28 | 31 | 27 | 14 | 21 |
| Cancer (malignant neoplasms) | 507 | 472 | 465 | 493 | 501 | 428 | 441 | 446 | 429 | 410 | 396 | 391 |
| Diabetes mellitus | 42 | 52 | 59 | 40 | 47 | 49 | 50 | 49 | 43 | 56 | 37 | 39 |
| Parkinson's disease | 27 | 23 | 14 | 18 | 16 | 16 | 16 | 20 | 12 | 17 | --- | --- |
| Alzheimer's disease | 48 | 51 | 65 | 66 | 54 | 50 | 57 | 54 | 44 | 30 | 35 | 25 |
| Heart disease | 411 | 355 | 449 | 418 | 439 | 444 | 413 | 451 | 427 | 402 | 447 | 424 |
| Stroke (cerebrovascular diseases) | 77 | 86 | 109 | 110 | 93 | 99 | 95 | 119 | 109 | 85 | 104 | 119 |
| Pneumonia & influenza | 27 | 41 | 37 | 31 | 29 | 36 | 26 | 26 | 35 | 36 | 30 | 39 |
| Chronic lower respiratory diseases ² | 95 | 118 | 96 | 94 | 77 | 91 | 83 | 74 | 76 | 59 | 73 | 74 |
| Chronic liver disease & cirrhosis | 27 | 23 | 32 | 26 | 18 | 16 | 18 | 24 | 14 | 15 | 14 | 20 |
| Nephritis, nephrotic syndrome, & nephrosis | 41 | 27 | 27 | 43 | 33 | 20 | 33 | 33 | 32 | 18 | 19 | 21 |
| Accidents (unintentional injuries) | 87 | 87 | 83 | 92 | 82 | 87 | 85 | 72 | 74 | 75 | 82 | 76 |
| Suicide | 41 | 36 | 24 | 31 | 24 | 25 | 22 | 14 | 18 | 21 | 19 | 14 |

¹Numbers suppressed when <10 cases.

²Previously known as chronic obstructive pulmonary disease (COPD).

Note: Beginning in 1999, deaths are coded using ICD-10, therefore, prior death data not shown.

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database

Table 9.5
MCHENRY COUNTY, ILLINOIS, AND U.S.
DEATHS BY CAUSE: 2008-2010

| Cause | McHenry County | | Illinois Rate ¹ | U.S. Rate ¹ |
|---|----------------|-------------------|----------------------------|------------------------|
| | Number | Rate ¹ | | |
| All Causes | 5,450 | 589.8 | 790.8 | 802.3 |
| Cancer (malignant neoplasms) | 1,444 | 156.3 | 189.1 | 185.7 |
| Heart disease | 1,215 | 131.5 | 198.0 | 197.2 |
| Chronic lower respiratory diseases ² | 309 | 33.4 | 42.0 | 45.3 |
| Stroke (cerebrovascular diseases) | 272 | 29.4 | 42.7 | 42.7 |
| Accidents (unintentional injuries) | 257 | 27.8 | 31.7 | 39.2 |
| Alzheimer's disease | 164 | 17.7 | 23.5 | 26.6 |
| Diabetes mellitus | 153 | 16.6 | 21.1 | 22.7 |
| Pneumonia & influenza | 105 | 11.4 | 19.0 | 17.4 |
| Suicide | 101 | 10.9 | 9.3 | 12.1 |
| Nephritis, nephrotic syndrome, & nephrosis | 95 | 10.3 | 20.5 | 16.1 |
| Chronic liver disease & cirrhosis | 82 | 8.9 | 8.8 | 10.1 |
| Septicemia | 68 | 7.4 | 15.2 | 11.6 |
| Parkinson's disease | 64 | 6.9 | 7.0 | 6.9 |

¹Average annual rates are expressed per 100,000 population. Not age-adjusted.

²Previously known as chronic obstructive pulmonary disease (COPD).

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database

Table 9.6
MCHENRY COUNTY, ILLINOIS, AND U.S.
DEATHS DUE TO LEADING TYPES OF CANCER: 2008-2010

| Type of Cancer (Malignant Neoplasms) | McHenry County | | | Illinois Rate Per 100,000 ¹ | U.S. Rate Per 100,000 ¹ |
|---|----------------|----------------------------------|---------------------------|--|--|
| | Number | Rate Per 100,000 ¹ | Percent of All Cancers | | |
| All Types | 1,444 | 156.3 | 100.0% | 189.1 | 185.7 |
| Lung and bronchus | 406 | 43.9 | 28.1% | 52.5 | 51.7 |
| Colon, rectum, anus | 134 | 14.5 | 9.3% | 18.3 | 17.2 |
| Breast | 105 | 11.4 | 7.3% | 13.8 | 13.4 |
| Pancreas | 94 | 10.2 | 6.5% | 11.9 | 11.7 |
| Leukemia | 61 | 6.6 | 4.2% | 7.8 | 7.3 |
| Prostate | 59 | 6.4 | 4.1% | 9.2 | 9.3 |
| Non-Hodgkin's lymphoma | 58 | 6.3 | 4.0% | 6.8 | 6.6 |
| Liver | 49 | 5.3 | 3.4% | 5.9 | 6.3 |
| Bladder | 46 | 5.0 | 3.2% | 4.7 | 4.7 |
| Kidney, renal pelvis | 44 | 4.8 | 3.0% | 4.4 | 4.3 |
| Ovary | 37 | 4.0 | 2.6% | 4.6 | 4.7 |
| Brain, central nervous system | 34 | 3.7 | 2.4% | 4.2 | 4.6 |
| Esophagus | 26 | 2.8 | 1.8% | 4.8 | 4.6 |
| Stomach | 25 | 2.7 | 1.7% | 3.9 | 3.7 |
| Skin | 24 | 2.6 | 1.7% | 2.5 | 2.9 |
| Lip, oral cavity, pharynx | 24 | 2.6 | 1.7% | 2.5 | 2.7 |

¹Not age-adjusted.

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database

Table 9.7
MCHENRY COUNTY, ILLINOIS, AND U.S.
ACCIDENTAL DEATHS: 1999-2010

| Year | McHenry County | | Illinois Rate Per 100,000 ¹ | U.S. Rate Per 100,000 ¹ |
|------|----------------------|----------------------------------|--|--|
| | Accidental Deaths | Rate Per 100,000 ¹ | | |
| 2010 | 87 | 28.2 | 31.2 | 39.1 |
| 2009 | 87 | 28.2 | 31.0 | 38.5 |
| 2008 | 83 | 27.0 | 33.1 | 40.1 |
| 2007 | 92 | 30.2 | 34.4 | 41.1 |
| 2006 | 82 | 27.3 | 35.2 | 40.8 |
| 2005 | 87 | 29.6 | 33.2 | 39.9 |
| 2004 | 85 | 29.5 | 32.8 | 38.3 |
| 2003 | 72 | 25.6 | 31.4 | 37.7 |
| 2002 | 74 | 27.0 | 33.7 | 37.1 |
| 2001 | 75 | 28.0 | 32.6 | 35.6 |
| 2000 | 82 | 31.5 | 32.5 | 34.8 |
| 1999 | 76 | 29.8 | 33.4 | 35.1 |

¹Not age-adjusted.

Source: National Center for Health Statistics, Division of
Vital Statistics, CDC WONDER Online Database

Table 9.8
MCHENRY COUNTY, ILLINOIS, AND U.S.
ACCIDENTAL DEATHS BY TYPE OF ACCIDENT: 2008-2010

| Type of Accident | McHenry County | | | Illinois Rate Per 100,000 ¹ | U.S. Rate Per 100,000 ¹ |
|---|----------------|----------------------------------|--------------------------|--|--|
| | Number | Rate Per 100,000 ¹ | Pct. of All Accidents | | |
| All Types | 257 | 27.8 | 100.0% | 31.7 | 39.2 |
| Poisoning and exposure to noxious substances | 96 | 10.4 | 37.4% | 9.4 | 10.4 |
| Motor vehicle | 69 | 7.5 | 26.8% | 8.5 | 12.1 |
| Falls | 47 | 5.1 | 18.3% | 6.5 | 8.1 |
| Other type | 45 | 4.9 | 17.5% | 7.3 | 8.6 |

¹Not age-adjusted.

Source: National Center for Health Statistics, Division of Vital Statistics,
CDC WONDER Online Database

Table 9.9
MCHENRY COUNTY
ACCIDENTAL DEATHS BY INJURY MECHANISM: 1999-2010

| Injury Mechanism | Number | Percent |
|-----------------------|--------|---------|
| All Accidental Deaths | 982 | 100.0% |
| Motor vehicle traffic | 382 | 38.9% |
| Poisoning | 233 | 23.7% |
| Fall | 143 | 14.6% |
| Suffocation | 49 | 5.0% |
| Unspecified injury | 44 | 4.5% |
| Drowning | 20 | 2.0% |
| Other land transport | 19 | 1.9% |
| Other transport | 17 | 1.7% |
| Fire/flame | 12 | 1.2% |
| Other pedestrian | 11 | 1.1% |
| Other specified | 52 | 5.3% |

Source: National Center for Health Statistics, Division of
Vital Statistics, CDC WONDER Online Database

Table 9.10
MCHENRY COUNTY, ILLINOIS, AND U.S.
DRUG AND ALCOHOL INDUCED CAUSES OF DEATH: 1999-2010

| Year | McHenry County | | Illinois Rate Per 100,000 | U.S. Rate Per 100,000 |
|------|----------------|---------------------|---------------------------------|-----------------------------|
| | Number | Rate Per 100,000 | | |
| 2010 | 62 | 20.1 | 15.9 | 21.4 |
| 2009 | 53 | 17.2 | 17.0 | 20.8 |
| 2008 | 52 | 16.9 | 16.6 | 20.7 |
| 2007 | 39 | 12.8 | 14.7 | 20.4 |
| 2006 | 31 | 10.3 | 16.1 | 20.3 |
| 2005 | 32 | 10.9 | 13.6 | 18.7 |
| 2004 | 27 | 9.4 | 13.3 | 17.7 |
| 2003 | 28 | 9.9 | 11.5 | 17.0 |
| 2002 | 28 | 10.2 | 12.9 | 16.1 |
| 2001 | 21 | 7.8 | 12.5 | 14.7 |
| 2000 | 25 | 9.6 | 11.9 | 14.0 |
| 1999 | 25 | 9.8 | 12.3 | 13.8 |

Source: National Center for Health Statistics, Division of Vital
Statistics, CDC WONDER Online Database

Table 9.11
MCHENRY COUNTY
DISTRIBUTION OF DRUG VERSUS ALCOHOL INDUCED DEATHS: 1999-2010

| Years | All Drug and Alcohol Induced Deaths | Drug Induced | | Alcohol Induced | |
|-----------|---|--------------|---------|-----------------|---------|
| | | Number | Percent | Number | Percent |
| 2007-2010 | 206 | 132 | 64.1% | 74 | 35.9% |
| 2003-2006 | 118 | 83 | 70.3% | 35 | 29.7% |
| 1999-2002 | 99 | 67 | 67.7% | 32 | 32.3% |

Source: National Center for Health Statistics, Division of Vital Statistics,
CDC WONDER Online Database

About drug and alcohol induced deaths:

Drug induced deaths include all deaths for which drugs are the underlying cause including deaths attributable to acute poisoning by drugs (drug overdoses) and deaths from medical conditions resulting from chronic drug use. A drug includes illicit or street drugs as well as prescription and over-the-counter drugs. The majority of these deaths are due to unintentional drug poisoning.

Alcohol induced deaths includes deaths from dependent and independent use of alcohol including accidental poisoning by alcohol. They exclude unintentional injuries, homicides, and other causes indirectly related to alcohol use.

Table 9.12
MCHENRY COUNTY, ILLINOIS, AND U.S.
AGE-ADJUSTED DEATH RATES FOR TEN LEADING CAUSES: 2008-2010

| Cause | Rate Per 100,000 Population ¹ | | |
|---|--|----------|-------|
| | McHenry County | Illinois | U.S. |
| Cancer (malignant neoplasms) | 182.8 | 181.8 | 174.2 |
| Heart disease | 164.5 | 186.8 | 184.6 |
| Chronic lower respiratory diseases ² | 44.3 | 40.9 | 43.2 |
| Stroke (cerebrovascular diseases) | 37.4 | 40.5 | 40.2 |
| Accidents (unintentional injuries) | 29.8 | 31.2 | 38.2 |
| Alzheimer's disease | 24.7 | 21.8 | 25.0 |
| Diabetes mellitus | 19.8 | 20.2 | 21.3 |
| Pneumonia & influenza | 15.0 | 17.9 | 16.4 |
| Suicide | 10.6 | 9.1 | 11.8 |
| Nephritis, nephrotic syndrome, & nephrosis | 13.5 | 19.7 | 15.2 |

¹Adjusted to 2000 U.S. Standard Population.

²Previously known as chronic obstructive pulmonary disease (COPD).

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database

Table 9.13
MCHENRY COUNTY
SELECTED DEATH CAUSES BY GENDER: 2006-2010

| Cause | Female | | | Male | | |
|---|--------|-------------------------|--------------------------------|--------|-------------------------|--------------------------------|
| | Number | Crude Rate ¹ | Age-Adjusted Rate ¹ | Number | Crude Rate ¹ | Age-Adjusted Rate ¹ |
| All Causes | 4,616 | 602.3 | 650.0 | 4,448 | 582.6 | 860.5 |
| Heart disease | 1,002 | 130.7 | 141.4 | 1,070 | 140.2 | 216.8 |
| Cancer (malignant neoplasms) | 1,239 | 161.7 | 172.9 | 1,199 | 157.1 | 220.7 |
| Stroke (cerebrovascular diseases) | 296 | 38.6 | 41.4 | 179 | 23.4 | 38.5 |
| Chronic lower respiratory diseases ² | 275 | 35.9 | 40.9 | 205 | 26.9 | 45.2 |
| Accidents (unintentional injuries) | 132 | 17.2 | 17.7 | 299 | 39.2 | 43.9 |
| Alzheimer's disease | 201 | 26.2 | 28.5 | 83 | 10.9 | 21.4 |
| Pneumonia & influenza | 92 | 12.0 | 13.1 | 73 | 9.6 | 16.0 |
| Diabetes mellitus | 108 | 14.1 | 15.7 | 132 | 17.3 | 24.4 |
| Nephritis, nephrotic syndrome, & nephrosis | 74 | 9.7 | 11.0 | 97 | 12.7 | 20.9 |
| Suicide | 27 | 3.5 | 3.4 | 129 | 16.9 | 17.2 |

¹Rates are expressed per 100,000 population. Age-adjusted rates adjusted to 2000 U.S. Standard Population.

²Previously known as chronic obstructive pulmonary disease (COPD).

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database

Table 9.14
MCHENRY COUNTY AND U.S.
DEATHS BEFORE 65 FOR SELECTED CAUSES: 2006-2010

| Cause | McHenry County | | | U.S. Percent <65 |
|---|-----------------|--------------|----------------|------------------------|
| | Total Deaths | Before 65 | Percent <65 | |
| All Causes | 9,064 | 2,453 | 27.1% | 27.4% |
| Heart disease | 2,072 | 419 | 20.2% | 19.7% |
| Cancer (malignant neoplasms) | 2,438 | 794 | 32.6% | 30.9% |
| Stroke (cerebrovascular diseases) | 475 | 70 | 14.7% | 14.8% |
| Chronic lower respiratory diseases ¹ | 480 | 49 | 10.2% | 14.3% |
| Accidents (unintentional injuries) | 431 | 318 | 73.8% | 67.8% |
| Diabetes mellitus | 240 | 64 | 26.7% | 28.2% |
| Chronic liver disease & cirrhosis | 126 | 82 | 65.1% | 66.2% |
| Suicide | 156 | 140 | 89.7% | 84.2% |

¹Previously known as chronic obstructive pulmonary disease (COPD).

Note: Deaths due to perinatal conditions and congenital anomalies are not included.

Source: National Center for Health Statistics, Division of Vital Statistics,
CDC WONDER Online Database

Table 9.15
MCHENRY COUNTY, ILLINOIS, AND U.S.
YEARS LIFE LOST: 2008-2010

| Area | Rate Per Population <75 ¹ |
|----------------|---|
| McHenry County | 5,069 |
| Illinois | 6,604 |
| U.S. | 5,317 |

¹Sum of life years lost among persons dying before age 75 divided by population under 75 per 100,000. Rate is age-adjusted to 2000 U.S. Standard Population.

Source: National Vital Statistics System, Mortality in County Health Rankings 2013

Table 9.16
MCHENRY COUNTY, ILLINOIS, AND U.S.
CRUDE AND AGE-ADJUSTED DEATH RATES¹ BY HISPANIC ORIGIN: 2010

| Area | Total | | Hispanic | | Non-Hispanic | |
|----------------|-------|--------------|----------|--------------|--------------|--------------|
| | Crude | Age-Adjusted | Crude | Age-Adjusted | Crude | Age-Adjusted |
| McHenry County | 605.6 | 729.6 | 102.1 | 358.0 | 669.8 | 740.9 |
| Illinois | 778.8 | 736.9 | 193.6 | 468.5 | 886.5 | 753.9 |
| U.S. | 799.5 | 747.0 | 286.2 | 558.6 | 897.6 | 762.6 |

¹Rates per 100,000 population. Age-adjusted rates to 2000 U.S. Standard Population.

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database

Table 9.17
MCHENRY COUNTY AND U.S.
AGE-ADJUSTED DEATH RATES¹ FOR TWO
LEADING CAUSES OF DEATH BY HISPANIC ORIGIN: 2006-2010

| Cause | McHenry County | | U.S. | |
|---------------|----------------|--------------|----------|--------------|
| | Hispanic | Non-Hispanic | Hispanic | Non-Hispanic |
| Cancer | 77.5 | 193.8 | 121.1 | 180.9 |
| Heart disease | 110.2 | 175.3 | 142.8 | 194.3 |

¹Death rates per 100,000 population adjusted using 2000 U.S. Standard Population.

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database

Table 9.18
MCHENRY COUNTY
DEATHS BEFORE AGE 65 BY HISPANIC ORIGIN: 2006-2010

| Ethnicity | Total Deaths | Deaths <65 | Percent of Deaths <65 |
|--------------|--------------|------------|-----------------------|
| All Deaths | 9,064 | 2,453 | 27.1% |
| Hispanic | 209 | 120 | 57.4% |
| Non-Hispanic | 8,827 | 2,323 | 26.3% |

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database

Table 9.19
MCHENRY COUNTY
LEADING DEATH CAUSES BY AGE GROUP: 2001-2010

| Age Group | Number | Percent in Age Group |
|--|--------|----------------------|
| 0 - 14 Years | | |
| 1. Perinatal conditions | 98 | 36.6% |
| 2. Congenital malformations | 61 | 22.8% |
| 3. Accidents (unintentional injuries) | 23 | 8.6% |
| 15 - 44 Years | | |
| 1. Accidents (unintentional injuries) | 373 | 35.6% |
| 2. Cancer | 185 | 17.7% |
| 3. Suicide | 117 | 11.2% |
| 4. Heart disease | 109 | 10.4% |
| 45 - 64 Years | | |
| 1. Cancer | 1,298 | 39.4% |
| 2. Heart disease | 719 | 21.8% |
| 3. Accidents (unintentional injuries) | 212 | 6.4% |
| 4. Suicide | 117 | 3.6% |
| 5. Chronic liver disease and cirrhosis | 109 | 3.3% |
| 65 - 74 Years | | |
| 1. Cancer | 1,168 | 39.7% |
| 2. Heart disease | 612 | 20.8% |
| 3. Chronic lower respiratory diseases ¹ | 180 | 6.1% |
| 4. Stroke (cerebrovascular diseases) | 145 | 4.9% |
| 5. Diabetes | 96 | 3.3% |
| 75+ Years | | |
| 1. Heart disease | 2,760 | 28.4% |
| 2. Cancer | 1,922 | 19.8% |
| 3. Stroke | 730 | 7.5% |
| 4. Chronic lower respiratory diseases ¹ | 591 | 6.1% |
| 5. Alzheimer's disease | 492 | 5.1% |

¹Previously known as chronic obstructive pulmonary disease (COPD).
Source: National Center for Health Statistics, Division of Vital Statistics,
CDC WONDER Online Database

Table 9.20
MCHENRY COUNTY
PERCENT OF DEATHS FOR LEADING CAUSES: 1999-2001 AND 2008-2010

| Cause | 2008-2010 | | 1999-2001 | |
|---|-----------|---------|-----------|---------|
| | Number | Percent | Number | Percent |
| All Causes | 5,450 | 100.0% | 4,576 | 100.0% |
| Cancer (malignant neoplasms) | 1,444 | 26.5% | 1,197 | 26.2% |
| Heart disease | 1,215 | 22.3% | 1,273 | 27.8% |
| Chronic lower respiratory diseases ¹ | 309 | 5.7% | 206 | 4.5% |
| Stroke (cerebrovascular diseases) | 272 | 5.0% | 308 | 6.7% |
| Accidents (unintentional injuries) | 257 | 4.7% | 233 | 5.1% |
| Alzheimer's disease | 164 | 3.0% | 90 | 2.0% |
| Diabetes mellitus | 153 | 2.8% | 132 | 2.9% |
| Pneumonia & influenza | 105 | 1.9% | 105 | 2.3% |
| Suicide | 101 | 1.9% | 54 | 1.2% |
| Nephritis, nephrotic syndrome, & nephrosis | 95 | 1.7% | 58 | 1.3% |
| Chronic liver disease & cirrhosis | 82 | 1.5% | 49 | 1.1% |
| Hypertension & hypertensive renal | 78 | 1.4% | 48 | 1.0% |
| Septicemia | 68 | 1.2% | 62 | 1.4% |
| Parkinson's disease | 64 | 1.2% | 31 | 0.7% |
| Pneumonitis | 36 | 0.7% | 22 | 0.5% |
| Congenital malformations | 30 | 0.6% | 31 | 0.7% |
| Perinatal conditions | 27 | 0.5% | 29 | 0.6% |
| Aortic aneurysm & dissection | 26 | 0.5% | 39 | 0.9% |
| All other causes | 924 | 16.9% | 609 | 13.3% |

¹Previously known as chronic obstructive pulmonary disease (COPD).

Source: National Center for Health Statistics, Division of Vital Statistics,
CDC WONDER Online Database

Table 9.21
MCHENRY COUNTY
AVERAGE ANNUAL DEATH RATES BY CAUSE: 1999-2001 AND 2008-2010

| Cause | Average Annual Rate Per 100,000 ¹ | |
|---|---|-----------|
| | 2008-2010 | 1999-2001 |
| All Causes | 589.8 | 584.3 |
| Cancer (malignant neoplasms) | 156.3 | 152.8 |
| Heart disease | 131.5 | 162.5 |
| Chronic lower respiratory diseases ² | 33.4 | 26.3 |
| Stroke (cerebrovascular diseases) | 29.4 | 39.3 |
| Accidents (unintentional injuries) | 27.8 | 29.8 |
| Alzheimer's disease | 17.7 | 11.5 |
| Diabetes mellitus | 16.6 | 16.9 |
| Pneumonia & influenza | 11.4 | 13.4 |
| Suicide | 10.9 | 6.9 |
| Nephritis, nephrotic syndrome, & nephrosis | 10.3 | 7.4 |
| Chronic liver disease & cirrhosis | 8.9 | 6.3 |
| Septicemia | 7.4 | 7.9 |
| Parkinson's disease | 6.9 | 4.0 |

¹Not age-adjusted.

²Previously known as chronic obstructive pulmonary disease (COPD).

Source: National Center for Health Statistics, Division of Vital Statistics,
CDC WONDER Online Database

Table 9.22
MCHENRY COUNTY
BIRTH:DEATH INDEX: 1980-2012

| Year | Births | Deaths | Birth:Death Index |
|-------------------|--------|--------|-------------------|
| 2012 ¹ | 3,248 | 1,957 | 1.66 |
| 2011 ¹ | 3,363 | 1,891 | 1.78 |
| 2010 | 3,432 | 1,870 | 1.84 |
| 2009 | 3,723 | 1,713 | 2.17 |
| 2008 | 3,822 | 1,867 | 2.05 |
| 2007 | 4,120 | 1,820 | 2.26 |
| 2006 | 4,231 | 1,794 | 2.36 |
| 2005 | 4,239 | 1,709 | 2.48 |
| 2004 | 4,378 | 1,662 | 2.63 |
| 2003 | 4,156 | 1,706 | 2.44 |
| 2002 | 4,200 | 1,625 | 2.58 |
| 2001 | 4,125 | 1,507 | 2.74 |
| 2000 | 4,056 | 1,521 | 2.67 |
| 1999 | 4,016 | 1,548 | 2.59 |
| 1998 | 3,822 | 1,485 | 2.57 |
| 1997 | 3,836 | 1,440 | 2.66 |
| 1996 | 3,894 | 1,445 | 2.69 |
| 1995 | 3,824 | 1,382 | 2.77 |
| 1994 | 3,684 | 1,370 | 2.69 |
| 1993 | 3,453 | 1,337 | 2.58 |
| 1992 | 3,385 | 1,237 | 2.74 |
| 1991 | 3,246 | 1,305 | 2.49 |
| 1990 | 3,365 | 1,160 | 2.90 |
| 1985 | 2,512 | 1,137 | 2.21 |
| 1980 | 2,435 | 1,035 | 2.35 |

¹Provisional data for deaths.

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database for births 2003-2012 & deaths 1999-2010; Illinois Department of Public Health for births 1980-2002 & deaths 1980-1998, 2011-2012

Table 9.23
MCHENRY COUNTY, ILLINOIS, AND U.S.
SUICIDE DEATHS: 1995-2010

| Year | McHenry County | | Illinois Rate Per 100,000 | U.S. Rate Per 100,000 |
|------|--------------------|---------------------|---------------------------------|-----------------------------|
| | Number Suicides | Rate Per 100,000 | | |
| 2010 | 41 | 13.3 | 9.2 | 12.4 |
| 2009 | 36 | 11.7 | 9.2 | 12.0 |
| 2008 | 24 | 7.8 | 9.4 | 11.8 |
| 2007 | 31 | 10.2 | 8.7 | 11.5 |
| 2006 | 24 | 8.0 | 8.0 | 11.1 |
| 2005 | 25 | 8.5 | 8.6 | 11.0 |
| 2004 | 22 | 7.6 | 8.1 | 11.1 |
| 2003 | 14 | 5.0 | 8.0 | 10.8 |
| 2002 | 18 | 6.6 | 9.1 | 11.0 |
| 2001 | 21 | 7.8 | 9.1 | 10.7 |
| 2000 | 19 | 7.3 | 8.1 | 10.4 |
| 1999 | 14 | 5.5 | 8.3 | 10.5 |
| 1998 | 26 | 10.5 | 8.4 | 11.1 |
| 1997 | 15 | 6.2 | 7.4 | 11.2 |
| 1996 | 27 | 11.4 | 8.8 | 11.5 |
| 1995 | 19 | 8.3 | 9.3 | 11.7 |

Note: CDC considers rates based on fewer than 20 deaths unreliable.

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database

Table 9.24
MCHENRY COUNTY
SUICIDE DEATHS BY INJURY MECHANISM: 1999-2010

| Injury Mechanism | Number | Percent |
|--------------------|--------|---------|
| All Suicide Deaths | 289 | 100.0% |
| Firearm | 105 | 36.3% |
| Suffocation | 79 | 27.3% |
| Poisoning | 72 | 24.9% |
| Other | 33 | 11.4% |

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database

Table 9.25
MCHENRY COUNTY, ILLINOIS, AND U.S.
SUICIDE DEATHS BY AGE GROUP: 1999-2010

| Age Group (years) | McHenry County | | Illinois Rate Per 100,000 | U.S. Rate Per 100,000 |
|-----------------------|----------------|------------------|---------------------------|-----------------------|
| | Number Deaths | Rate Per 100,000 | | |
| All Ages ¹ | 289 | 8.4 | 8.7 | 11.2 |
| 15 - 19 | 13 | 5.1 | 6.1 | 7.5 |
| 20 - 24 | 20 | 11.8 | 10.0 | 12.5 |
| 25 - 34 | 44 | 10.3 | 10.0 | 12.9 |
| 35 - 44 | 58 | 9.5 | 12.2 | 15.2 |
| 45 - 54 | 82 | 15.4 | 12.7 | 16.8 |
| 55 - 64 | 45 | 13.9 | 11.5 | 14.5 |
| 65 - 74 | 12 | 7.0 | 9.8 | 13.0 |
| 75 - 84 | 10 | 10.1 | 12.0 | 16.7 |

¹For McHenry County, includes five suicide deaths to persons in age groups not shown here. CDC suppresses data for fewer than 10 deaths per age group.

Note: CDC considers rates based on fewer than 20 deaths unreliable.

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database

Table 9.26
MCHENRY COUNTY, ILLINOIS, AND U.S.
DRUG OVERDOSE DEATHS¹: 1999-2010

| Year | McHenry County | | Illinois Rate ² | U.S. Rate ² |
|------|----------------|-------------------|----------------------------|------------------------|
| | Number | Rate ² | | |
| 2010 | 40 | 13.0 | 10.0 | 12.4 |
| 2009 | 39 | 12.7 | 10.8 | 12.1 |
| 2008 | 29 | 9.4 | 10.6 | 12.0 |
| 2007 | 24 | 7.9 | 9.4 | 12.0 |
| 2006 | 21 | 7.0 | 10.8 | 11.5 |
| 2005 | 23 | 7.8 | 8.5 | 10.1 |
| 2004 | 21 | 7.3 | 8.2 | 9.4 |
| 2003 | 16 | 5.7 | 6.7 | 8.9 |
| 2002 | 16 | 5.8 | 7.9 | 8.2 |
| 2001 | 16 | 6.0 | 7.1 | 6.8 |
| 2000 | 18 | 6.9 | 7.0 | 6.2 |
| 1999 | 14 | 5.5 | 6.7 | 6.0 |

¹Includes ICD-10 codes X40-X44, X60-X64, X85, and Y10-Y14.

²Rate per 100,000 population. Not age-adjusted.

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database

Table 9.27
MCHENRY COUNTY, ILLINOIS, AND U.S.
DRUG OVERDOSE DEATHS¹ BY SELECTED AGE GROUPS: 1999-2010

| Age Group (years) | McHenry County | | Illinois Rate ² | U.S. Rate ² |
|-------------------|----------------|-------------------|----------------------------|------------------------|
| | Number | Rate ² | | |
| Total | 277 | 8.0 | 8.7 | 9.7 |
| 15 - 24 | 42 | 9.9 | 6.7 | 6.4 |
| 25 - 34 | 70 | 16.4 | 12.4 | 13.1 |
| 35 - 44 | 63 | 10.3 | 17.7 | 18.7 |
| 45 - 54 | 76 | 14.3 | 16.8 | 19.9 |
| 55 - 64 | 16 | 5.0 | 6.8 | 9.4 |
| 65+ | 10 | 3.3 | 2.5 | 3.4 |

¹Includes ICD-10 codes X40-X44, X60-X64, X85, and Y10-Y14.

²Rate per 100,000 population. Not age-adjusted.

Source: National Center for Health Statistics, Division of Vital Statistics, CDC WONDER Online Database

Figure 9.1
McHenry County
Deaths: 1995-2012




Figure 9.2
McHenry County, Illinois, and U.S.
Death Rate: 1995-2012




Figure 9.3
McHenry County
Deaths by Cause: 2008-2010




Figure 9.4
McHenry County
Cancer Deaths by Type: 2008-2010




Figure 9.5
 McHenry County
 Accidental Deaths by Type of Accident: 2008-2010




Figure 9.6
 McHenry County, Illinois, and U.S.
 Drug and Alcohol Induced Deaths: 1999-2010




Figure 9.7
 McHenry County
 Drug and Alcohol Induced Deaths by Type: 2007-2010




Figure 9.8
 McHenry County, Illinois, and U.S.
 Age-Adjusted Death Rates For Top Six Causes: 2008-2010




Figure 9.9
 McHenry County, Illinois, and U.S.
 Age-Adjusted Death Rates by Hispanic Origin: 2010




Figure 9.10
 McHenry County
 Percent of Deaths Before Age 65 by Hispanic Origin: 2006-2010




Figure 9.11
 McHenry County
 Average Annual Death Rates
 For Top Six Causes: 1999-2001 and 2008-2010




Figure 9.12
 McHenry County, Illinois, and U.S.
 Suicide Death Rate: 1995-2010




Figure 9.13
 McHenry County, Illinois, and U.S.
 Drug Overdose Death Rate: 1999-2010





Figure 9.14
 McHenry County
 Drug Overdose Death Rates by Age Group: 1999-2010



Chapter 10
HEALTH STATUS AND BEHAVIORS

| | <u>Table (Figure)</u> |
|---|---------------------------|
| ○ McHenry County's 2007-2011 age-adjusted cancer incidence rate at 494.5 per 100,000 population is above the state (489.4) as is the rate for county females at 457.2 (Illinois 441.3), though differences are not statistically significant. The male rate at 549.4 per 100,000 falls below the state (560.6), also not a statistically significant difference. Cancer occurs 20% more often in the county's men than women. | 10.1 |
| ○ Several cancer sites are statistically lower in McHenry County than statewide: liver (male), prostate (male), and breast in situ (female). Four sites are statistically higher in the county than the state: melanoma of the skin (total), ovary (female), urinary bladder including in situ (total), and other sites (total). | 10.2 |
| ○ In the five-year period 2007-2011 for both genders combined, lung/bronchus cancer occurs at the highest age-adjusted rate of 71.0 per 100,000 population with 939 cases. Because they are gender-specific, two other cancers produce higher rates: invasive breast (1,062 cases, 131.3 per 100,000 females) and prostate (895 cases, 132.0 per 100,000 males). | 10.3 |
| ○ McHenry County has witnessed a rise in chlamydia over the past five years with 484 cases reported in 2012 (157.1 per 100,000), record highs for number and rate, though the county's rate was still far below Illinois (525.8). In 2012, 39 cases of gonorrhea were reported for a rate of 12.7 per 100,000, well below Illinois (141.0), but the most cases since 2007. | 10.4 (10.1) (10.2) |
| ○ In McHenry County, three AIDS cases were diagnosed in 2011 for a cumulative total of 72 living cases. Human immunodeficiency virus (HIV) disease had five reported cases and 51 living. The 2005-2011 rates for AIDS at 1.5 per 100,000 and HIV at 2.5 fall far below state rates. | 10.5 |
| ○ Pertussis (whooping cough) led among the county's reportable communicable diseases in 2013 accounting for 76 cases, followed by Hepatitis C (55), salmonella (40), chickenpox (38), and tick-borne Lyme (37). | 10.6 |
| ○ Of the 2,906 McHenry County children tested in 2011 for elevated blood lead levels, 6 or 0.2% showed blood lead levels of 10 or more micrograms per deciliter. | 10.7 |
| ○ Past month alcohol use for McHenry County 6 th , 8 th , 10 th , and 12 th graders in 2012 stood at 6%, 17%, 31%, and 48%, respectively. Cigarette use is considerably lower, 1% of 6 th , 6% 8 th , 11% 10 th , and 17% of 12 th graders. | 10.8 (10.3) |
| ○ In 2012 nearly three in ten (27%) McHenry County 12 th graders, along with one in five (19%) 10 th graders reported smoking marijuana in the past month. The level among 8 th graders was 8% and 0% among 6 th graders. | 10.8 (10.3) |
| ○ For the most part, past year use rates of other illegal drugs among McHenry County students in 2012 are low, though cocaine/crack use stood at 3% for 12 th graders and 5% of seniors used hallucinogens/psychedelics. | 10.9 |

- Inhalant use in the past month for 2012 is more common among McHenry County junior high/middle school students (4% 6th, 5% 8th) than older students (1% 10th and 12th). 10.9
- For 2012, past month prescription drug use (including drugs not prescribed for the student) is higher among the county's 12th (6%) and 10th (5%) graders than 8th graders (2%). 10.9
- For 2012, three in ten (30%) high school seniors reported binge drinking (5+ drinks in a row) in the past two weeks, far more than for 10th graders (16%), 8th graders (6%), and 6th graders (2%). 10.9 (10.4)
- Based on 2012 data, the county's middle school/junior high students report more bullying through calling names (46% 6th, 50% 8th) than high school students (33% 10th, 22% 12th). The 8th grade level is much higher than the state. 10.10 (10.5)
- Bullying via hitting, punching, kicking is reported by 23% of 6th and 8th graders in the county, but fewer 10th (10%) and 12th (6%) graders for 2012. The county's 8th grade level is nearly twice the statewide level. 10.10 (10.5)
- Three in ten (30%) 8th graders in the county report bullying by another student through spreading rumors on the Internet or by text message during 2012, higher than for 10th (24%), 6th (22%), and 12th (18%) graders. All grades are higher than the state with 6th not reported for state. 10.10 (10.5)
- One-quarter of county 6th (27%) and 8th (26%) graders say another student threatened to hurt them, above levels for 10th (17%) and 12th (11%) graders. The 8th and 10th grade levels are above the state. 10.10 (10.5)
- Younger students are also more likely to report bullying or harassment because of their appearance or a disability (48% 6th, 51% 8th, 30% 10th, 20% 12th). The 8th grade level is much higher than the state. 10.10
- County youth in a dating relationship during 2012 report dating aggression at similar levels to the state for partner slapped/kicked/punched/hit (7% 8th, 6% 10th, 8% 12th) and partner tried to control by texting all the time (15% 10th, 16% 12th). 10.10
- For 2012, one-third (35%) of county 8th graders report being in a physical fight in the past year, dropping to 25% for 10th graders and 18% for 12th graders. County fighting levels for all grades are below the state with 6th graders not reported for state. 10.11
- Similar proportions of county youth report carrying a weapon at school over the past year (15% 8th, 13% 10th, 12% 12th). 10.11 (10.6)
- One in eleven (9%) 12th graders report selling illegal drugs in the past year, similar to 10th graders (8%), but higher than 8th graders (2%). 10.11
- More than one in seven (15%) county seniors report being drunk or high at school in the past year, above levels for both 10th (11%) and 8th (6%), based on 2012 data. 10.11 (10.6)

- For 2012, McHenry County high school students report past year gambling at 44% for 10th graders and 46% for 12th graders, about the same as statewide. 10.11
- Nearly one-quarter (23%) of county 12th graders report past year driving after using marijuana or another illegal drug and 15% report driving after drinking alcohol, based on 2012 data. Rates fall to half for 10th graders (11% after drugs, 6% after drinking). 10.11 (10.6)
- Nearly one in six (16%) McHenry County 10th graders and 13% of 12th graders said they had seriously considered attempting suicide in the past year. Three in ten (30%) 8th graders felt so sad or hopeless almost every day for two weeks or more that they stopped doing usual activities, slightly higher than levels for 10th (28%) and 12th (24%) graders. 10.12 (10.7)
- Based on national prevalence rates in *National Survey on Drug Use and Health: 2012*, 23,497 McHenry County residents ages 12 years and older have used illicit drugs in the past month. Most use marijuana, an estimated 18,644 local persons, while 8,684 use illicit drugs other than marijuana, with non-medical use of psychotherapeutic medications being the leading category of drug use. 10.13
- Among legal substances, alcohol is most often used followed by tobacco. An estimated 133,064 McHenry County residents have consumed alcohol in the past month and 16,601 are heavy alcohol users. An estimated 56,444 county residents have smoked cigarettes in the past 30 days. These county figures are based on national prevalence rates. 10.13
- Illicit drug use varies by race, with blacks more likely to have used these in the past month (11.3% among ages 12+) versus whites (9.2%) and Hispanics (8.3%), according to national proportions. Past month alcohol use is highest for whites (57.4%), followed by blacks (43.2%), Hispanics (41.8%), and Asians (36.9%). 10.14
- Gender differences also exist related to drug and alcohol use with males much more likely to have used an illegal drug (11.6% of ages 12+) than females (6.9%) and to have used alcohol (males 56.5%, females 47.9%). 10.15
- During 2012, DUI arrests in McHenry County totaled 892 for a rate of 374.9 per 100,000 population ages 16+, a rate slightly above Illinois. The number of arrests represents a drop from 2010 and 2011. 10.16
- Based on Substance Abuse and Mental Health Services Administration (SAMHSA) 2012 national prevalence rates, nearly one in five (18.6%) or an estimated 41,773 McHenry County residents 18 years and older have been affected by a mental illness in the past year. Serious mental illness affected nearly one in 20 (4.1%, 9,208 adults), while mental illness co-occurring with substance abuse affected 3.6% (8,085). Males are more likely to suffer from mental illness than females as are individuals living below the poverty level compared to persons 200% or more above poverty. 10.17
- Synthetic estimates also are produced for physical ailments. The two most commonly reported conditions are chronic joint symptoms and lower back pain, each affecting about 65,000 adults in the county. Lower back pain is most common among ages 45+ and joint symptoms among ages 75+. 10.18

- One in thirteen (7.6%) local residents ages five and older report a disability, below the state (10.3%) and nation (12.0%). Among ages 5-17 with 3.1% reporting a disability, cognitive difficulty is most common (2.3%). One in fifteen (6.3%) ages 18-64 report a disability, most frequently ambulatory (3.1%), while three in ten (29.3%) among 65+ are disabled in some way, most often in ambulation (18.8%). 10.19 (10.8)
- In 2012, reported disability among county residents is slightly higher for females (7.9%) than males (7.4%). Race/ethnic disparities exist such that disability affects blacks (8.9%) and white, non-Hispanics (8.2%) more often than two or more races (5.3%), Asians (4.8%), or Hispanics (4.1%). 10.20
- For the most recent school year, 17.1% of kindergarten students had untreated dental caries, a level that has remained virtually the same since 2006/07. Fewer than 1% of kindergarteners needed urgent treatment in 2011/12, the lowest proportion in six years. 10.21 (10.9)
- Four in ten (39.8%) second grade students had dental sealants on their first molars, a six-year high. One in five (18.8%) showed untreated dental caries, a fairly consistent proportion since 2006/07. Only a handful (1.1%) of 2011/12 second graders needed urgent dental treatment, holding almost steady during the past six years. 10.22 (10.9)
- Two-thirds (65.4%) of sixth graders had dental sealants on their molars in 2011/12, another six-year high. One in nine (11.8%) reported untreated dental caries and only 0.3% needed urgent follow-up dental care. 10.23 (10.9)
- The remaining four tables in Chapter 10 cover health behavior data collected in the Illinois County Behavioral Risk Factor Survey (ICBRFS) which are repeated from the 2010 study since new data are not yet available. Illinois Department of Public Health will be gathering data using the ICBRFS in McHenry County during 2014 with results to be released second quarter of 2015. 10.24-10.27

Table 10.1
MCHENRY COUNTY AND ILLINOIS
AVERAGE ANNUAL CANCER INCIDENCE ALL SITES: 2007-2011

| Area | Age-Adjusted Rate Per 100,000 Population | | |
|----------------|---|--------|--------|
| | Total | Gender | |
| | | Male | Female |
| McHenry County | 494.5 | 549.4 | 457.2 |
| Illinois | 489.4 | 560.6 | 441.3 |

Source: Illinois Department of Public Health, Illinois
County Cancer Statistics Review Incidence,
2007-2011, March 2014

Table 10.2
MCHENRY COUNTY
CANCER INCIDENCE RATES THAT VARY
SIGNIFICANTLY FROM STATE: 2007-2011

| Cancer Site | Age-Adjusted Rate Per 100,000 | | Comparison |
|---|----------------------------------|----------|------------|
| | McHenry County | Illinois | |
| Total Melanoma of the Skin | 20.7 | 17.5 | High |
| Ovary (female) | 15.6 | 12.4 | High |
| Liver (male) | 6.6 | 9.4 | Low |
| Prostate (male) | 132.0 | 149.4 | Low |
| Total Urinary Bladder (includes in situ) | 25.9 | 22.2 | High |
| Breast in situ (female) | 24.1 | 33.6 | Low |
| Total All Other Sites | 61.0 | 55.6 | High |

Source: Illinois Department of Public Health, Illinois County Cancer
Statistics Review Incidence 2007-2011, March 2014

Table 10.3
MCHENRY COUNTY AND ILLINOIS
AGE-ADJUSTED AVERAGE ANNUAL CANCER INCIDENCE¹ BY SITE: 2007-2011

| Cancer Site | McHenry County Total | | Illinois Total Rate | McHenry County Male | | Illinois Male Rate | McHenry County Female | | Illinois Female Rate |
|--------------------------------|----------------------|-------|---------------------|---------------------|-------|--------------------|-----------------------|-------|----------------------|
| | Number | Rate | | Number | Rate | | Number | Rate | |
| All sites | 7,056 | 494.5 | 489.4 | 3,507 | 549.4 | 560.6 | 3,549 | 457.2 | 441.3 |
| Oral cavity and pharynx | 157 | 10.7 | 11.6 | 104 | 14.8 | 17.5 | 53 | 7.0 | 6.6 |
| Esophagus | 54 | 4.0 | 5.2 | 43 | 7.2 | 9.1 | 11 | 1.4 | 2.1 |
| Stomach | 93 | 6.8 | 7.6 | 52 | 8.9 | 10.5 | 41 | 5.3 | 5.4 |
| Colon and rectum | 622 | 45.4 | 48.6 | 328 | 53.1 | 57.2 | 294 | 39.4 | 41.9 |
| Liver | 67 | 4.7 | 5.9 | 44 | 6.6 | 9.4 | 23 | 3.1 | 2.9 |
| Pancreas | 184 | 13.3 | 13.1 | 96 | 14.9 | 15.0 | 88 | 11.5 | 11.5 |
| Lung and bronchus | 939 | 71.0 | 70.6 | 486 | 82.3 | 84.9 | 453 | 62.5 | 60.4 |
| Bones and joints | 12 | 0.8 | 0.8 | 7 | 0.9 | 0.9 | 5 | 0.7 | 0.7 |
| Melanoma of the skin | 309 | 20.7 | 17.5 | 170 | 25.0 | 21.9 | 139 | 17.5 | 14.6 |
| Breast - invasive only | 1,068 | 69.7 | 69.2 | 6 | 1.0 | 1.3 | 1,062 | 131.3 | 127.4 |
| Cervix | --- | --- | --- | --- | --- | --- | 54 | 6.7 | 8.4 |
| Corpus and uterus, NOS | --- | --- | --- | --- | --- | --- | 247 | 29.2 | 28.2 |
| Ovary | --- | --- | --- | --- | --- | --- | 122 | 15.6 | 12.4 |
| Prostate | --- | --- | --- | 895 | 132.0 | 149.4 | --- | --- | --- |
| Testis | --- | --- | --- | 54 | 7.3 | 5.6 | --- | --- | --- |
| Urinary bladder (incl in situ) | 340 | 25.9 | 22.2 | 257 | 45.1 | 39.3 | 83 | 11.3 | 9.8 |
| Kidney and renal pelvis | 283 | 19.4 | 17.3 | 183 | 27.1 | 23.0 | 100 | 13.1 | 12.5 |
| Brain and nervous system | 114 | 7.6 | 6.6 | 63 | 8.1 | 7.6 | 51 | 6.9 | 5.7 |
| Hodgkin's disease | 51 | 3.5 | 2.9 | 24 | 3.2 | 3.3 | 27 | 3.7 | 2.6 |
| Non-Hodgkin's lymphomas | 290 | 19.9 | 19.7 | 173 | 26.3 | 23.9 | 117 | 14.7 | 16.6 |
| Myeloma | 73 | 5.5 | 6.0 | 41 | 7.3 | 7.5 | 32 | 4.2 | 4.9 |
| Leukemias | 171 | 12.7 | 13.0 | 96 | 16.0 | 16.9 | 75 | 10.1 | 10.0 |
| All other sites | 857 | 61.0 | 55.6 | 385 | 62.3 | 56.2 | 472 | 62.0 | 56.7 |
| Breast in situ (not in total) | --- | --- | --- | --- | --- | --- | 207 | 24.1 | 33.6 |

¹Per 100,000 population.

Source: Illinois Department of Public Health, Illinois County Cancer Statistics Review Incidence 2007-2011, March 2014

Table 10.4
MCHENRY COUNTY AND ILLINOIS
SEXUALLY TRANSMITTED DISEASES
NUMBER AND RATE¹ OF CHLAMYDIA AND GONORRHEA: 1990-2012

| Year | Chlamydia | | | | Gonorrhea | | | |
|------|----------------|-------|------------------------|---------------|----------------|------|------------------------|---------------|
| | McHenry County | | IL Except Chicago Rate | Illinois Rate | McHenry County | | IL Except Chicago Rate | Illinois Rate |
| | Number | Rate | | | Number | Rate | | |
| 2012 | 484 | 157.1 | --- | 525.8 | 39 | 12.7 | --- | 141.0 |
| 2011 | 452 | 146.7 | --- | 504.6 | 33 | 10.7 | --- | 132.4 |
| 2010 | 394 | 127.6 | --- | 472.9 | 29 | 9.4 | --- | 123.0 |
| 2009 | 338 | 130.0 | 354.4 | 487.5 | 35 | 13.5 | 94.0 | 160.7 |
| 2008 | 317 | 121.9 | 353.9 | 476.4 | 25 | 9.6 | 106.7 | 166.5 |
| 2007 | 358 | 137.7 | 349.6 | 446.6 | 46 | 17.7 | 120.0 | 167.6 |
| 2006 | 290 | 111.5 | 314.4 | 431.5 | 46 | 17.7 | 108.1 | 162.5 |
| 2005 | 219 | 84.2 | 290.9 | 407.1 | 34 | 13.1 | 106.4 | 161.2 |
| 2004 | 193 | 74.2 | 268.6 | 379.9 | 42 | 16.1 | 101.5 | 165.8 |
| 2003 | 192 | 73.8 | 260.7 | 388.9 | 50 | 19.2 | 101.8 | 175.7 |
| 2002 | 178 | 68.4 | 246.0 | 387.3 | 28 | 10.8 | 107.2 | 193.5 |
| 2001 | 148 | 56.9 | 223.6 | 352.0 | 24 | 9.2 | 101.8 | 193.4 |
| 2000 | 156 | 60.0 | 215.9 | 324.9 | 19 | 7.3 | 104.4 | 199.8 |
| 1999 | 119 | 64.9 | 211.5 | 318.5 | 16 | 8.7 | 103.7 | 211.2 |
| 1998 | 92 | 50.2 | 183.2 | 287.5 | 25 | 13.6 | 96.6 | 196.8 |
| 1997 | 79 | 43.1 | 162.1 | 255.3 | 9 | 4.9 | 83.4 | 170.8 |
| 1996 | 52 | 28.4 | 144.4 | 230.8 | 7 | 3.8 | 81.1 | 169.1 |
| 1995 | 41 | 22.4 | 149.8 | 216.3 | 14 | 7.6 | 105.9 | 179.5 |
| 1994 | 55 | 30.0 | 146.0 | 204.1 | 13 | 7.1 | 112.2 | 214.4 |
| 1993 | 62 | 33.8 | 155.3 | 215.2 | 15 | 8.2 | 107.5 | 232.6 |
| 1992 | 51 | 27.8 | 152.8 | 220.9 | 9 | 4.9 | 125.1 | 256.1 |
| 1991 | 58 | 31.7 | 154.5 | 202.1 | 7 | 3.8 | 141.3 | 295.9 |
| 1990 | 43 | 23.5 | 156.3 | 211.2 | 13 | 7.1 | 159.6 | 334.1 |

¹Cases per 100,000 population.

Note: Rates for 2010-2012 computed using U.S. Census population counts (2010) and estimates (2011-2012).

Sources: Illinois Department of Public Health, Health Statistics for 1990-2009;
Illinois Department of Public Health, IQuery online database for 2010-2012

Table 10.5
MCHENRY COUNTY AND ILLINOIS
AIDS AND HIV CASES: 2011

| Cases | McHenry County | Illinois | |
|--|-------------------|-----------|--------|
| | | Downstate | All |
| AIDS | | | |
| Diagnosed in 2011 | 3 | 133 | 793 |
| Diagnosed since 2005 | 33 | 1,216 | 7,781 |
| Living ¹ | 72 | 2,722 | 18,341 |
| AIDS diagnosis rate per 100,000 (2005-2011) | 1.5 | 3.9 | 8.6 |
| HIV (Non-AIDS) | | | |
| Diagnosed in 2011 | 5 | 269 | 1,519 |
| Diagnosed since 2005 | 56 | 2,052 | 13,284 |
| Living ¹ | 51 | 2,448 | 15,515 |
| HIV diagnosis rate per 100,000 (2005-2011) | 2.5 | 6.6 | 14.7 |

¹As of 12/31/2011.

Source: Illinois Department of Public Health, Illinois AIDS/HIV
Surveillance Reports, December 2011

Table 10.6
MCHENRY COUNTY
REPORTED COMMUNICABLE DISEASES¹: 2010-2013

| Reportable Disease/Condition | 2013 | 2012 | 2011 | 2010 |
|------------------------------|------|------|------|------|
| Chickenpox | 38 | 43 | 38 | 75 |
| Cryptosporidiosis | 7 | 5 | 2 | 5 |
| E. Coli 0157:H7 | 7 | 10 | 8 | 2 |
| Ehrlichiosis – tick-borne | 1 | 1 | 0 | 0 |
| Giardia | 6 | 9 | 10 | 9 |
| Hepatitis A | 2 | 2 | 0 | 2 |
| Hepatitis B | 7 | 17 | 13 | 19 |
| Hepatitis C | 55 | 55 | 72 | 69 |
| Lyme – tick-borne | 37 | 39 | 19 | 6 |
| Pertussis (whooping cough) | 76 | 299 | 165 | 9 |
| RMSF – tick-borne | 2 | 1 | 0 | 0 |
| Salmonella | 40 | 47 | 34 | 36 |
| Syphilis | 3 | 5 | 10 | 0 |
| Tuberculosis | 2 | 1 | 4 | 2 |
| West Nile fever | 1 | 5 | 1 | 1 |
| West Nile meningitis | 1 | 1 | 0 | 0 |

¹Except sexually transmitted diseases and HIV/AIDS.

Source: McHenry County Health Department Annual Reports

Table 10.7
MCHENRY COUNTY
CHILDHOOD BLOOD LEAD LEVELS: 1997-2011

| Year | Number Tested | Levels (mcg/dL) ¹ | | | | 10+ Number | Percent of Tested |
|-------------------------------------|---------------|------------------------------|-------|-------|-----|------------|-------------------|
| | | 10-14 | 15-19 | 20-24 | 25+ | | |
| 2011 | 2,906 | 4 | 0 | 1 | 1 | 6 | 0.2% |
| 2010 | 2,737 | 6 | 2 | 1 | 3 | 12 | 0.4% |
| 2009 | 2,596 | 7 | 2 | 1 | 0 | 10 | 0.4% |
| 2008 | 2,439 | 12 | 2 | 4 | 0 | 18 | 0.7% |
| LEAD LEVEL CATEGORIES CHANGE | | | | | | | |
| Year | Number Tested | Levels (mcg/dL) ¹ | | | | 10+ Number | Percent of Tested |
| | | 10-14 | 15-19 | 20-44 | 45+ | | |
| 2007 | 2,709 | 11 | 5 | 7 | 0 | 23 | 0.4% |
| 2006 | 2,294 | 16 | 5 | 1 | 1 | 23 | 0.3% |
| 2005 | 1,756 | 10 | 4 | 5 | 0 | 19 | 0.5% |
| 2004 | 1,734 | 16 | 3 | 2 | 0 | 21 | 0.3% |
| 2003 | 1,600 | 32 | 8 | 1 | 0 | 41 | 0.6% |
| 2002 | 1,668 | 27 | 8 | 4 | 0 | 39 | 0.7% |
| 2001 | 1,353 | 33 | 11 | 8 | 1 | 53 | 1.5% |
| 2000 | 1,059 | 31 | 8 | 2 | 0 | 41 | 0.9% |
| 1999 | 925 | 28 | 9 | 5 | 2 | 44 | 1.7% |
| 1998 | 946 | 50 | 8 | 12 | 1 | 71 | 7.5% |
| 1997 | 1,299 | 67 | 18 | 25 | 1 | 111 | 8.5% |

¹Blood lead levels are measured in micrograms per deciliter (mcg/dL).

Note: Illinois law requires that children 6 months through 6 years of age who live in high-risk areas be tested before attending a licensed day care, school, or kindergarten.

Source: Illinois Department of Public Health, Division of Environmental Health, Childhood Lead Poisoning Surveillance and Illinois Lead Program Annual Surveillance Reports

About the Illinois Youth Survey for McHenry County and Illinois

- Participation in Illinois Youth Survey (IYS) is voluntary. In 2012, 12 of 14 eligible public high schools in McHenry County participated as did 7 of 19 elementary/middle schools. One private school participated. Schools are listed below.
- Statewide sixth grade levels were not released because the Chicago Public Schools Research Review Board did not permit sixth graders to be surveyed in their district. Chicago is an important segment of the state's random sample.

Participating Schools in McHenry County by School District

| | | |
|---|--|--|
| CHSD 155 Cary-Grove Comm. HS Crystal Lake Central HS Crystal Lake South HS Prairie Ridge HS | Harvard CUSD 50 Harvard HS Harvard Jr. High School | McHenry CHSD 156 McHenry East HS McHenry HS–West Campus |
| Cons SD 158 Huntley HS | Johnsburg CUSD 12 Johnsburg HS Johnsburg Jr. High School | Woodstock CUSD 200 Clay Academy Creekside MS Northwood MS |
| Harrison SD 36 Harrison Elementary School | Marengo CHSD 154 Marengo HS | Woodstock HS Woodstock North HS |
| Norwood ESD 63 Norwood Elementary School | Marengo-Union E Cons D 165 Marengo Comm. MS | Private Immanuel Lutheran School |

Table 10.8
MCHENRY COUNTY AND ILLINOIS
PAST MONTH YOUTH SUBSTANCE USE BY GRADE LEVEL: 2010 AND 2012

| Substance/ Grade Level | Percent Use Past Month | | |
|---------------------------|------------------------|------|------------------|
| | McHenry County | | Illinois 2012 |
| | 2012 | 2010 | |
| Alcohol | | | |
| 6 th | 6% | 8% | --- |
| 8 th | 17% | 18% | 19.4% |
| 10 th | 31% | 33% | 33.2% |
| 12 th | 48% | 50% | 46.8% |
| Cigarettes | | | |
| 6 th | 1% | 1% | --- |
| 8 th | 6% | 5% | 4.6% |
| 10 th | 11% | 12% | 8.8% |
| 12 th | 17% | 19% | 16.3% |
| Marijuana | | | |
| 6 th | 0% | 1% | --- |
| 8 th | 8% | 8% | 8.5% |
| 10 th | 19% | 17% | 19.8% |
| 12 th | 27% | 24% | 26.8% |

Source: Illinois Youth Survey, Center for Prevention Research and Development at University of Illinois

Table 10.9
MCHENRY COUNTY AND ILLINOIS
YOUTH USE OF SELECTED SUBSTANCES BY GRADE LEVEL: 2012

| Substance/Grade Level | Percent Use Past Year | |
|-------------------------------------|---|----------|
| | McHenry County | Illinois |
| Cocaine/crack | | |
| 8 th | 1% | 1.1% |
| 10 th | 2% | 1.3% |
| 12 th | 3% | 3.4% |
| Hallucinogens, Psychedelics (LSD) | | |
| 8 th | 1% | 0.7% |
| 10 th | 3% | 1.5% |
| 12 th | 5% | 4.4% |
| | Percent Reporting Use During Past Month | |
| Inhalants | | |
| 6 th | 4% | --- |
| 8 th | 5% | 3.0% |
| 10 th | 1% | 2.2% |
| 12 th | 1% | 2.0% |
| Prescription Drugs | | |
| 8 th | 2% | 1.5% |
| 10 th | 5% | 3.7% |
| 12 th | 6% | 5.5% |
| | Percent Reporting Use During Past Two Weeks | |
| Binge Drinking (5+ drinks in a row) | | |
| 6 th | 2% | --- |
| 8 th | 6% | 6.8% |
| 10 th | 16% | 16.6% |
| 12 th | 30% | 30.5% |

Source: Illinois Youth Survey, Center for Prevention
Research and Development at University of Illinois

Table 10.10
MCHENRY COUNTY AND ILLINOIS
BULLYING AND DATING BEHAVIORS BY GRADE LEVEL: 2012

| Past Year Behavior | McHenry County | | | | Illinois | | | |
|--|-----------------|-----------------|------------------|------------------|-----------------|-----------------|------------------|------------------|
| | 6 th | 8 th | 10 th | 12 th | 6 th | 8 th | 10 th | 12 th |
| Another student has bullied you by... | | | | | | | | |
| Calling you names | 46% | 50% | 33% | 22% | --- | 37% | 27% | 21% |
| Hitting, punching, kicking or pushing you | 23% | 23% | 10% | 6% | --- | 13% | 10% | 7% |
| Spreading rumors about you on Internet or by text message | 22% | 30% | 24% | 18% | --- | 21% | 19% | 16% |
| Threatened to hurt you | 27% | 26% | 17% | 11% | --- | 19% | 15% | 13% |
| Have been bullied or harassed because of your appearance or a disability | 48% | 51% | 30% | 20% | --- | 41% | 22% | 19% |
| Someone in a dating relationship has... | | | | | | | | |
| Slapped, kicked, punched, hit or threatened you | --- | 7% | 6% | 8% | --- | 6% | 7% | 10% |
| Tried to control you by texting all the time | --- | --- | 15% | 16% | --- | --- | 15% | 17% |

Source: Illinois Youth Survey, Center for Prevention Research and Development at University of Illinois

Table 10.11
MCHENRY COUNTY AND ILLINOIS
YOUTH DELINQUENT AND RISKY BEHAVIORS BY GRADE LEVEL: 2012

| Past Year Behavior | McHenry County | | | Illinois | | |
|---|-----------------|------------------|------------------|-----------------|------------------|------------------|
| | 8 th | 10 th | 12 th | 8 th | 10 th | 12 th |
| Been in a physical fight | 35% | 25% | 18% | 36% | 31% | 24% |
| Carried weapon | 15% | 13% | 12% | 15% | 14% | 15% |
| Sold illegal drugs | 2% | 8% | 9% | 4% | 8% | 9% |
| Been drunk or high at school | 6% | 11% | 15% | 8% | 13% | 18% |
| Gambled | --- | 44% | 46% | --- | 44% | 45% |
| Drove when had been drinking | --- | 6% | 15% | --- | 7% | 18% |
| Drove when had been using marijuana or other illegal drug | --- | 11% | 23% | --- | 11% | 21% |

Source: Illinois Youth Survey, Center for Prevention Research and Development at University of Illinois

Table 10.12
MCHENRY COUNTY AND ILLINOIS
YOUTH MENTAL HEALTH BY GRADE LEVEL: 2012

| Past Year Behavior | McHenry County | | | Illinois | | |
|--|-----------------|------------------|------------------|-----------------|------------------|------------------|
| | 8 th | 10 th | 12 th | 8 th | 10 th | 12 th |
| Seriously considered attempting suicide | --- | 16% | 13% | --- | 15% | 12% |
| Felt so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities | 30% | 28% | 24% | 28% | 29% | 25% |

Source: Illinois Youth Survey, Center for Prevention Research and Development at University of Illinois

Table 10.13
MCHENRY COUNTY
SYNTHETIC ESTIMATES OF PERSONS WITH PAST MONTH SUBSTANCE USE
BY TYPE OF SUBSTANCE: 2012

| Substance | Ages 12+ | |
|-----------------------------------|----------|---------|
| | Rate | Number |
| Illicit Drugs | | |
| Any illicit drug | 9.2% | 23,497 |
| Any illicit drug except marijuana | 3.4% | 8,684 |
| Marijuana | 7.3% | 18,644 |
| Cocaine | 0.6% | 1,532 |
| Crack | 0.2% | 511 |
| Heroin | 0.1% | 255 |
| Hallucinogens | 0.4% | 1,022 |
| Inhalants | 0.2% | 511 |
| Psychotherapeutics ¹ | 2.6% | 6,640 |
| Pain relievers | 1.9% | 4,853 |
| Tranquilizers | 0.8% | 2,043 |
| Stimulants | 0.5% | 1,277 |
| Methamphetamine | 0.2% | 511 |
| Sedatives | 0.1% | 255 |
| Legal Substances | | |
| Cigarettes | 22.1% | 56,444 |
| Alcohol | 52.1% | 133,064 |
| Binge alcohol use ² | 23.0% | 58,742 |
| Heavy alcohol use ³ | 6.5% | 16,601 |

¹Non-medical use of prescription type psychotherapeutics includes pain relievers, tranquilizers, stimulants, sedatives; does not include over-the-counter medications.

²Binge Alcohol Use is defined as drinking 5+ drinks on the same occasion on at least one day in past month.

³Heavy Alcohol Use is drinking 5+ drinks on same occasion on each of 5 or more days in past month. All heavy alcohol users are also binge alcohol users.

Source: Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health: 2012. Local estimates derived from 2010 McHenry County population (255,401 for ages 12+) applied to national proportions

Table 10.14
MCHENRY COUNTY
SYNTHETIC ESTIMATES OF PERSONS WITH PAST MONTH SUBSTANCE USE
BY RACE/ETHNICITY: 2012

| Substance | White, Non-Hispanic | | Black, Non-Hispanic | | Asian, Non-Hispanic | | Hispanic ¹ | |
|--------------------------------|------------------------|---------|------------------------|-------|------------------------|-------|-----------------------|--------|
| | Rate | No. | Rate | No. | Rate | No. | Rate | No. |
| Any illicit drug | 9.2% | 20,140 | 11.3% | 270 | 3.7% | 227 | 8.3% | 2,108 |
| Marijuana | 7.4% | 16,200 | 9.1% | 217 | 2.5% | 154 | 6.2% | 1,574 |
| Cigarettes | 23.7% | 51,883 | 23.0% | 549 | 9.4% | 578 | 16.8% | 4,266 |
| Alcohol | 57.4% | 125,658 | 43.2% | 1,031 | 36.9% | 2,267 | 41.8% | 10,615 |
| Binge alcohol use ² | 23.9% | 52,321 | 20.6% | 492 | 12.7% | 780 | 23.2% | 5,892 |
| Heavy alcohol use ³ | 7.6% | 16,638 | 4.5% | 107 | 1.7% | 104 | 5.1% | 1,295 |

¹Hispanic can be of any race.

²Binge Alcohol Use is drinking 5+ drinks on the same occasion on at least one day in past month.

³Heavy Alcohol Use is drinking 5+ drinks on same occasion on each of 5 or more days in past month. All heavy alcohol users are also binge alcohol users.

Note: Race/ethnicity percents are based on persons ages 12+.

Source: Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health: 2012. Local estimates derived from 2010 McHenry County population by race/ethnicity applied to national proportions

Table 10.15
MCHENRY COUNTY
SYNTHETIC ESTIMATES OF PERSONS WITH PAST MONTH SUBSTANCE USE
BY GENDER: 2012

| Substance | Male | | Female | |
|--------------------------------|-------|--------|--------|--------|
| | Rate | No. | Rate | No. |
| Any illicit drug | 11.6% | 14,692 | 6.9% | 8,877 |
| Marijuana | 9.6% | 12,159 | 5.0% | 6,437 |
| Cigarettes | 24.6% | 31,158 | 19.8% | 25,491 |
| Alcohol | 56.5% | 71,562 | 47.9% | 61,668 |
| Binge alcohol use ¹ | 30.4% | 38,504 | 16.0% | 20,599 |
| Heavy alcohol use ² | 9.9% | 12,539 | 3.4% | 4,377 |

¹Binge Alcohol Use is defined as drinking 5+ drinks on the same occasion on at least one day in past month.

²Heavy Alcohol Use is drinking 5+ drinks on same occasion on each of 5 or more days in past month. All heavy alcohol users are also binge alcohol users.

Note: Gender percents are based on persons ages 12+.

Source: Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health: 2012. Local estimates derived from 2010 McHenry County population by gender applied to national proportions

Table 10.16
MCHENRY COUNTY AND ILLINOIS
DRIVING UNDER THE INFLUENCE (DUI) ARRESTS: 2010-2012

| Year | McHenry County | | Illinois Rate ¹ |
|------|----------------|-------------------|----------------------------|
| | Number | Rate ¹ | |
| 2012 | 892 | 374.9 | 365.0 |
| 2011 | 942 | 398.6 | 384.2 |
| 2010 | 1,004 | 427.4 | 412.1 |

¹Number of arrests per 100,000 population aged 16+ using Census estimates.

Source: Rates computed using data from Illinois Secretary of State, Illinois DUI Fact Books

Table 10.17
MCHENRY COUNTY
SYNTHETIC ESTIMATES OF PAST YEAR MENTAL ILLNESS PREVALENCE
AMONG ADULTS BY GROUP: 2012

| Group | Any Mental Illness | | Co-occurring Substance Abuse Disorder With Any Mental Illness | | Serious Mental Illness | |
|-----------------------------|--------------------|--------|---|--------|------------------------|--------|
| | Rate ¹ | Number | Rate ¹ | Number | Rate ¹ | Number |
| Total Population 18+ | 18.6% | 41,773 | 3.6% | 8,085 | 4.1% | 9,208 |
| Gender | | | | | | |
| Male | 14.9% | 16,522 | 4.1% | 4,546 | 3.2% | 3,548 |
| Female | 22.0% | 25,014 | 3.1% | 3,525 | 4.9% | 5,571 |
| Race/Ethnicity ² | | | | | | |
| White, NH | 19.3% | 37,458 | 3.8% | 7,375 | 4.2% | 8,151 |
| Black, NH | 18.6% | 369 | 3.3% | 65 | 3.4% | 67 |
| Asian, NH | 13.9% | 755 | 1.1% | 60 | 2.0% | 109 |
| Hispanic | 16.3% | 3,454 | 3.4% | 720 | 4.4% | 932 |
| Age (in years) | | | | | | |
| 18 - 25 | 19.6% | 5,229 | 6.8% | 1,814 | 4.1% | 1,094 |
| 26 - 49 | 21.2% | 22,594 | 4.8% | 5,116 | 5.2% | 5,542 |
| 50 and older | 15.8% | 14,431 | 1.3% | 1,187 | 3.0% | 2,740 |
| Poverty Status | | | | | | |
| Less than 100% poverty | 26.8% | 4,224 | 5.6% | 883 | 7.2% | 1,135 |
| 100-199% poverty | 21.8% | 5,329 | 4.2% | 1,027 | 5.2% | 1,271 |
| 200% of poverty and above | 15.6% | 28,969 | 2.9% | 5,385 | 3.0% | 5,571 |

¹Rate per 100 (also known as percent) for persons 18 years and older.

²White, black, and Asian are non-Hispanic.

Source: Substance Abuse and Mental Health Services Administration (SAMHSA) National Survey on Drug Use and Health: Mental Health Findings 2012. Local estimates derived from McHenry County 2010 Census (gender, race/ethnic, age) and 2012 ACS 3-Year Estimates (poverty) for age 18+ applied to national proportions

Table 10.18
MCHENRY COUNTY
SYNTHETIC ESTIMATES OF ADULTS WITH SELECTED DISEASES AND CONDITIONS: 2011

| Disease/Condition | All Adults | | 18-44 Years | | 45-64 Years | | 65-74 Years | | 75+ Years | |
|--------------------------------------|------------|---------|-------------|---------|-------------|---------|-------------|---------|-----------|--|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | |
| Selected Circulatory Diseases | | | | | | | | | | |
| Heart disease | 24,564 | 3.6% | 3,800 | 12.8% | 11,227 | 26.7% | 4,956 | 35.9% | 4,581 | |
| Hypertension | 56,145 | 9.1% | 9,605 | 32.9% | 28,858 | 55.6% | 10,319 | 57.7% | 7,363 | |
| Stroke | 5,530 | 0.5% | 528 | 2.8% | 2,456 | 6.5% | 1,206 | 10.5% | 1,340 | |
| Selected Respiratory Diseases | | | | | | | | | | |
| Emphysema | 4,399 | 0.3% | 317 | 2.7% | 2,368 | 5.8% | 1,076 | 5.0% | 638 | |
| Asthma (has now) | 18,483 | 8.0% | 8,444 | 8.7% | 7,631 | 8.3% | 1,540 | 6.8% | 868 | |
| Hay fever | 16,671 | 5.5% | 5,805 | 9.9% | 8,684 | 7.7% | 1,429 | 5.9% | 753 | |
| Sinusitis | 28,993 | 9.8% | 10,344 | 15.9% | 13,946 | 16.4% | 3,044 | 13.0% | 1,659 | |
| Chronic bronchitis | 9,813 | 2.9% | 3,061 | 5.4% | 4,737 | 6.8% | 1,262 | 5.9% | 753 | |
| Selected Sensory Problems | | | | | | | | | | |
| Hearing trouble | 34,775 | 6.2% | 6,544 | 18.9% | 16,578 | 30.2% | 5,605 | 47.4% | 6,048 | |
| Vision trouble | 20,535 | 5.5% | 5,805 | 12.0% | 10,526 | 12.2% | 2,264 | 15.2% | 1,940 | |
| Absence of all natural teeth | 16,456 | 2.5% | 2,639 | 7.7% | 6,754 | 18.6% | 3,452 | 28.3% | 3,611 | |
| Other Diseases and Conditions | | | | | | | | | | |
| Diabetes | 20,053 | 2.5% | 2,639 | 12.2% | 10,701 | 22.9% | 4,250 | 19.3% | 2,463 | |
| Ulcers | 14,927 | 4.1% | 4,328 | 8.1% | 7,105 | 11.4% | 2,116 | 10.8% | 1,378 | |
| Kidney disease | 3,998 | 0.9% | 950 | 1.8% | 1,579 | 4.0% | 742 | 5.7% | 727 | |
| Liver disease | 3,092 | 0.7% | 739 | 2.2% | 1,930 | 1.8% | 334 | 0.7% | 89 | |
| Arthritis | 51,382 | 8.0% | 8,444 | 31.2% | 27,366 | 47.6% | 8,835 | 52.8% | 6,737 | |
| Chronic joint symptoms | 66,437 | 16.9% | 17,838 | 38.3% | 33,594 | 46.4% | 8,612 | 50.1% | 6,393 | |
| Migraines or severe headaches | 37,403 | 19.4% | 20,477 | 16.4% | 14,385 | 9.5% | 1,763 | 6.1% | 778 | |
| Neck pain | 35,226 | 12.4% | 13,088 | 19.4% | 17,016 | 17.7% | 3,285 | 14.4% | 1,837 | |
| Lower back pain | 65,221 | 24.4% | 25,755 | 33.3% | 29,208 | 33.2% | 6,162 | 32.1% | 4,096 | |
| Face or jaw pain | 11,243 | 4.8% | 5,066 | 5.6% | 4,912 | 4.2% | 780 | 3.8% | 485 | |

Source: Estimates based on U.S. rates from National Center for Health Statistics, Summary Health Statistics for U.S. Adults: National Health Interview Survey, 2011, Series 10, Number 256, 2012. U.S. rates have been applied to McHenry County 2010 population by age

Table 10.19
MCHENRY COUNTY, ILLINOIS, AND U.S.
DISABILITY BY TYPE AND AGE GROUP: 2012

| Age Group/Disability Type ¹ | McHenry County | | | Illinois Percent | U.S. Percent |
|--|----------------|----------|---------|---------------------|-----------------|
| | Total | Estimate | Percent | | |
| Total Civilian Noninstitutionalized Population | 306,873 | 23,425 | 7.6% | 10.3% | 12.0% |
| Population under 5 years ² | 19,591 | | | | |
| With any disability | | 212 | 1.1% | 0.7% | 0.8% |
| Population 5 to 17 years ³ | 63,887 | | | | |
| With any disability | | 1,976 | 3.1% | 4.3% | 5.2% |
| With a cognitive difficulty | | 1,487 | 2.3% | 3.1% | 3.9% |
| With a self-care difficulty | | 457 | 0.7% | 0.8% | 0.9% |
| With an ambulatory difficulty | | 350 | 0.5% | 0.6% | 0.7% |
| Population 18 to 64 years | 192,537 | | | | |
| With any disability | | 12,207 | 6.3% | 8.1% | 10.0% |
| With a hearing difficulty | | 2,676 | 1.4% | 1.6% | 2.1% |
| With a vision difficulty | | 1,624 | 0.8% | 1.3% | 1.7% |
| With a cognitive difficulty | | 4,347 | 2.3% | 3.2% | 4.1% |
| With an ambulatory difficulty | | 6,061 | 3.1% | 4.2% | 5.1% |
| With a self-care difficulty | | 2,054 | 1.1% | 1.5% | 1.8% |
| With an independent living difficulty | | 3,845 | 2.0% | 2.9% | 3.5% |
| Population 65 years and older | 30,858 | | | | |
| With any disability | | 9,030 | 29.3% | 35.4% | 36.8% |
| With a hearing difficulty | | 3,944 | 12.8% | 13.6% | 15.1% |
| With a vision difficulty | | 1,355 | 4.4% | 6.4% | 6.9% |
| With a cognitive difficulty | | 1,846 | 6.0% | 8.2% | 9.4% |
| With an ambulatory difficulty | | 5,787 | 18.8% | 23.3% | 23.8% |
| With a self-care difficulty | | 2,178 | 7.1% | 8.2% | 8.7% |
| With an independent living difficulty | | 4,041 | 13.1% | 15.8% | 16.2% |

¹Persons may report more than one disability.

²County estimate for any disability has margin of error >50%.

³County estimates of all disability types except cognitive, self-care, and ambulatory in this age group have margins of error ≥ 50% so are not shown.

Source: U.S. Census Bureau, 2012 American Community Survey 5-Year Estimates 2008-2012

Table 10.20
MCHENRY COUNTY, ILLINOIS, AND U.S.
DISABILITY BY GENDER AND RACE/ETHNICITY: 2012

| Demographic Group | McHenry County | | | Illinois Percent | U.S. Percent |
|--|----------------|----------|---------|---------------------|-----------------|
| | Total | Estimate | Percent | | |
| Total Civilian Noninstitutionalized Population | 306,873 | 23,425 | 7.6% | 10.3% | 12.0% |
| Gender | | | | | |
| Male | 153,150 | 11,316 | 7.4% | 9.8% | 11.8% |
| Female | 153,723 | 12,109 | 7.9% | 10.8% | 12.3% |
| Race/Ethnicity¹ | | | | | |
| White, non-Hispanic | 256,729 | 21,019 | 8.2% | 11.0% | 13.0% |
| Black/African American | 3,380 | 300 | 8.9% | 13.8% | 13.7% |
| Asian | 7,927 | 378 | 4.8% | 5.3% | 6.4% |
| Two or more races | 5,047 | 265 | 5.3% | 8.3% | 11.0% |
| Hispanic or Latino (any race) | 35,068 | 1,433 | 4.1% | 5.9% | 8.3% |

¹Black, Asian, Two+ races includes persons of Hispanic and non-Hispanic origin within that race group.

Source: U.S. Census Bureau, 2012 American Community Survey 5-Year Estimates 2008-2012

Table 10.21
MCHENRY COUNTY
SCHOOL-BASED DENTAL CHARACTERISTICS
KINDERGARTENERS: 2006/2007 TO 2011/2012

| Characteristic | Percent of Students | | | | | |
|------------------------------|---------------------|---------------|---------------|---------------|---------------|---------------|
| | 2011/ 2012 | 2010/ 2011 | 2009/ 2010 | 2008/ 2009 | 2007/ 2008 | 2006/ 2007 |
| With dental sealants | 5.2% | 7.8% | 3.0% | 3.7% | 4.6% | 12.3% |
| With untreated dental caries | 17.1% | 17.8% | 15.3% | 16.5% | 16.6% | 16.2% |
| Needs urgent treatment | 0.8% | 1.4% | 0.9% | 1.1% | 1.7% | 2.0% |

Note: Percents based on number of students compliant with dental exam.

Source: Illinois State Board of Education, Reports and Statistics, Dental Health, Dental Survey Reports, <www.isbe.net/research>

Table 10.22
MCHENRY COUNTY
SCHOOL-BASED DENTAL CHARACTERISTICS
SECOND GRADERS: 2006/2007 TO 2011/2012

| Characteristic | 2011/ 2012 | 2010/ 2011 | 2009/ 2010 | 2008/ 2009 | 2007/ 2008 | 2006/ 2007 |
|------------------------------|---------------|---------------|---------------|---------------|---------------|---------------|
| With dental sealants | 39.8% | 37.0% | 36.9% | 35.3% | 37.7% | 32.4% |
| With untreated dental caries | 18.8% | 16.8% | 16.4% | 21.0% | 19.3% | 19.1% |
| Needs urgent treatment | 1.1% | 1.2% | 1.3% | 1.0% | 1.1% | 1.6% |

Note: Percents based on number of students compliant with dental exam.

Source: Illinois State Board of Education, Reports and Statistics, Dental Health, Dental Survey Reports, <www.isbe.net/research>

Table 10.23
MCHENRY COUNTY
SCHOOL-BASED DENTAL CHARACTERISTICS
SIXTH GRADERS: 2006/2007 TO 2011/2012

| Characteristic | 2011/ 2012 | 2010/ 2011 | 2009/ 2010 | 2008/ 2009 | 2007/ 2008 | 2006/ 2007 |
|------------------------------|---------------|---------------|---------------|---------------|---------------|---------------|
| With dental sealants | 65.4% | 62.7% | 60.3% | 53.4% | 57.6% | 57.3% |
| With untreated dental caries | 11.8% | 10.3% | 12.8% | 10.4% | 11.2% | 14.0% |
| Needs urgent treatment | 0.3% | 0.5% | 0.4% | 0.3% | 0.6% | 1.2% |

Note: Percents based on number of students compliant with dental exam.

Source: Illinois State Board of Education, Reports and Statistics, Dental Health, Dental Survey Reports, <www.isbe.net/research>

The 2008 Behavioral Risk Factor Survey results (Round 4) are the latest data currently released by Illinois Department of Public Health. Round 5 data in McHenry County are being gathered in 2014 and will be released in 2015.

Table 10.24
MCHENRY COUNTY AND ILLINOIS
PERCEPTION OF HEALTH STATUS AND QUALITY OF LIFE: 1997, 2002, 2006, AND 2008

| Topic | Percent of Population 18+ | | | | | |
|---|---------------------------|-------|-------|-------------------|---------------|-------|
| | McHenry County | | | | Illinois 2008 | |
| | 2008 | 2006 | 2002 | 1997 ¹ | Collar Co. | All |
| Rating of General Health | | | | | | |
| Excellent/very good | 60.4% | 61.2% | 58.6% | --- | 59.4% | 53.9% |
| Good/fair | 36.9% | 37.7% | 38.7% | --- | 38.6% | 42.7% |
| Poor | 2.8% | 1.1% | 2.7% | --- | 2.0% | 3.4% |
| Days Mental Health Not Good Within Past Month | | | | | | |
| 1 - 7 days | 29.3% | 27.4% | 23.5% | 27.4% | 28.5% | 25.4% |
| 8 - 30 days | 13.7% | 10.1% | 8.5% | 13.1% | 10.4% | 12.7% |
| Days Physical Health Not Good Within Past Month | | | | | | |
| 1 - 7 days | 21.1% | 27.1% | 21.3% | 22.1% | 26.1% | 26.7% |
| 8 - 30 days | 12.1% | 6.9% | 13.3% | 8.8% | 10.4% | 12.9% |
| Activities Limited by Impairment | | | | | | |
| Yes | 14.5% | 13.7% | 13.9% | --- | 15.9% | 18.2% |

¹For rating of general health, different categories in 1997 and activities limited by impairment not asked in 1997.

Source: Illinois Department of Public Health, Behavioral Risk Factor Surveillance Survey

Table 10.25
MCHENRY COUNTY AND ILLINOIS
PREVALENCE OF SELECTED CONDITIONS¹: 2008

| Condition | Percent of Population Age 18+ | | |
|---|-------------------------------|-----------------------|-------|
| | McHenry County | Illinois ² | |
| | | Collar Co. | All |
| Arthritis | 23.8% | 17.9% | 19.3% |
| Asthma | 15.5% | 13.4% | 13.2% |
| Children in household with asthma aged 5-17 | 13.4% | --- | --- |
| Diabetes | 5.4% | 6.1% | 8.4% |
| High blood pressure | 28.1% | 23.0% | 27.6% |
| High cholesterol | 31.2% | 35.5% | 36.7% |

¹Self reported existence of conditions which were diagnosed by respondent's health professional.

²Illinois numbers reflect 2007 data for arthritis and high cholesterol.

Source: Illinois Department of Public Health, Behavioral Risk Factor Surveillance Survey

Table 10.26
MCHENRY COUNTY AND ILLINOIS
SELF-REPORTED HEALTH BEHAVIORS: 2008

| Health Behaviors | Percent of Population 18+ | | |
|---|---------------------------|------------|-------|
| | McHenry County | Illinois | |
| | | Collar Co. | All |
| Obesity | | | |
| Underweight/normal | 40.8% | 37.8% | 37.3% |
| Overweight | 35.7% | 38.9% | 36.3% |
| Obese | 23.5% | 23.3% | 26.4% |
| Drinking | | | |
| At risk for acute/binge drinking ¹ | 20.7% | 20.5% | 19.5% |
| Smoking Status | | | |
| Current smoker | 19.8% | 18.4% | 21.3% |
| Former smoker | 32.9% | 24.3% | 23.4% |
| Non-smoker | 47.4% | 57.3% | 55.3% |

¹Consumed five (men) / four (women) or more drinks on at least one occasion within past month.

Source: Illinois Department of Public Health, Behavioral Risk Factor Surveillance Survey

Table 10.27
MCHENRY COUNTY AND ILLINOIS
UTILIZATION OF CANCER SCREENING PROCEDURES: 2008

| Procedure | Percent of Population | | |
|--------------------------------|-----------------------|------------|-------|
| | McHenry County | Illinois | |
| | | Collar Co. | All |
| Women | | | |
| Ever had a mammogram, ages 40+ | 87.4% | 91.9% | 91.2% |
| Within past year, ages 40+ | 67.4% | 76.9% | 79.3% |
| Ever had a pap smear | 95.0% | 94.3% | 93.7% |
| Within past year | 82.8% | 81.0% | 77.5% |
| Men, Ages 40+ | | | |
| Ever had PSA test | 57.4% | 61.6% | 62.4% |
| Ever had digital rectal exam | 74.1% | 79.2% | 73.1% |
| All Adults, Ages 50+ | | | |
| Ever had colon/sigmoidoscopy | 60.0% | 59.4% | 58.8% |
| Ever had blood stool test | 37.6% | 34.7% | 37.9% |

Source: Illinois Department of Public Health, Behavioral Risk Factor Surveillance Survey

Figure 10.1
 McHenry County and Illinois
 Chlamydia Rate: 1995-2012




Figure 10.2
 McHenry County and Illinois
 Gonorrhea Rate: 1995-2012




Figure 10.3
 McHenry County
 Students Past Month Substance Use by Grade Level: 2012




Figure 10.4
 McHenry County
 Students Past Two Weeks
 Binge Drinking (5+ Drinks in a Row) by Grade Level: 2012




Figure 10.5
 McHenry County
 Students Experienced Bullying Behaviors in Past Year
 by Grade Level: 2012




Figure 10.6
 McHenry County
 Students Delinquent and Risky Behaviors Over Past Year
 by Grade Level: 2012




Figure 10.7
 McHenry County
 Students Mental Health in Past Year
 by Grade Level: 2012




Figure 10.8
 McHenry County, Illinois, and U.S.
 Any Disability by Age Group: 2012





Figure 10.9
McHenry County
Students With Untreated Dental Caries: 2011-2012



Chapter 11
HEALTH RESOURCES AND UTILIZATION

| | Table (Figure) |
|---|-------------------|
| <ul style="list-style-type: none"> ○ One in nine (11.1%) McHenry County residents under age 65 lacks health insurance coverage. Uninsured levels rise for persons with lower incomes in that more than one-quarter with incomes up to twice the poverty level (28.6%) and at 138% of poverty (29.9%) report having no health insurance. Local uninsured levels are higher than the state for low-income residents. | 11.1 (11.1) |
| <ul style="list-style-type: none"> ○ For McHenry County adults ages 18-64, 14.4% lack health insurance rising to 41.7% for persons at up to 200% poverty and 44.7% for persons up to 138% of poverty. The levels for persons with low income are considerably higher than the state. | 11.1 (11.1) |
| <ul style="list-style-type: none"> ○ In 2012, Medicaid enrollees numbered 39,353 in McHenry County, a record high that represents 12.8% of the population. In the past six years, enrollment has gone up by 112.5%. | 11.2 (11.2) |
| <ul style="list-style-type: none"> ○ Hospital discharge rates appear to be lower for McHenry County residents than the U.S. though local rates use 2013 data while national rates are based on 2007 (the most recent year for which U.S. data are considered reliable). Assuming the comparison is valid, local hospitalization rates fall below the U.S. for both genders and all age groups except ages 65+. McHenry County hospital discharge rates are lower than Illinois for both genders and for all ages except ages 65+ where the county rate is 15% higher than the state. | 11.3 |
| <ul style="list-style-type: none"> ○ The county's female hospitalization rate (1,105.1) is higher than male (830.1) and residents ages 65+ are far more often hospitalized than residents under 65. | 11.3 (11.3) |
| <ul style="list-style-type: none"> ○ Normal newborn was the top reason for local residents' hospitalization in 2013. Placing second was psychoses (a generalized mental health category) followed by another birth-related diagnosis, uncomplicated vaginal delivery. Fourth most common diagnosis was major joint replacement/reattachment of lower extremity (hip or knee replacement), fifth digestive disorders, and sixth Cesarean section. These data reflect county residents' hospitalizations regardless of where hospitalization took place, but only includes facilities in Illinois. | 11.4 |
| <ul style="list-style-type: none"> ○ McHenry County shows higher-than-state rates for just 9 of the top 30 diagnoses. The widest excess between county residents and state occurs for cardiac arrhythmia and conduction disorders (59% higher) and hip/knee replacement (34% higher). | 11.5 |
| <ul style="list-style-type: none"> ○ Compared to four years earlier, fewer hospitalizations of county residents occurred in 2013 for birth-related diagnoses of normal newborn, neonate with significant problems, vaginal delivery, and Cesarean. Fewer hospitalizations also took place for digestive disorders and alcohol/drug abuse or dependence. The reverse was true with more hospitalizations in 2013 than 2009 for hip/knee replacement, cellulitis, psychoses, and rehabilitation. | 11.6 |

- Excluding birth-related or gender-specific diagnoses, McHenry County males and females had the same top two reasons for hospitalization – psychoses and hip/knee replacement. Alcohol/drug abuse or dependence came in third for males but for females digestive disorders stood at third. The fourth place diagnosis for both males and females was rehabilitation. Kidney and urinary tract infection rounds out the top five for females but does not fall anywhere on the list of the top 30 for males whose fifth place diagnosis was digestive disorders. Two heart-related diagnoses fell in the top 10 for males, but none did for females. 11.7
- Besides being born, McHenry County children ages 0-4 were most often hospitalized in 2013 for bronchitis and asthma, pneumonia, digestive disorders, and nutritional/metabolic disorders. 11.8
- The most common hospitalization reasons for ages 5-17 were psychoses, depressive neuroses, appendectomy, bronchitis and asthma, and seizures. 11.8
- Three of the five leading hospitalization reasons for ages 18-44 were birth diagnoses: vaginal delivery (simple) and Cesarean section (uncomplicated and complicated). Besides those, psychoses and alcohol/drug abuse or dependence were most common. 11.8
- Middle-aged persons ages 45-64 were most likely hospitalized for hip/knee replacement, psychoses, digestive disorders, alcohol/drug abuse or dependence, and cellulitis. 11.8
- Among McHenry County residents ages 65-74, hip/knee replacement, rehabilitation, cardiac arrhythmia, digestive disorders, and septicemia were the top five hospitalization reasons. Among the oldest age group, ages 75+, rehabilitation, hip/knee replacement, heart failure and shock (major complications), septicemia, and heart failure and shock (complications) led among diagnoses. 11.8
- A total of 850 residents lived in McHenry County long-term care facilities in 2012. Nearly one in five (18.8%) had a primary diagnosis of circulatory system problems. Ranking second most frequent was developmental disability (11.9%), followed by Alzheimer’s which affects 10.0% of residents. 11.9
- Among 2012 patients in the county’s long-term care facilities, two-thirds (66.6%) were female and more than four in ten (41.4%) ages 85 years and older. More than half (55.3%) used Medicaid as their primary payment source, followed by private pay (22.6%). 11.10
- Dental exams are mandated by state law for students in kindergarten, second, and sixth grades. In 2011/2012, 88.6% of county kindergarteners were compliant with the dental exam, though levels were lower for second graders (72.1%) and sixth graders (75.2%). Since 2006/2007 compliance has remained about the same for kindergarten, dropped for second grade, and risen for sixth grade. 11.11
- One-hundred and sixty-five dentists practiced in McHenry County in 2011. The county’s 2011 rate of dentists per 100,000 population at 53.4 is below the state (62.9). The county’s rate has declined slightly since 2006 (57.5). 11.12

- Based on American Medical Association data, 349 patient care physicians were based in McHenry County as of December 31, 2011 producing a ratio of 882.3 persons per physician, more than twice the U.S. (405.8). Among specialties, McHenry County hospital-based practice physicians serve six times more people at 10,263.8 per physician than nationwide (1,626.7). 11.13

Table 11.1
MCHENRY COUNTY AND ILLINOIS
HEALTH INSURANCE ESTIMATES BY AGE AND INCOME: 2012

| Group | McHenry County | | Illinois Percent |
|-----------------------|----------------|---------|---------------------|
| | Number | Percent | |
| Age <65 | | | |
| All income levels | | | |
| Insured | 241,196 | 88.9% | 85.4% |
| Uninsured | 30,225 | 11.1% | 14.6% |
| Income ≤ 200% poverty | | | |
| Insured | 38,216 | 71.4% | 74.1% |
| Uninsured | 15,278 | 28.6% | 25.9% |
| Income ≤ 138% poverty | | | |
| Insured | 23,155 | 70.1% | 73.9% |
| Uninsured | 9,886 | 29.9% | 26.1% |
| Age 18 - 64 | | | |
| All income levels | | | |
| Insured | 164,323 | 85.6% | 81.2% |
| Uninsured | 1,987 | 14.4% | 18.8% |
| Income ≤ 200% poverty | | | |
| Insured | 19,535 | 58.3% | 62.6% |
| Uninsured | 13,976 | 41.7% | 37.4% |
| Income ≤ 138% poverty | | | |
| Insured | 11,220 | 55.3% | 61.5% |
| Uninsured | 9,061 | 44.7% | 38.5% |
| Age 40 - 64 | | | |
| All income levels | | | |
| Insured | 100,893 | 88.2% | 84.7% |
| Uninsured | 13,550 | 11.8% | 15.3% |
| Income ≤ 200% poverty | | | |
| Insured | 9,931 | 59.1% | 63.0% |
| Uninsured | 6,861 | 40.9% | 37.0% |
| Income ≤ 138% poverty | | | |
| Insured | 5,641 | 55.4% | 60.6% |
| Uninsured | 4,539 | 44.6% | 39.4% |

Source: U.S. Census Bureau, Small Area Health Insurance
Estimates

Table 11.2
MCHENRY COUNTY
MEDICAID ENROLLMENT¹ AS PERCENT OF POPULATION: 2006-2012

| Fiscal Year | All | | Children <18 | |
|---------------------|-----------|-----------------------|--------------|-----------------------|
| | Enrollees | Percent of Population | Enrollees | Percent of Population |
| 2012 | 39,353 | 12.8% | 25,715 | 31.9% |
| 2011 | 37,545 | 12.2% | 24,459 | 29.7% |
| 2010 | 34,103 | 11.0% | 22,316 | 26.5% |
| 2009 | 30,313 | 9.8% | 19,946 | 23.9% |
| 2008 | 25,401 | 8.3% | 16,699 | 19.8% |
| 2007 | 22,363 | 7.3% | 14,447 | 17.0% |
| 2006 | 18,518 | 6.2% | 11,429 | 13.6% |
| Change 2006-2012 | +20,835 | +112.5% | +14,286 | +125.0% |

¹Enrollment as of last day of fiscal year for most years. Does not include persons receiving partial benefits such as Illinois Healthy Women.

Note: Percents based on intercensal estimates and decennial population.
Source: Illinois Department of Healthcare and Family Services

Explanation for Hospitalization Tables

Hospital data shown on Table 11.3-11.8 reflect hospital inpatient discharges of McHenry County residents regardless of hospital used. Data include only Illinois hospitals.

Tables 11.3
MCHENRY COUNTY, ILLINOIS, AND U.S.
RESIDENT HOSPITAL DISCHARGE RATES: 2013

| Age/Gender | McHenry County | | Illinois Rate ² | U.S. Rate ³ |
|-------------------|---------------------|-------------------|----------------------------|------------------------|
| | Number ¹ | Rate ² | | |
| Total | 29,828 | 968.0 | 1,048.3 | 1,143.9 |
| Gender | | | | |
| Female | 17,075 | 1,105.1 | 1,200.7 | 1,344.0 |
| Male | 12,753 | 830.1 | 890.2 | 936.7 |
| Age Group (years) | | | | |
| 0 - 17 | 1,846 | 229.4 | 273.9 | 358.2 |
| 18 - 44 | 7,707 | 748.5 | 772.6 | 844.6 |
| 45 - 64 | 8,080 | 889.9 | 1,099.6 | 1,143.9 |
| 65+ | 12,195 | 3,597.7 | 3,116.5 | 3,395.1 |

¹Excludes newborns.

²Rate per 10,000 population. Computed using 2012 county/state population estimates by age and gender.

³U.S. rates are 2007. Beginning in 2008, the National Hospital Discharge Survey was limited to only 203 hospitals nationwide. Therefore, earlier data based on a sample of 500 hospitals are believed to be more accurate. These rates are from National Health Statistics Reports, no. 29, *National Hospital Discharge Survey: 2007 Summary*, October 26, 2010: U.S. age groups are 0-14 and 15-44.

Source: Illinois Hospital Association, COMPdata

Table 11.4
MCHENRY COUNTY RESIDENTS
LEADING 30 REASONS FOR HOSPITALIZATION: 2013

| Rank | MSDRG | Description | Dis-charges | Patient Days | Average Stay (days) |
|------|-------|--|-------------|--------------|---------------------|
| 1 | 795 | Normal newborn | 2,326 | 4,636 | 1.99 |
| 2 | 885 | Psychoses | 1,887 | 15,008 | 7.95 |
| 3 | 775 | Vaginal delivery w/o complicating diagnoses | 1,822 | 3,635 | 2.00 |
| 4 | 470 | Major joint replacement or reattachment of lower extremity w/o MCC | 1,287 | 3,855 | 3.00 |
| 5 | 392 | Esophagitis, gastroenteritis & misc digestive disorders w/o MCC | 754 | 2,018 | 2.68 |
| 6 | 766 | Cesarean section w/o CC/MCC | 642 | 1,952 | 3.04 |
| 7 | 945 | Rehabilitation w CC/MCC | 621 | 8,268 | 13.31 |
| 8 | 897 | Alcohol/drug abuse or dependence w/o rehabilitation therapy w/o MCC | 535 | 1,850 | 3.46 |
| 9 | 603 | Cellulitis w/o MCC | 437 | 1,370 | 3.14 |
| 10 | 794 | Neonate w other significant problems | 433 | 1,077 | 2.49 |
| 11 | 194 | Simple pneumonia & pleurisy w CC | 362 | 1,409 | 3.89 |
| 12 | 871 | Septicemia or severe sepsis w/o mechanical ventilation 96+ hours w MCC | 351 | 2,446 | 6.97 |
| 13 | 765 | Cesarean section w CC/MCC | 338 | 1,322 | 3.91 |
| 13 | 310 | Cardiac arrhythmia & conduction disorders w/o CC/MCC | 338 | 663 | 1.96 |
| 15 | 690 | Kidney & urinary tract infections w/o MCC | 315 | 898 | 2.85 |
| 16 | 641 | Nutritional & misc metabolic disorders w/o MCC | 294 | 770 | 2.62 |
| 17 | 247 | Percutaneous cardiovascular procedure w drug-eluting stent w/o MCC | 280 | 598 | 2.14 |
| 18 | 190 | Chronic obstructive pulmonary disease w MCC | 274 | 1,334 | 4.87 |
| 19 | 774 | Vaginal delivery w complicating diagnoses | 251 | 613 | 2.44 |
| 20 | 292 | Heart failure & shock w CC | 250 | 1,038 | 4.15 |
| 21 | 193 | Simple pneumonia & pleurisy w MCC | 245 | 1,479 | 6.04 |
| 22 | 291 | Heart failure & shock w MCC | 240 | 1,409 | 5.87 |
| 23 | 683 | Renal failure w CC | 235 | 983 | 4.18 |
| 24 | 195 | Simple pneumonia & pleurisy w/o CC/MCC | 220 | 550 | 2.50 |
| 25 | 203 | Bronchitis & asthma w/o CC/MCC | 214 | 467 | 2.18 |
| 26 | 287 | Circulatory disorders except AMI, w cardiac cath w/o MCC | 210 | 523 | 2.49 |
| 27 | 378 | G.I. hemorrhage w CC | 209 | 721 | 3.45 |
| 28 | 460 | Spinal fusion except cervical w/o MCC | 206 | 764 | 3.71 |
| 29 | 918 | Poisoning & toxic effects of drugs w/o MCC | 203 | 434 | 2.14 |
| 29 | 313 | Chest pain | 203 | 296 | 1.46 |

Note: MCC or CC = (Major) complications or comorbid conditions; w = with, w/o = without.
Source: Illinois Hospital Association, COMPdata

Table 11.5
MCHENRY COUNTY AND ILLINOIS RESIDENTS
HOSPITALIZATION RATES BY DIAGNOSIS: 2013

| MSDRG | Description | McHenry County | | Illinois Rate Per ¹ 10,000 |
|-------|--|----------------------|---------------------------------|---|
| | | Number Discharges | Rate Per ¹ 10,000 | |
| 795 | Normal newborn | 2,326 | 75.7 | 80.3 |
| 885 | Psychoses | 1,887 | 61.4 | 67.6 |
| 775 | Vaginal delivery w/o complicating diagnoses | 1,822 | 59.3 | 66.2 |
| 470 | Major joint replacement or reattachment of lower extremity w/o MCC | 1,287 | 41.9 | 31.3 |
| 392 | Esophagitis, gastroenteritis & misc digestive disorders w/o MCC | 754 | 24.5 | 23.7 |
| 766 | Cesarean section w/o CC/MCC | 642 | 20.9 | 22.2 |
| 945 | Rehabilitation w CC/MCC | 621 | 20.2 | 17.4 |
| 897 | Alcohol/drug abuse or dependence w/o rehabilitation therapy w/o MCC | 535 | 17.4 | 15.9 |
| 603 | Cellulitis w/o MCC | 437 | 14.2 | 15.9 |
| 794 | Neonate w other significant problems | 433 | 14.1 | 21.2 |
| 194 | Simple pneumonia & pleurisy w CC | 362 | 11.8 | 13.3 |
| 871 | Septicemia or severe sepsis w/o mechanical ventilation 96+ hours w MCC | 351 | 11.4 | 22.3 |
| 765 | Cesarean section w CC/MCC | 338 | 11.0 | 13.7 |
| 310 | Cardiac arrhythmia & conduction disorders w/o CC/MCC | 338 | 11.0 | 6.9 |
| 690 | Kidney & urinary tract infections w/o MCC | 315 | 10.3 | 13.2 |
| 641 | Nutritional & misc metabolic disorders w/o MCC | 294 | 9.6 | 10.9 |
| 247 | Percutaneous cardiovascular procedure w drug-eluting stent w/o MCC | 280 | 9.1 | 8.2 |
| 190 | Chronic obstructive pulmonary disease w MCC | 274 | 8.9 | 8.9 |
| 774 | Vaginal delivery w complicating diagnoses | 251 | 8.2 | 10.3 |
| 292 | Heart failure & shock w CC | 250 | 8.1 | 12.2 |
| 193 | Simple pneumonia & pleurisy w MCC | 245 | 8.0 | 7.7 |
| 291 | Heart failure & shock w MCC | 240 | 7.8 | 10.8 |
| 683 | Renal failure w CC | 235 | 7.6 | 9.7 |
| 195 | Simple pneumonia & pleurisy w/o CC/MCC | 220 | 7.2 | 7.7 |
| 203 | Bronchitis & asthma w/o CC/MCC | 214 | 7.0 | 8.1 |
| 287 | Circulatory disorders except AMI, w cardiac cath w/o MCC | 210 | 6.8 | 7.8 |
| 378 | G.I. hemorrhage w CC | 209 | 6.8 | 8.4 |
| 460 | Spinal fusion except cervical w/o MCC | 206 | 6.7 | 5.4 |
| 918 | Poisoning & toxic effects of drugs w/o MCC | 203 | 6.6 | 5.6 |
| 313 | Chest pain | 203 | 6.6 | 8.5 |

¹Computed using 2013 county/state population estimates.

Note: MCC or CC = (Major) complications or comorbid conditions; w = with, w/o = without.

Source: Illinois Hospital Association, COMPdata

Table 11.6
MCHENRY COUNTY RESIDENTS
TOP TEN HOSPITAL DIAGNOSES IN 2013 COMPARED TO 2009

| Diagnosis | Number of Discharges | | Change 2009-2013 | |
|---|----------------------|-------|------------------|---------|
| | 2013 | 2009 | Number | Percent |
| Normal newborn | 2,326 | 2,704 | -378 | -14.0% |
| Psychoses | 1,887 | 1,737 | +150 | +8.6% |
| Vaginal delivery w/o complicating diagnoses | 1,822 | 2,074 | -252 | -12.2% |
| Major joint replacement or reattachment of lower extremity w/o MCC | 1,287 | 1,050 | +237 | +22.6% |
| Esophagitis, gastroenteritis & misc digestive disorders w/o MCC | 754 | 986 | -232 | -23.5% |
| Cesarean section w/o CC/MCC | 642 | 864 | -222 | -25.7% |
| Rehabilitation w CC/MCC | 621 | 484 | +137 | +28.3% |
| Alcohol/drug abuse or dependence w/o rehabilitation therapy w/o MCC | 535 | 628 | -93 | -14.8% |
| Cellulitis w/o MCC | 437 | 333 | +104 | +31.2% |
| Neonate w other significant problems | 433 | 575 | -142 | -24.7% |

Note: MCC or CC = (Major) complications or comorbid conditions; w = with, w/o = without.

Source: Illinois Hospital Association, COMPdata

Table 11.7
MCHENRY COUNTY RESIDENTS
TOP 30 HOSPITALIZATION REASONS¹ BY GENDER: 2013

| Rank | Diagnosis | Discharges |
|------|--|------------|
| | <i>Female</i> | |
| 1 | Vaginal delivery w/o complicating diagnoses | 1,822 |
| 2 | Psychoses | 1,066 |
| 3 | Major joint replacement or reattachment of lower extremity w/o MCC | 756 |
| 4 | Cesarean section w/o CC/MCC | 642 |
| 5 | Esophagitis, gastroenteritis & misc digestive disorders w/o MCC | 465 |
| 6 | Cesarean section w CC/MCC | 338 |
| 7 | Rehabilitation w CC/MCC | 324 |
| 8 | Vaginal delivery w complicating diagnoses | 251 |
| 9 | Kidney & urinary tract infections w/o MCC | 239 |
| 10 | Cellulitis w/o MCC | 196 |
| 11 | Uterine & adnexa procedure for non-malignancy w/o CC/MCC | 193 |
| 12 | Simple pneumonia & pleurisy w CC | 189 |
| 13 | Alcohol/drug abuse or dependence w/o rehabilitation therapy w/o MCC | 177 |
| 14 | Nutritional & misc metabolic disorders w/o MCC | 169 |
| 15 | Septicemia or severe sepsis w/o mechanical ventilation 96+ hours w MCC | 165 |
| 16 | Chronic obstructive pulmonary disease w MCC | 153 |
| 17 | Cardiac arrhythmia & conduction disorders w/o CC/MCC | 150 |
| 18 | Heart failure & shock w MCC | 134 |
| 19 | Simple pneumonia & pleurisy w MCC | 124 |
| 20 | Chronic obstructive pulmonary disease w CC | 121 |
| 21 | Red blood cell disorders w/o MCC | 118 |
| 21 | Heart failure & shock w CC | 118 |
| 23 | Renal failure w CC | 116 |
| 24 | Poisoning & toxic effects of drugs w/o MCC | 114 |
| 25 | Simple pneumonia & pleurisy w/o CC/MCC | 108 |
| 26 | Medical back problems w/o MCC | 107 |
| 26 | Spinal fusion except cervical w/o MCC | 107 |
| 28 | Cardiac arrhythmia & conduction disorders w CC | 105 |
| 29 | Bronchitis & asthma w/o CC/MCC | 102 |
| 30 | Seizures w/o MCC | 101 |

Table 11.7 (cont'd.)
MCHENRY COUNTY RESIDENTS
TOP 30 HOSPITALIZATION REASONS¹ BY GENDER: 2013

| Rank | Diagnosis | Discharges |
|------|--|------------|
| | <i>Male</i> | |
| 1 | Psychoses | 821 |
| 2 | Major joint replacement or reattachment of lower extremity w/o MCC | 531 |
| 3 | Alcohol/drug abuse or dependence w/o rehabilitation therapy w/o MCC | 358 |
| 4 | Rehabilitation w CC/MCC | 297 |
| 5 | Esophagitis, gastroenteritis & misc digestive disorders w/o MCC | 289 |
| 6 | Cellulitis w/o MCC | 241 |
| 7 | Percutaneous cardiovascular procedure w drug-eluting stent w/o MCC | 198 |
| 8 | Cardiac arrhythmia & conduction disorders w/o CC/MCC | 188 |
| 9 | Septicemia or severe sepsis w/o mechanical ventilation 96+ hours w MCC | 186 |
| 10 | Simple pneumonia & pleurisy w CC | 173 |
| 11 | Heart failure & shock w CC | 132 |
| 12 | Circulatory disorders except AMI, w cardiac cath w/o MCC | 128 |
| 13 | Nutritional & misc metabolic disorders w/o MCC | 125 |
| 14 | Chronic obstructive pulmonary disease w MCC | 121 |
| 14 | Simple pneumonia & pleurisy w MCC | 121 |
| 16 | Renal failure w CC | 119 |
| 17 | Simple pneumonia & pleurisy w/o CC/MCC | 112 |
| 18 | Bronchitis & asthma w/o CC/MCC | 112 |
| 18 | G.I. hemorrhage w CC | 110 |
| 20 | Chest pain | 106 |
| 20 | Heart failure & shock w MCC | 106 |
| 22 | Syncope & collapse | 105 |
| 23 | Spinal fusion except cervical w/o MCC | 99 |
| 24 | Major small & large bowel procedures w CC | 97 |
| 25 | Poisoning & toxic effects of drugs w/o MCC | 89 |
| 25 | Seizures w/o MCC | 89 |
| 25 | Cardiac arrhythmia & conduction disorders w CC | 89 |
| 28 | Cervical spinal fusion w/o CC/MCC | 83 |
| 29 | Chronic obstructive pulmonary disease w CC | 79 |
| 30 | Renal failure w MCC | 78 |

¹Excludes newborns.

Note: MCC or CC = (Major) complications or comorbid conditions; w = with, w/o = without.

Source: Illinois Hospital Association, COMPdata

Table 11.8
MCHENRY COUNTY RESIDENTS
TOP HOSPITALIZATION REASONS BY AGE GROUP: 2013

| Ages 0 - 4 | Discharges |
|--|------------|
| Normal newborn | 2,326 |
| Neonate w other significant problems | 432 |
| Full term neonate w major problems | 177 |
| Prematurity w/o major problems | 105 |
| Bronchitis & asthma w/o CC/MCC | 93 |
| Prematurity w major problems | 77 |
| Neonates, died or transferred to another acute care facility | 64 |
| Extreme immaturity or respiratory distress syndrome, neonate | 62 |
| Simple pneumonia & pleurisy w/o CC/MCC | 32 |
| Esophagitis, gastroenteritis & misc digestive disorders w/o MCC | 28 |
| Nutritional & misc metabolic disorders w/o MCC | 27 |
| Simple pneumonia & pleurisy w CC | 27 |
| Otitis media & URI w/o MCC | 24 |
| Seizures w/o MCC | 21 |
| Bronchitis & asthma w CC/MCC | 19 |
| Kidney & urinary tract infections w/o MCC | 17 |
| Respiratory system diagnosis w ventilator support 96+ hours | 12 |
| Fever | 12 |
| Cellulitis w/o MCC | 10 |
| Ages 5 - 17 | |
| Psychoses | 417 |
| Depressive neuroses | 45 |
| Appendectomy w/o complicated principal diagnosis w/o CC/MCC | 44 |
| Bronchitis & asthma w/o CC/MCC | 39 |
| Seizures w/o MCC | 38 |
| Esophagitis, gastroenteritis & misc digestive disorders w/o MCC | 29 |
| Simple pneumonia & pleurisy w/o CC/MCC | 27 |
| Diabetes w/o CC/MCC | 27 |
| Poisoning & toxic effects of drugs w/o MCC | 22 |
| Vaginal delivery w/o complicating diagnoses | 20 |
| Nutritional & misc metabolic disorders w/o MCC | 19 |
| Appendectomy w complicated principal diagnosis w/o CC/MCC | 18 |
| Disorders of personality & impulse control | 16 |
| Kidney & urinary tract infections w/o MCC | 14 |
| Bronchitis & asthma w CC/MCC | 13 |
| Cellulitis w/o MCC | 13 |
| Lower extremity & humerus procedure except hip, foot, femur w/o CC/MCC | 13 |
| Simple pneumonia & pleurisy w CC | 12 |
| Rehabilitation w CC/MCC | 12 |
| Headaches w/o MCC | 12 |

Table 11.8 (cont'd.)
MCHENRY COUNTY RESIDENTS
TOP HOSPITALIZATION REASONS BY AGE GROUP: 2013

| Age 18 - 44 | Discharges |
|---|-------------------|
| Vaginal delivery w/o complicating diagnoses | 1,800 |
| Psychoses | 865 |
| Cesarean section w/o CC/MCC | 635 |
| Cesarean section w CC/MCC | 334 |
| Alcohol/drug abuse or dependence w/o rehabilitation therapy w/o MCC | 263 |
| Vaginal delivery w complicating diagnoses | 248 |
| Esophagitis, gastroenteritis & misc digestive disorders w/o MCC | 198 |
| Cellulitis w/o MCC | 113 |
| Poisoning & toxic effects of drugs w/o MCC | 106 |
| Uterine & adnexa procedures for non-malignancy w/o CC/MCC | 86 |
| Other antepartum diagnoses w medical complications | 74 |
| Laparoscopic cholecystectomy w/o C.D.E. w/o CC/MCC | 58 |
| Disorders of pancreas except malignancy w/o CC/MCC | 57 |
| Spinal fusion except cervical w/o MCC | 55 |
| Depressive neuroses | 52 |
| O.R. procedures for obesity w/o CC/MCC | 50 |
| Kidney & urinary tract infections w/o MCC | 49 |
| Cervical spinal fusion w/o CC/MCC | 48 |
| Seizures w/o MCC | 48 |
| Headaches w/o MCC | 46 |
| Diabetes w CC | 46 |

Table 11.8 (cont'd.)
MCHENRY COUNTY RESIDENTS
TOP HOSPITALIZATION REASONS BY AGE GROUP: 2013

| Ages 45 - 64 | Discharges |
|--|------------|
| Major joint replacement or reattachment of lower extremity w/o MCC | 544 |
| Psychoses | 444 |
| Esophagitis, gastroenteritis & misc digestive disorders w/o MCC | 275 |
| Alcohol/drug abuse or dependence w/o rehabilitation therapy w/o MCC | 248 |
| Cellulitis w/o MCC | 143 |
| Percutaneous cardiovascular procedures w drug-eluting stent w/o MCC | 133 |
| Rehabilitation w CC/MCC | 124 |
| Cardiac arrhythmia & conduction disorders w/o CC/MCC | 104 |
| Uterine & adnexa procedures for non-malignancy w/o CC/MCC | 92 |
| Cervical spine fusion w/o CC/MCC | 90 |
| Spinal fusion except cervical w/o MCC | 89 |
| Septicemia or severe sepsis w/o mechanical ventilation 96+ hours w MCC | 88 |
| Chest pain | 86 |
| Simple pneumonia & pleurisy w CC | 80 |
| Chronic obstructive pulmonary disease W MCC | 79 |
| Major small & large bowel procedures W CC | 78 |
| Circulatory disorders except AMI, w cardiac catheterization w/o MCC | 76 |
| Nutritional & misc metabolic disorders w/o MCC | 72 |
| Chemotherapy w/o acute leukemia as secondary diagnosis w CC | 67 |
| Major small & large bowel procedures w/o CC/MCC | 62 |

Table 11.8 (cont'd.)
MCHENRY COUNTY RESIDENTS
TOP HOSPITALIZATION REASONS BY AGE GROUP: 2013

| Ages 65 - 74 | Discharges |
|--|-------------------|
| Major joint replacement or reattachment of lower extremity w/o MCC | 444 |
| Rehabilitation w CC/MCC | 169 |
| Cardiac arrhythmia & conduction disorders w/o CC/MCC | 105 |
| Esophagitis, gastroenteritis & misc digestive disorders w/o MCC | 102 |
| Septicemia or severe sepsis w/o mechanical ventilation 96+ hours w MCC | 100 |
| Chronic obstructive pulmonary disease w MCC | 83 |
| Percutaneous cardiovascular procedures w drug-eluting stent w/o MCC | 75 |
| Psychoses | 73 |
| Simple pneumonia & pleurisy w CC | 71 |
| Cellulitis w/o MCC | 68 |
| Circulatory disorders except AMI, w cardiac catheterization w/o MCC | 67 |
| Renal failure w CC | 65 |
| Chronic obstructive pulmonary disease w CC | 65 |
| Heart failure & shock w MCC | 61 |
| Cardiac arrhythmia & conduction disorders w CC | 59 |
| Heart failure & shock w CC | 58 |
| Simple pneumonia & pleurisy w MCC | 58 |
| G.I. hemorrhage w CC | 56 |
| Spinal fusion except cervical w/o MCC | 49 |
| Nutritional & misc metabolic disorders w/o MCC | 49 |

Table 11.8 (cont'd.)
MCHENRY COUNTY RESIDENTS
TOP HOSPITALIZATION REASONS BY AGE GROUP: 2013

| Ages 75+ | Discharges |
|--|-------------------|
| Rehabilitation w CC/MCC | 293 |
| Major joint replacement or reattachment of lower extremity w/o MCC | 269 |
| Heart failure & shock w MCC | 149 |
| Septicemia or severe sepsis w/o mechanical ventilation 96+ hours w MCC | 135 |
| Heart failure & shock w CC | 134 |
| Simple pneumonia & pleurisy w CC | 130 |
| Kidney & urinary tract infections w/o MCC | 129 |
| Simple pneumonia & pleurisy w MCC | 127 |
| Esophagitis, gastroenteritis & misc digestive disorders w/o MCC | 122 |
| Cardiac arrhythmia & conduction disorders w/o CC/MCC | 112 |
| Chronic obstructive pulmonary disease w MCC | 101 |
| Nutritional & misc metabolic disorders w/o MCC | 91 |
| Syncope & collapse | 91 |
| Cellulitis w/o MCC | 90 |
| Psychoses | 88 |
| Renal failure w CC | 87 |
| Heart failure & shock w/o CC/MCC | 84 |
| G.I. hemorrhage w CC | 84 |
| Cardiac arrhythmia & conduction disorders w CC | 81 |
| Renal failure w MCC | 73 |

Note: Top 20 diagnoses or diagnoses with ≥ 10 cases per age group.

MCC or CC = (Major) complications or comorbid conditions; w = with, w/o = without.

Source: Illinois Hospital Association, COMPdata

Table 11.9
MCHENRY COUNTY
PRIMARY DIAGNOSIS OF LONG-TERM CARE RESIDENTS: 2012

| Diagnosis | Number | Percent |
|-----------------------------|--------|---------|
| Total Residents | 850 | 100.0% |
| Circulatory system | 160 | 18.8% |
| Other Medical | 107 | 12.6% |
| Developmental disability | 101 | 11.9% |
| Alzheimer's disease | 85 | 10.0% |
| Musculoskeletal | 70 | 8.2% |
| Mental illness ¹ | 62 | 7.3% |
| Nervous system ² | 61 | 7.2% |
| Non-medical | 43 | 5.1% |
| Respiratory system | 39 | 4.6% |
| Genitourinary system | 37 | 4.4% |
| Endocrine/metabolic | 36 | 4.2% |
| Digestive system | 20 | 2.4% |
| Injuries/poisoning | 15 | 1.8% |
| Skin disorders | 6 | 0.7% |
| Neoplasms | 5 | 0.6% |
| Blood disorders | 3 | 0.4% |

¹A total of 149 (17.5%) LTC residents are diagnosed as mentally ill (mental illness is not primary diagnosis for all).

²Does not include Alzheimer's disease.

Source: Illinois Department of Public Health, Long-Term Care Facility Planning Area Summary

Table 11.10
MCHENRY COUNTY
SELECTED CHARACTERISTICS OF LONG-TERM CARE RESIDENTS: 2012

| Characteristic | Total | | Nursing Care | | ICF/DD | | Shelter | |
|----------------------------------|--------|---------|--------------|---------|--------|---------|---------|---------|
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| All Residents | 850 | 100.0% | 721 | 100.0% | 91 | 100.0% | 38 | 100.0% |
| Gender | | | | | | | | |
| Male | 289 | 34.0% | 239 | 33.1% | 48 | 52.7% | 2 | 5.3% |
| Female | 561 | 66.0% | 482 | 66.9% | 43 | 47.3% | 36 | 94.7% |
| Age Group (years) | | | | | | | | |
| <45 | 38 | 4.5% | 15 | 2.1% | 23 | 25.3% | 0 | 0.0% |
| 45 - 64 | 141 | 16.6% | 91 | 12.6% | 50 | 54.9% | 0 | 0.0% |
| 65 - 74 | 139 | 16.4% | 125 | 17.3% | 12 | 13.2% | 2 | 5.3% |
| 75 - 84 | 180 | 21.2% | 165 | 22.9% | 6 | 6.6% | 9 | 23.7% |
| 85+ | 352 | 41.4% | 325 | 45.1% | 0 | 0.0% | 27 | 71.1% |
| Race/Ethnicity | | | | | | | | |
| White | 821 | 96.6% | 699 | 96.9% | 84 | 92.3% | 38 | 100.0% |
| Black | 10 | 1.2% | 4 | 0.6% | 6 | 6.6% | 0 | 0.0% |
| Asian | 4 | 0.5% | 3 | 0.4% | 1 | 1.1% | 0 | 0.0% |
| Unknown | 15 | 1.8% | 15 | 2.1% | 0 | 0.0% | 0 | 0.0% |
| Hispanic (any race) ¹ | 17 | 2.0% | 12 | 1.7% | 5 | 5.5% | 0 | 0.0% |
| Payment Source | | | | | | | | |
| Medicare | 150 | 17.6% | 150 | 20.8% | 0 | 0.0% | 0 | 0.0% |
| Medicaid | 470 | 55.3% | 380 | 52.7% | 90 | 98.9% | 0 | 0.0% |
| Other Public | 31 | 3.6% | 28 | 3.9% | 0 | 0.0% | 3 | 7.9% |
| Insurance | 7 | 0.8% | 7 | 1.0% | 0 | 0.0% | 0 | 0.0% |
| Private Pay | 192 | 22.6% | 156 | 21.6% | 1 | 1.1% | 35 | 92.1% |
| Charity Care | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |

¹Tabulated separate from race.

Source: Illinois Department of Public Health, Long-Term Care Facility Planning Area Summary

Table 11.11
MCHENRY COUNTY STUDENTS
COMPLIANCE WITH STATE-REQUIRED DENTAL EXAM
BY GRADE LEVEL: 2006/2007 TO 2011/2012

| Age/Year | Compliant With Required Dental Exam | |
|--------------|--|---------|
| | Number | Percent |
| Kindergarten | | |
| 2011-2012 | 3,315 | 88.6% |
| 2010-2011 | 3,184 | 84.6% |
| 2009-2010 | 3,535 | 87.3% |
| 2008-2009 | 3,451 | 86.2% |
| 2007-2008 | 3,635 | 87.7% |
| 2006-2007 | 3,366 | 87.5% |
| Second Grade | | |
| 2011-2012 | 2,903 | 72.1% |
| 2010-2011 | 3,031 | 75.8% |
| 2009-2010 | 3,088 | 74.3% |
| 2008-2009 | 3,333 | 78.0% |
| 2007-2008 | 3,517 | 79.9% |
| 2006-2007 | 3,161 | 80.3% |
| Sixth Grade | | |
| 2011-2012 | 3,247 | 75.2% |
| 2010-2011 | 3,212 | 74.3% |
| 2009-2010 | 3,024 | 73.7% |
| 2008-2009 | 3,199 | 73.7% |
| 2007-2008 | 3,087 | 72.0% |
| 2006-2007 | 2,607 | 70.1% |

Source: Illinois State Board of Education,
Reports and Statistics, Dental Health,
Dental Survey Report
<www.isbe.net/research>

Table 11.12
MCHENRY COUNTY AND ILLINOIS
DENTISTS SUPPLY: 2006 AND 2011

| Area | 2011 | | 2006 | |
|----------------|---------------------|---------------------------------|---------------------|---------------------------------|
| | Number ¹ | Dentists Per 100,000 Population | Number ¹ | Dentists Per 100,000 Population |
| McHenry County | 165 | 53.4 ² | 173 | 57.5 ² |
| Illinois | 8,066 | 62.9 | 7,310 | 57.8 |

¹Number of DDS clinically practicing.

²Computed as a population to dentist ratio = 1,884:1; 16th best in the state (1,630:1).

Sources: Illinois Department of Financial and Professional Regulation in Illinois Department of Public Health, *Illinois Dental Workforce Census Report 2006* and Health Resources and Services (HRSA) Area Resource File 2011

Table 11.13
MCHENRY COUNTY AND U.S.
PHYSICIANS AND POPULATION PER PHYSICIAN: 2011¹

| Physician Type | McHenry County | | U.S. Population Per Physician |
|----------------------------------|----------------|--------------------------|-------------------------------|
| | Number | Population Per Physician | |
| Total Patient Care | 349 | 882.3 | 405.8 |
| Office-Based Practice | | | |
| Family Medicine/General Practice | 47 | 6,551.3 | 3,270.4 |
| Medical Specialties | 136 | 2,264.1 | 1,453.3 |
| Surgical Specialties | 74 | 4,161.0 | 2,457.3 |
| Other Specialties | 62 | 4,966.3 | 2,076.8 |
| Hospital-Based Practice | | | |
| | 30 | 10,263.8 | 1,626.7 |

¹Computed using McHenry County 2011 Census population estimate of 307,913 and AMA physician counts for 12/31/2011.

Source: American Medical Association, *Physician Characteristics and Distribution in the U.S.* 2013 Edition

Figure 11.1
McHenry County
Uninsured by Age and Income Level: 2012




Figure 11.2
McHenry County
Medicaid Enrollment: 2006-2012




Figure 11.3
McHenry County
Resident Hospital Discharge Rates by Gender and Age Group: 2013

