



McHenry County Division of Transportation

Joseph R. Korpalski, Jr., P.E.
Director of Transportation/County Engineer

ADDENDUM #01

McHenry County Division of Transportation

2026 Dorr Township Resurfacing Section 26-06000-01-GM

The following special provision shall be incorporated within the bid packet for Dorr Township Resurfacing, **Section # 26-06000-01-GM**:

- Insert the attached Special Provision for Aggregate Shoulder to the end of the Special Provisions.
 - This specifies the width and material requirements for the Aggregate Shoulder.

Upon receipt of this Addendum, execute and return a signed copy by email to Kaje Jennings at KWJennings@mchenrycountyil.gov. **Bids will not be accepted from Contractors who have not incorporated the above information into the bid packet and executed and returned the Addendum.**

Date: _____

Contractor: _____

Signed: _____

AGGREGATE SHOULDER

Aggregate Shoulders Type B (Special) will be placed in accordance with Article 481 of the Standard Specifications. For all locations, the Aggregate Shoulders will be installed at a nominal width of 3.0’.

All coarse aggregate shoulder material shall be 100% crushed stone, crushed gravel, or crushed concrete material and shall meet the IDOT specifications for CA-6. No Reclaimed Asphalt Pavement (RAP) shall be used for shoulder material even if the RAP material meets the required CA-6 gradation requirements.